



CERTIFICATE OF ACCREDITATION

The ANSI National Accreditation Board

Hereby attests that

SPEX CertiPrep, LLC
203 Norcross Avenue
Metuchen, NJ 08840

Fulfills the requirements of

ISO/IEC 17025:2017

In the field of

TESTING

This certificate is valid only when accompanied by a current scope of accreditation document.
The current scope of accreditation can be verified at www.anab.org.

Jason Stine, Vice President

Expiry Date: 23 October 2027

Certificate Number: AT-3436



This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2017.
This accreditation demonstrates technical competence for a defined scope and the operation of a laboratory
quality management system (refer to joint ISO-ILAC-IAF Communiqué dated April 2017).

SCOPE OF ACCREDITATION TO ISO/IEC 17025:2017

SPEX CertiPrep, LLC

203 Norcross Avenue
Metuchen, NJ 08840

Julio Soto julio.soto@antylia.com


TESTING

ISO/IEC 17025 Accreditation Granted: **23 October 2025**

Certificate Number: **AT-3436** Certificate Expiry Date: **23 October 2027**

Chemical

Specific Tests and/or Properties Measured	Specification, Standard, Method, or Test Technique	Items, Materials or Product Tested	Key Equipment or Technology
Ion Chromatography	SPEX Internal SOP 4600 Series Procedures	Reference Materials and Certified Reference Materials	IC
Conductivity	SPEX Internal SOP 4900-COND-2S		Conductivity Meter
Density	SPEX Internal SOP 4600-DENSITY-1S		Density Meter
Gravimetry	SPEX Internal SOP 4900 Series Procedures		Balance
Ion Selective Electrode	SPEX Internal SOP 4900-F-3S		Ion Selective Electrode
pH	SPEX Internal SOP 4900-PH-1S		pH Meter
Titrimetry	SPEX Internal SOP 4900 Series Procedures		Burets
Inductively Coupled Plasma / Mass Spectrometry	SPEX Internal SOP 4600 Series Procedures		ICP-MS
Inductively Coupled Plasma / Optical Emission Spectroscopy	SPEX Internal SOP 4600 Series Procedures		ICP-OES



Jason Stine, Vice President

This Scope of Accreditation, version 001, was last updated on: 24 October 2025 and is valid only when accompanied by the Certificate.

Page 1 of 1