

## Safety Data Sheet

acc. to OSHA HCS


Printing date 09/12/2019


Reviewed on 03/25/2019

### 1 Identification

- **Product identifier**
- **Trade name:** 100011-2 Cesium (1000µg/mL in 1% HCl)
- **Article number:** 100011-2
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
 High-Purity Standards  
 PO Box 41727 Charleston, SC 29423 United States  
 Telephone: +1-843-767-7900  
 Fax: +1-843-767-7906  
 highpuritystandards.com  
 Email: info@highpuritystandards.com
- **Information department:** Product safety department
- **Emergency telephone number:**  
 INFOTRAC  
 Emergency telephone numbers 1-800-535-5053  
 Other emergency telephone numbers 1-352-323-3500

### 2 Hazard(s) identification

- **Classification of the substance or mixture**  
 The product is not classified, according to the Globally Harmonized System (GHS).
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**  


Health = 0  
 Fire = 0  
 Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**  


Health = \*0  
 Fire = 0  
 Reactivity = 0
- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization:** Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 2)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/12/2019

Reviewed on 03/25/2019

**Trade name: 100011-2 Cesium (1000µg/mL in 1% HCl)**

(Contd. of page 1)

**· Dangerous components:**

7647-01-0	hydrochloric acid	1.0%
-----------	-------------------	------

**· Chemical identification of the substance/preparation**

534-17-8	caesium carbonate	0.1%
7732-18-5	water, distilled, conductivity or of similar purity	98.9%

### 4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Dilute with plenty of water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

**· PAC-1:**

7647-01-0	hydrochloric acid	1.8 ppm
534-17-8	caesium carbonate	7 mg/m <sup>3</sup>

**· PAC-2:**

7647-01-0	hydrochloric acid	22 ppm
534-17-8	caesium carbonate	77 mg/m <sup>3</sup>

(Contd. on page 3)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/12/2019

Reviewed on 03/25/2019

**Trade name: 100011-2 Cesium (1000µg/mL in 1% HCl)**

(Contd. of page 2)

**· PAC-3:**

7647-01-0	hydrochloric acid	100 ppm
534-17-8	caesium carbonate	460 mg/m <sup>3</sup>

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

**· Components with limit values that require monitoring at the workplace:**

7647-01-0 hydrochloric acid	
PEL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
REL	Ceiling limit value: 7 mg/m <sup>3</sup> , 5 ppm
TLV	Ceiling limit value: 2.98 mg/m <sup>3</sup> , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures for handling chemicals should be followed.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/12/2019

Reviewed on 03/25/2019

**Trade name: 100011-2 Cesium (1000µg/mL in 1% HCl)**

(Contd. of page 3)

· **Eye protection:** Goggles recommended during refilling.

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

    **Form:** Liquid

    **Color:** colorless

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

    **Melting point/Melting range:** Undetermined.

    **Boiling point/Boiling range:** 100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

    **Lower:** Not determined.

    **Upper:** Not determined.

· **Vapor pressure at 20 °C (68 °F):** 23 hPa (17.3 mm Hg)

· **Density at 20 °C (68 °F):** 1.0018 g/cm<sup>3</sup> (8.36002 lbs/gal)

· **Bulk density:** 1,002 kg/m<sup>3</sup>

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

    **Water:** Fully miscible.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

    **Dynamic:** Not determined.

    **Kinematic:** Not determined.

· **Solvent content:**

    **Water:** 98.9 %

    **VOC content:** 0.00 %

0.0 g/l / 0.00 lb/gal

**Solids content:** 0.0 %

(Contd. on page 5)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/12/2019

Reviewed on 03/25/2019

**Trade name: 100011-2 Cesium (1000µg/mL in 1% HCl)**

(Contd. of page 4)

· **Other information** No further relevant information available.

### 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

### 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

7647-01-0 hydrochloric acid

Oral	LD50	900 mg/kg (rabbit)
------	------	--------------------

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product is not subject to classification according to internally approved calculation methods for preparations.  
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

7647-01-0	hydrochloric acid	3
-----------	-------------------	---

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

### 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

(Contd. on page 6)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/12/2019

Reviewed on 03/25/2019

**Trade name: 100011-2 Cesium (1000µg/mL in 1% HCl)**

(Contd. of page 5)

- **Additional ecological information:**
- **General notes:** Not hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

- |   |                                 |
|---|---------------------------------|
| · <b>UN-Number</b>  | UN1789                          |
| · <b>DOT, ADR, IMDG, IATA</b>   |                                 |
| · <b>UN proper shipping name</b>  | Hydrochloric acid solution      |
| · <b>DOT</b>  | 1789 Hydrochloric acid solution |
| · <b>ADR</b>  | HYDROCHLORIC ACID solution      |
| · <b>IMDG, IATA</b>   |                                 |
| · <b>Transport hazard class(es)</b>   |                                 |
| · <b>DOT, ADR, IMDG, IATA</b>   | 8 Corrosive substances          |
| · <b>Class</b>  | 8                               |
| · <b>Label</b>  | not regulated                   |
| · <b>ADN/R Class:</b>   |                                 |
| · <b>Packing group</b>  | III                             |
| · <b>DOT, ADR, IMDG, IATA</b>   |                                 |
| · <b>Environmental hazards:</b>   | Not applicable.                 |
| · <b>Special precautions for user</b>   | Warning: Corrosive substances   |
| · <b>Danger code (Kemler):</b>  | 80                              |
| · <b>EMS Number:</b>  | F-A,S-B                         |
| · <b>Segregation groups</b>   | Acids                           |
| · <b>Stowage Category</b>   | E                               |
| · <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b> | Not applicable.                 |
| · <b>Transport/Additional information:</b>  |                                 |
| · <b>DOT</b>  | On passenger aircraft/rail: 5 L |
| · <b>Quantity limitations</b>   | On cargo aircraft only: 60 L    |

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 09/12/2019

Reviewed on 03/25/2019

**Trade name: 100011-2 Cesium (1000µg/mL in 1% HCl)**

(Contd. of page 6)

· <b>ADR</b>	
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 1789 HYDROCHLORIC ACID SOLUTION, 8, III

### 15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

#### · **Section 355 (extremely hazardous substances):**

7647-01-0	hydrochloric acid
-----------	-------------------

#### · **Section 313 (Specific toxic chemical listings):**

7647-01-0	hydrochloric acid
-----------	-------------------

#### · **TSCA (Toxic Substances Control Act):**

7647-01-0	hydrochloric acid
-----------	-------------------

534-17-8	caesium carbonate
----------	-------------------

7732-18-5	water, distilled, conductivity or of similar purity
-----------	---

#### · **Proposition 65**

##### · **Chemicals known to cause cancer:**

None of the ingredients is listed.

##### · **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

##### · **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

##### · **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

#### · **Carcinogenic categories**

##### · **EPA (Environmental Protection Agency)**

7647-01-0	hydrochloric acid
-----------	-------------------

534-17-8	caesium carbonate
----------	-------------------

7732-18-5	water, distilled, conductivity or of similar purity
-----------	---

##### · **TLV (Threshold Limit Value established by ACGIH)**

7647-01-0	hydrochloric acid	A4
-----------	-------------------	----

##### · **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

(Contd. on page 8)



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 09/12/2019

Reviewed on 03/25/2019

**Trade name: 100011-2 Cesium (1000µg/mL in 1% HCl)**

(Contd. of page 7)

- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** Environment protection department.

- **Contact:**

High-Purity Standards

Tel: 843-767-7900

Fax: 843-767-7906

- **Date of preparation / last revision** 09/12/2019 / -

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit