

#### Printing date 01/13/2020

Reviewed on 01/13/2020

Page 1/12

Product identifie	
Trade name: <u>Ga</u>	lium 1000 µg/mL in 10% HCl
Article number:	0M19-2
Manufacturer/St High-Purity Stan 7221 Investment Telephone: +1-8 Fax: +1-843-767 highpuritystanda	ards Drive, North Charleston, SC 29418 United States 3-767-7900 7906
<i>Emergency telep</i> <i>INFOTRAC</i> <i>Emergency telep</i>	rtment: Product safety department none number: one numbers1-800-535-5053 telephone numbers 1-352-323-3500
Hazard(s) ide	tification
Classification of	he substance or mixture
GHS0.	Corrosion
Skin Corr. 1A H	14 Causes severe skin burns and eye damage.
Eve Dam 1 H	18 Causes serious eye damage.

STOT SE 3 H335 May cause respiratory irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• Hazard-determining components of labeling: hydrochloric acid

(Contd. on page 2)



Printing date 01/13/2020

Reviewed on 01/13/2020

Trade name: Gallium 1000 µg/mL in 10% HCl

(Contd. of page 1) · Hazard statements H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0*Reactivity* = 0· HMIS-ratings (scale 0 - 4) HEALTH \*3 Health = \*3 Fire = 0FIRE 0 **REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions. · Dangerous components: 7647-01-0 hydrochloric acid 10.0% Chemical identification of the substance/preparation 7440-55-3 gallium 0.1% (Contd. on page 3)

Page 2/12

US



Printing date 01/13/2020

Reviewed on 01/13/2020

Trade name: Gallium 1000 µg/mL in 10% HCl

7732-18-5 water, distilled, conductivity or of similar purity

#### 4 First-aid measures

- · Description of first aid measures
- *General information: Immediately remove any clothing soiled by the product.*
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.*
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Do not allow to enter sewers/ surface or ground water. • Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. · Protective Action Criteria for Chemicals · PAC-1: 7647-01-0 hydrochloric acid 1.8 ppm 7440-55-3 gallium  $30 \text{ mg/m}^3$ (Contd. on page 4)

Page 3/12

(Contd. of page 2) 89.9%



Page 4/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/13/2020

Reviewed on 01/13/2020

Trade name: Gallium 1000 µg/mL in 10% HCl

	(Contd. of page 3)
· PAC-2:	
7647-01-0 hydrochloric acid	22 ppm
7440-55-3 gallium	330 mg/m <sup>3</sup>
· PAC-3:	
7647-01-0 hydrochloric acid	100 ppm
7440-55-3 gallium	$2,000 \text{ mg/m}^3$

### 7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s)* No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- 7647-01-0 hydrochloric acid
- PEL Ceiling limit value: 7 mg/m<sup>3</sup>, 5 ppm
- *REL Ceiling limit value:* 7 mg/m<sup>3</sup>, 5 ppm
- TLV Ceiling limit value: 2.98 mg/m<sup>3</sup>, 2 ppm
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

(Contd. on page 5)

US



Printing date 01/13/2020

Reviewed on 01/13/2020

Trade name: Gallium 1000 µg/mL in 10% HCl

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Liquid	
Color:	colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	

Page 5/12

(Contd. of page 4)



Page 6/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 01/13/2020

Reviewed on 01/13/2020

#### Trade name: Gallium 1000 µg/mL in 10% HCl

		(Contd. of page 2
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0199 g/cm³ (8.51107 lbs/gal)	
Bulk density:	$1,020 \text{ kg/m}^3$	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	<b>r</b> ): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	89.9 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.1 %	
Other information	No further relevant information available.	

## **10 Stability and reactivity**

• *Reactivity* No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)



Printing date 01/13/2020

Reviewed on 01/13/2020

Trade name: Gallium 1000 µg/mL in 10% HCl

(Contd. of page 6)

Page 7/12

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

*The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive* 

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

 · IARC (International Agency for Research on Cancer)

 7647-01-0
 hydrochloric acid
 3

 · NTP (National Toxicology Program)
 3

 None of the ingredients is listed.
 3

 · OSHA-Ca (Occupational Safety & Health Administration)
 3

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 8)



Printing date 01/13/2020

Reviewed on 01/13/2020

Trade name: Gallium 1000 µg/mL in 10% HCl

• *Other adverse effects No further relevant information available.* 

**13 Disposal considerations** 

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.* 

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)
ADR IMDG, IATA	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (HYDROCHLORIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (HYDROCHLORIC ACID)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
ADR	
at at	
Class	8 (C1) Corrosive substances

Page 8/12

(Contd. of page 7)



Printing date 01/13/2020

*Reviewed on 01/13/2020* 

Trade name: Gallium 1000 µg/mL in 10% HCl

	(Contd. of page
IMDG, IATA	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	11
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	B
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex 1	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
Quantity initiations	On cargo aircraft only: 30 L
ADR Executed accordition (EQ)	Code: E2
Excepted quantities (EQ)	<i>Maximum net quantity per inner packaging: 30 ml</i>
	Maximum net quantity per inner packaging: 50 ml Maximum net quantity per outer packaging: 500 ml
	new and a quantity per outer puckaging. 500 mi
	11
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (HYDROCHLORIC ACID), 8, II

(Contd. on page 10)

Page 9/12



Printing date 01/13/2020

Reviewed on 01/13/2020

Trade name: Gallium 1000 µg/mL in 10% HCl

(Contd. of page 9)

Page 10/12

	Safety, health and environmental regulations/legislation specific for the substance or mixture Sara
,	Section 355 (extremely hazardous substances):
	7647-01-0 hydrochloric acid
,	Section 313 (Specific toxic chemical listings):
	7647-01-0 hydrochloric acid
	TSCA (Toxic Substances Control Act):
	All components have the value ACTIVE.
	Hazardous Air Pollutants
	7647-01-0 hydrochloric acid
	Proposition 65
1	Chemicals known to cause cancer:
	None of the ingredients is listed.
1	Chemicals known to cause reproductive toxicity for females:
	None of the ingredients is listed.
	Chemicals known to cause reproductive toxicity for males:
	None of the ingredients is listed.
1	Chemicals known to cause developmental toxicity:
	None of the ingredients is listed.
•	Carcinogenic categories
	EPA (Environmental Protection Agency)
	None of the ingredients is listed.
	TLV (Threshold Limit Value established by ACGIH)
	7647-01-0 hydrochloric acid
	NIOSH-Ca (National Institute for Occupational Safety and Health)
	None of the ingredients is listed.



· Signal word Danger

• Hazard-determining components of labeling: hydrochloric acid

(Contd. on page 11)



Printing date 01/13/2020

*Reviewed on 01/13/2020* 

(Contd. of page 10)

Trade name: Gallium 1000 µg/mL in 10% HCl

· Hazard statements H314 Causes severe skin burns and eye damage. H335 May cause respiratory irritation. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department. · Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906 · Date of preparation / last revision 01/13/2020 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

Page 11/12

(Contd. on page 12)



Printing date 01/13/2020

Reviewed on 01/13/2020

Trade name: Gallium 1000 µg/mL in 10% HCl

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 (Contd. of page 11)

Page 12/12

US -