

1 Identification

- **Product identifier**
- **Product Name:** Organochloine Pesticides Mix A
- **Part Name:** 5252-PA
- **Application of the substance / the mixture** For Laboratory Use Only
- **Uses advised against** Not for Human or Animal Use
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Spex CertiPrep, LLC.
203 Norcross Ave, Metuchen,
NJ 08840 USA
732-549-7144
USMet-CRMSales@antylia.com
- **Information department:** product safety department
- **Emergency telephone number:**
Emergency Phone Number (24 hours)
CHEMTREC (800-424-9300)
Outside US: 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable Liquids 2

H225 Highly flammable liquid and vapor.



GHS07

Eye Irritation 2A

H319 Causes serious eye irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS07

- **Signal word** Danger
- **Hazard-determining components of labeling:**
acetone
- **Hazard statements**
H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
- **Precautionary statements**
P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting/equipment.
P242 Use only non-sparking tools.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a poison center/doctor if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P403+P235 Store in a well-ventilated place. Keep cool.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)


Product Name: Organochloine Pesticides Mix A

(Contd. of page 1)

- Classification system:
- NFPA ratings (scale 0 - 4)



- HMIS-ratings (scale 0 - 4)



- Other hazards
- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

67-64-1	acetone	99.64%
---------	---------	--------

· Chemical identification of the substance/preparation

50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	0.02%
58-89-9	γ-HCH or γ-BHC	0.02%
60-57-1	dieldrin (ISO)	0.02%
72-20-8	endrin (ISO)	0.02%
72-43-5	methoxychlor	0.02%
72-54-8	TDE	0.02%
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	0.02%
76-44-8	heptachlor (ISO)	0.02%
309-00-2	aldrin (ISO)	0.02%
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	0.02%
319-85-7	β-HCH	0.02%
319-86-8	delta-BHC	0.02%
959-98-8	Endosulfan I	0.02%
1024-57-3	heptachlor epoxide	0.02%
1031-07-8	Endosulfan sulfate	0.02%
7421-93-4	Endrin aldehyde	0.02%
33213-65-9	Endosulfan II	0.02%
53494-70-5	Endrin ketone	0.02%

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not give anything to eat or drink - Do not induce vomiting
- Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

Product Name: Organochloine Pesticides Mix A

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
67-64-1	acetone	200 ppm
50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	3 mg/m ³
58-89-9	γ -HCH or γ -BHC	9.1 mg/m ³
60-57-1	dieldrin (ISO)	0.3 mg/m ³
72-20-8	endrin (ISO)	1.8 mg/m ³
72-43-5	methoxychlor	30 mg/m ³
72-54-8	TDE	2.4 mg/m ³
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	6.5 mg/m ³
76-44-8	heptachlor (ISO)	0.15 mg/m ³
309-00-2	aldrin (ISO)	0.91 mg/m ³
1024-57-3	heptachlor epoxide	0.15 mg/m ³

· PAC-2:		
67-64-1	acetone	3200* ppm
50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	34 mg/m ³
58-89-9	γ -HCH or γ -BHC	100 mg/m ³
60-57-1	dieldrin (ISO)	6.8 mg/m ³
72-20-8	endrin (ISO)	20 mg/m ³
72-43-5	methoxychlor	150 mg/m ³
72-54-8	TDE	26 mg/m ³
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	72 mg/m ³
76-44-8	heptachlor (ISO)	14 mg/m ³
309-00-2	aldrin (ISO)	10 mg/m ³
1024-57-3	heptachlor epoxide	0.5 mg/m ³

· PAC-3:		
67-64-1	acetone	5700* ppm
50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	210 mg/m ³
58-89-9	γ -HCH or γ -BHC	1,000 mg/m ³
60-57-1	dieldrin (ISO)	450 mg/m ³
72-20-8	endrin (ISO)	2,000 mg/m ³
72-43-5	methoxychlor	4,500 mg/m ³
72-54-8	TDE	160 mg/m ³
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	170 mg/m ³
76-44-8	heptachlor (ISO)	700 mg/m ³
309-00-2	aldrin (ISO)	100 mg/m ³
1024-57-3	heptachlor epoxide	3 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.

(Contd. on page 4)

Product Name: Organochloine Pesticides Mix A

(Contd. of page 3)

- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store in a cool location.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

· Control parameters

- **Components with limit values that require monitoring at the workplace:**

67-64-1 acetone	
PEL	Long-term value: 2400 mg/m ³ , 1000 ppm
REL	Long-term value: 590 mg/m ³ , 250 ppm
TLV	Short-term value: 500 ppm Long-term value: 250 ppm
	A4, BEI

- **Ingredients with biological limit values:**

67-64-1 acetone	
BEI	25 mg/L Medium: urine Time: end of shift Parameter: Acetone (nonspecific)

- **Additional information:** The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

· General protective and hygienic measures:

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Respiratory protection:

- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. on page 5)

Product Name: Organochloine Pesticides Mix A

(Contd. of page 4)

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid
Color: According to product specification

Odor: Characteristic

Odour Threshold: Not applicable.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 55.8-56.6 °C (132.4-133.9 °F)

Flash point: < 0 °C (< 32 °F)

Flammability (solid, gaseous): Highly flammable.

Auto igniting: 465 °C (869 °F)

Decomposition temperature: Not applicable.

Ignition temperature: Product is not selfigniting.

Danger of explosion: Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

Explosion limits:

Lower: 2.6 Vol %
Upper: 13 Vol %

Vapor pressure at 20 °C (68 °F): 233 hPa (174.8 mm Hg)

Vapor pressure at 50 °C (122 °F): 800 hPa (600 mm Hg)

Density Not applicable.

Relative density Not applicable.

Vapor density Not applicable.

Evaporation rate Not applicable.

Solubility in / Miscibility with

Water: Fully miscible.

Partition coefficient (n-octanol/water): Not applicable.

Viscosity:

Dynamic: Not applicable.

Kinematic: Not applicable.

Solvent content:

Organic solvents: 99.7 %

VOC content: 0.02 %

Solids content: 0.2 %

Other information No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

(Contd. on page 6)

Product Name: Organochloine Pesticides Mix A

(Contd. of page 5)

- **Primary irritant effect:**
- **on the eye:** Irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Irritant

· **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	2A
58-89-9	γ-HCH or γ-BHC	1
60-57-1	dieldrin (ISO)	2A
72-20-8	endrin (ISO)	3
72-43-5	methoxychlor	3
76-44-8	heptachlor (ISO)	2B
309-00-2	aldrin (ISO)	2A
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	2B
319-85-7	β-HCH	2B
1024-57-3	heptachlor epoxide	2B

· **NTP (National Toxicology Program)**

50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	R
58-89-9	γ-HCH or γ-BHC	R
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	R
319-85-7	β-HCH	R
319-86-8	delta-BHC	R

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (Self-assessment): hazardous for water
Do not allow product to reach ground water, water course or sewage system.
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.


14 Transport information


· UN-Number	
· DOT, ADR, IMDG, IATA	UN1090
· UN proper shipping name	
· DOT	Acetone
· ADR	1090 ACETONE
· IMDG, IATA	ACETONE

(Contd. on page 7)

Product Name: Organochloine Pesticides Mix A

(Contd. of page 6)

· Transport hazard class(es)	
· DOT	
	
· Class	3 Flammable liquids
· Label	3

· ADR, IMDG, IATA	
	
· Class	3 Flammable liquids
· Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	
II	
· Environmental hazards:	
Not applicable.	
· Special precautions for user	
Warning: Flammable liquids	
· Hazard identification number (Kemler code):	
33	
· EMS Number:	
F-E,S-D	
· Stowage Category	
E	
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Not applicable.	
· Transport/Additional information:	

· ADR	
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	
UN 1090 ACETONE, 3, II	

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.
· **Sara**

· **Section 313 (Specific toxic chemical listings):**

58-89-9	γ-HCH or γ-BHC
72-43-5	methoxychlor
76-44-8	heptachlor (ISO)
309-00-2	aldrin (ISO)
319-84-6	(1alpha,2alpha,3beta,4alpha,5beta,6beta)-1,2,3,4,5,6-hexachlorocyclohexane

· **TSCA (Toxic Substances Control Act):**

67-64-1	acetone	ACTIVE
50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	ACTIVE
58-89-9	γ-HCH or γ-BHC	ACTIVE
319-84-6	(1alpha,2alpha,3beta,4alpha,5beta,6beta)-1,2,3,4,5,6-hexachlorocyclohexane	ACTIVE
319-85-7	β-HCH	ACTIVE
319-86-8	delta-BHC	ACTIVE

· **Hazardous Air Pollutants**

58-89-9	γ-HCH or γ-BHC
72-43-5	methoxychlor
76-44-8	heptachlor (ISO)

(Contd. on page 8)

Product Name: Organochloine Pesticides Mix A

(Contd. of page 7)

· Proposition 65

· Chemicals known to cause cancer:

50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane
58-89-9	γ-HCH or γ-BHC
60-57-1	dieldrin (ISO)
72-54-8	TDE
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene
76-44-8	heptachlor (ISO)
309-00-2	aldrin (ISO)
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane
319-85-7	β-HCH
319-86-8	delta-BHC
1024-57-3	heptachlor epoxide

· Chemicals known to cause reproductive toxicity for females:

50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane
---------	---

· Chemicals known to cause reproductive toxicity for males:

50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene

· Chemicals known to cause developmental toxicity:

50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane
72-20-8	endrin (ISO)
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene
76-44-8	heptachlor (ISO)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

67-64-1	acetone	I
50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	B2
60-57-1	dieldrin (ISO)	B2
72-20-8	endrin (ISO)	D
72-43-5	methoxychlor	D
72-54-8	TDE	B2
72-55-9	2,2-bis(p-chlorophenyl)-1,1-dichloroethylene	B2
76-44-8	heptachlor (ISO)	B2
309-00-2	aldrin (ISO)	B2
319-84-6	(1α,2α,3β,4α,5β,6β)-1,2,3,4,5,6-hexachlorocyclohexane	B2
319-85-7	β-HCH	C
319-86-8	delta-BHC	D
1024-57-3	heptachlor epoxide	B2

· TLV (Threshold Limit Value)

67-64-1	acetone	A4
50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane	A3
58-89-9	γ-HCH or γ-BHC	A3
60-57-1	dieldrin (ISO)	(A4)
72-20-8	endrin (ISO)	A4
72-43-5	methoxychlor	A4
76-44-8	heptachlor (ISO)	A3
309-00-2	aldrin (ISO)	A3
1024-57-3	heptachlor epoxide	A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

50-29-3	1,1,1-trichloro-2,2-bis(4-chlorophenyl)ethane
60-57-1	dieldrin (ISO)
72-43-5	methoxychlor
76-44-8	heptachlor (ISO)
309-00-2	aldrin (ISO)

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 9)

Product Name: Organochloine Pesticides Mix A

(Contd. of page 8)

· Hazard pictograms



· Signal word *Danger*

· Hazard-determining components of labeling:

acetone

· Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a poison center/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 11/02/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEL: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2

Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3