

Safety Data Sheet acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

1 Identification

· **Product identifier**

· **Trade name:** C-385HC

· **Other means of identification**

· **Restrictions**

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

· **Application of the substance / the mixture** *For Laboratory Use Only*

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

NSI Lab Solutions
7212 ACC Blvd.,
Raleigh, NC 27617
USA

· **Information department:** *Product safety department*

· **Emergency telephone number:** *During normal opening times: +1 (919) 789-3000*

* 2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS02 Flame

Flammable liquids 2

H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute toxicity - dermal 2

H310 Fatal in contact with skin.



GHS08 Health hazard

Germ cell mutagenicity 1B

H340 May cause genetic defects.

Carcinogenicity 1A

H350 May cause cancer.

Reproductive toxicity 1B

H360 May damage fertility or the unborn child.

Specific target organ toxicity (repeated exposure) 1 *H372 Causes damage to the central nervous system and the hematopoietic system through prolonged or repeated exposure.*

Aspiration hazard 1

H304 May be fatal if swallowed and enters airways.



GHS07

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 1)

Skin irritation 2

H315 Causes skin irritation.

Eye irritation 2A

H319 Causes serious eye irritation.

Sensitization - skin 1

H317 May cause an allergic skin reaction.

· **Label elements**

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

GHS06

GHS07

GHS08

· **Signal word** Danger

· **Hazard-determining components of labeling:**

benzene

benzo[a]pyrene

dichloromethane

dibenz[a,h]anthracene

phenanthrene, pure

anthracene

· **Hazard statements**

Highly flammable liquid and vapor.

Fatal in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to the central nervous system and the hematopoietic system through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground / bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take action to prevent static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If swallowed: Immediately call a poison center/doctor.

Specific treatment (see on this label).

Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 3)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 2)

*IF exposed or concerned: Get medical advice/attention.**Get medical advice/attention if you feel unwell.**Take off immediately all contaminated clothing and wash it before reuse.**If skin irritation or rash occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**In case of fire: Use CO₂, powder or water spray to extinguish.**Store in a well-ventilated place. Keep cool.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.*· **Information pertaining to particular dangers for man and environment:**· **Classification system:**· **NFPA ratings (scale 0 - 4)**

Health = 3

Fire = 3

Reactivity = 0

· **HMIS-ratings (scale 0 - 4)**

Health = *3

Fire = 3

Reactivity = 0

· **Other hazards**· **Results of PBT and vPvB assessment**

· PBT:	
50-32-8	benzo[a]pyrene
56-55-3	benz[a]anthracene
120-12-7	anthracene
129-00-0	pyrene
191-24-2	benzo[ghi]perylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

· vPvB:	
50-32-8	benzo[a]pyrene
56-55-3	benz[a]anthracene
85-01-8	phenanthrene, pure
129-00-0	pyrene
191-24-2	benzo[ghi]perylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

· **Classification according to (d)(1)(ii) of § 1910.1200***The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.*· **Hazards not otherwise classified***There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.*

— US —

(Contd. on page 4)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 3)

* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
71-43-2	benzene	30–60%
75-09-2	dichloromethane	30–60%
50-32-8	benzo[a]pyrene	≥0.1–<1%
53-70-3	dibenz[a,h]anthracene	0.1–1%
56-55-3	benz[a]anthracene	0.1–1%
85-01-8	phenanthrene, pure	≥0.1–<1%
86-73-7	fluorene	0.1–1%
91-20-3	naphthalene	0.1–1%
120-12-7	anthracene	≥0.1–<1%
129-00-0	pyrene	0.1–1%
191-24-2	benzo[ghi]perylene	0.1–1%
193-39-5	indeno[1,2,3-cd]pyrene	0.1–1%
205-99-2	benz[e]acephenanthrylene	0.1–1%
206-44-0	fluoranthene	0.1–1%
207-08-9	benzo[k]fluoranthene	0.1–1%
218-01-9	chrysene	≥0.1–<1%
· Non-hazardous components		
83-32-9	acenaphthene	0.1–1%
208-96-8	acenaphthylene	0.1–1%

4 First-aid measures

- **Description of first aid measures**
- **General information:**
Immediately remove any clothing soiled by the product.
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- **After inhalation:**
Supply fresh air and to be sure call for a doctor.
In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet

(Contd. on page 5)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 4)

- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
- **Protective Action Criteria for Chemicals**

· PAC-1:		
71-43-2	benzene	52 ppm
75-09-2	dichloromethane	200 ppm
50-32-8	benzo[a]pyrene	0.0056 mg/m ³
53-70-3	dibenz[a,h]anthracene	0.012 mg/m ³
56-55-3	benz[a]anthracene	0.6 mg/m ³
83-32-9	acenaphthene	3.6 mg/m ³
85-01-8	phenanthrene, pure	5.4 mg/m ³
86-73-7	fluorene	6.6 mg/m ³
91-20-3	naphthalene	15 ppm
120-12-7	anthracene	48 mg/m ³
129-00-0	pyrene	0.15 mg/m ³
191-24-2	benzo[ghi]perylene	30 mg/m ³
193-39-5	indeno[1,2,3-cd]pyrene	1.2 mg/m ³
205-99-2	benz[e]acephenanthrylene	0.60 mg/m ³
206-44-0	fluoranthene	8.2 mg/m ³
208-96-8	acenaphthylene	2.9 mg/m ³
218-01-9	chrysene	0.6 mg/m ³

· PAC-2:		
71-43-2	benzene	800 ppm
75-09-2	dichloromethane	560 ppm
50-32-8	benzo[a]pyrene	120 mg/m ³
53-70-3	dibenz[a,h]anthracene	0.48 mg/m ³
56-55-3	benz[a]anthracene	1.4 ppm
83-32-9	acenaphthene	40 mg/m ³
85-01-8	phenanthrene, pure	1.8 ppm
86-73-7	fluorene	72 mg/m ³
91-20-3	naphthalene	83 ppm
120-12-7	anthracene	530 mg/m ³
129-00-0	pyrene	1.7 ppm

(Contd. on page 6)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 5)

191-24-2	benzo[ghi]perylene	330 mg/m ³
193-39-5	indeno[1,2,3-cd]pyrene	13 mg/m ³
205-99-2	benz[e]acephenanthrylene	6.6 mg/m ³
206-44-0	fluoranthene	8.0 ppm
208-96-8	acenaphthylene	32 mg/m ³
218-01-9	chrysene	12 mg/m ³
· PAC-3:		
71-43-2	benzene	4000* ppm
75-09-2	dichloromethane	6900 ppm
50-32-8	benzo[a]pyrene	700 mg/m ³
53-70-3	dibenz[a,h]anthracene	2.9 mg/m ³
56-55-3	benz[a]anthracene	8.5 ppm
83-32-9	acenaphthene	240 mg/m ³
85-01-8	phenanthrene, pure	10 ppm
86-73-7	fluorene	430 mg/m ³
91-20-3	naphthalene	500 ppm
120-12-7	anthracene	3,200 mg/m ³
129-00-0	pyrene	10 ppm
191-24-2	benzo[ghi]perylene	2,000 mg/m ³
193-39-5	indeno[1,2,3-cd]pyrene	79 mg/m ³
205-99-2	benz[e]acephenanthrylene	40 mg/m ³
206-44-0	fluoranthene	48 ppm
208-96-8	acenaphthylene	190 mg/m ³
218-01-9	chrysene	69 mg/m ³

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities**· Storage:****· Requirements to be met by storerooms and receptacles:** Store in a cool location.**· Information about storage in one common storage facility:** Not required.**· Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 7)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 6)

· **Specific end use(s)** No further relevant information available.

* 8 Exposure controls/personal protection

· **Control parameters**· **Components with limit values that require monitoring at the workplace:**

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

71-43-2 benzene	
PEL	Short-term value: 15* mg/m ³ , 5* ppm Long-term value: 3* mg/m ³ , 1* ppm *table Z-2 for exclusions in 29CFR1910.1028(d)
REL	Short-term value: 1 ppm Long-term value: 0.1 ppm See Pocket Guide App. A
TLV	Long-term value: 0.02 ppm Skin; BEI, A1
75-09-2 dichloromethane	
PEL	Short-term value: 125 ppm Long-term value: 25 ppm see 29 CFR 1910.1052
REL	See Pocket Guide App. A
TLV	Long-term value: 174 mg/m ³ , 50 ppm BEI, A3
50-32-8 benzo[a]pyrene	
PEL	Long-term value: 0.2 mg/m ³ see Coal tar pitch volatiles
REL	Long-term value: 0.1 mg/m ³ Coal tar pitch volatile; Pocket Guide Apps. A+C
TLV	L; BEIp, A2
56-55-3 benz[a]anthracene	
TLV	L; BEI-P, A2
91-20-3 naphthalene	
PEL	Long-term value: 50 mg/m ³ , 10 ppm
REL	Short-term value: 75 mg/m ³ , 15 ppm Long-term value: 50 mg/m ³ , 10 ppm
TLV	Long-term value: 52 mg/m ³ , 10 ppm Skin; BEI, A3
205-99-2 benz[e]acephenanthrylene	
TLV	L; BEIp, A2
218-01-9 chrysene	
PEL	Long-term value: 0.2 mg/m ³ see Coal Tar Pitch Volatiles
REL	Long-term value: 0.1* mg/m ³ *Cyclohexane-extrble.fraction; PocketGuide Apps.A+C
TLV	L, BEIp, A3

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 7)

Ingredients with biological limit values:	
71-43-2 benzene	
BEI	25 µg/g creatinine Medium: urine Time: end of shift Parameter: S-Phenylmercapturic acid (background) 500 µg/g creatinine Medium: urine Time: end of shift Parameter: t,t-Muconic acid (background)
75-09-2 dichloromethane	
BEI	0.3 mg/L Medium: urine Time: end of shift Parameter: Dichloromethane (semi-quantitative)
50-32-8 benzo[a]pyrene	
BEI	2.5 µg/L Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene (background) 2.5 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Hydroxybenzo (a)pyrene (non-quantitative, with hydrolysis)
56-55-3 benz[a]anthracene	
BEI	2.5 µg/L Medium: urine Time: End of shift at end of workweek Parameter: 1-Hydroxypyrene (background) 2.5 µg/L Medium: urine Time: End of shift at end of workweek Parameter: Hydroxybenzo (a)pyrene (non-quantitative, with hydrolysis)
86-73-7 fluorene	
BEI	2.5 µg/L Medium: urine Time: End of shift at end of workweek Parameter: 1-Hydroxypyrene 2.5 µg/L Medium: urine Time: End of shift at end of workweek Parameter: 3-Hydroxybenzo (a)pyrene
91-20-3 naphthalene	
BEI	- Medium: - Time: end of shift Parameter: 1-Naphthol with hydrolysis + 2-Naphthol with hydrolysis (Nq,Ns)

(Contd. on page 9)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 8)

120-12-7 anthracene	
BEI	2.5 µg/L Medium: urine Time: End of shift at end of workweek Parameter: 1-Hydroxypyrene 2.5 µg/L Medium: urine Time: End of shift at end of workweek Parameter: 3-Hydroxybenzo (a)pyrene
205-99-2 benz[e]acephenanthrylene	
BEI	2.5 µg/L Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene (background) 2.5 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Hydroxybenzo (a)pyrene (non-quantitative, with hydrolysis)
206-44-0 fluoranthene	
BEI	2.5 µg/L Medium: urine Time: End of shift at end of workweek Parameter: 1-Hydroxypyrene 2.5 µg/L Medium: urine Time: End of shift at end of workweek Parameter: 3-Hydroxybenzo (a)pyrene
218-01-9 chrysene	
BEI	2.5 µg/L Medium: urine Time: end of shift at end of workweek Parameter: 1-Hydroxypyrene (background) 2.5 µg/L Medium: urine Time: end of shift at end of workweek Parameter: Hydroxybenzo (a)pyrene (non-quantitative, with hydrolysis)

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 - Keep away from foodstuffs, beverages and feed.
 - Immediately remove all soiled and contaminated clothing.
 - Wash hands before breaks and at the end of work.
 - Store protective clothing separately.
 - Avoid contact with the eyes and skin.

(Contd. on page 10)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 9)

· **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **Body protection:** Protective work clothing

* 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· Physical state	Liquid
· Color:	According to product specification
· Odor:	Characteristic
· Odor threshold:	Not determined.
· Melting point/Melting range:	Undetermined.
· Boiling point/Boiling range:	40 °C (104 °F)
· Flammability:	Highly flammable.
· Explosion limits:	
· Lower:	1.2 Vol %
· Upper:	22 Vol %
· Flash point:	-11 °C (12.2 °F)
· Auto igniting:	555 °C (1,031 °F)
· Decomposition temperature:	Not determined.
· pH-value:	Not determined.
· Viscosity:	
· Kinematic:	Not determined.
· Dynamic:	Not determined.
· Solubility in / Miscibility with	
· Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not determined.
· Vapor pressure at 20 °C (68 °F):	453 hPa (339.8 mm Hg)
· Vapor pressure at 50 °C (122 °F):	350 hPa (262.5 mm Hg)

(Contd. on page 11)

— US —

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 10)

· Density:	Not determined.
· Relative density	Not determined.
· Vapor density	Not determined.
· Particle characteristics	Not applicable.
· Other information	
· Appearance:	
· Form:	Fluid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Solvent content:	
· Organic solvents:	94.9 %
· VOC content:	47.44 %
	474.4 g/l / 3.96 lb/gal
· Solids content:	3.8 %
· Change in condition	
· Evaporation rate	Not determined.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

*11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Oral	LD50	3,373 mg/kg (rat)
Dermal	LD50	101 mg/kg (mouse)
71-43-2 benzene		
Oral	LD50	4,894 mg/kg (rat)
Dermal	LD50	48 mg/kg (mouse)
Inhalative	LC50/4 h	9,980 mg/l (mouse)
75-09-2 dichloromethane		
Oral	LD50	1,600 mg/kg (rat)
Inhalative	LC50/4 h	88 mg/l (rat)
85-01-8 phenanthrene, pure		
Oral	LD50	700 mg/kg (mouse)

(Contd. on page 12)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 11)

91-20-3 naphthalene		
Oral	LD50	490 mg/kg (rat)
Dermal	LD50	5,000 mg/kg (rat)
129-00-0 pyrene		
Oral	LD50	2,700 mg/kg (rat)

- **Primary irritant effect:**

- **on the skin:** Irritant to skin and mucous membranes.

- **on the eye:** Irritating effect.

- **Sensitization:** Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

The product can cause inheritable damage.

- **Interactive effects** No interactive effects between components are known.

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
71-43-2	benzene	1
75-09-2	dichloromethane	2A
50-32-8	benzo[a]pyrene	1
53-70-3	dibenz[a,h]anthracene	2A
56-55-3	benz[a]anthracene	2B
83-32-9	acenaphthene	3
85-01-8	phenanthrene, pure	3
86-73-7	fluorene	3
91-20-3	naphthalene	2B
120-12-7	anthracene	2B
129-00-0	pyrene	3
191-24-2	benzo[ghi]perylene	3
193-39-5	indeno[1,2,3-cd]pyrene	2B
205-99-2	benz[e]acephenanthrylene	2B
206-44-0	fluoranthene	3
207-08-9	benzo[k]fluoranthene	2B
218-01-9	chrysene	2B

· NTP (National Toxicology Program)		
71-43-2	benzene	K
75-09-2	dichloromethane	R
50-32-8	benzo[a]pyrene	R
53-70-3	dibenz[a,h]anthracene	R
56-55-3	benz[a]anthracene	R
85-01-8	phenanthrene, pure	R
86-73-7	fluorene	R
91-20-3	naphthalene	R
120-12-7	anthracene	R
129-00-0	pyrene	R

(Contd. on page 13)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 12)

193-39-5	indeno[1,2,3-cd]pyrene	R
205-99-2	benz[e]acephenanthrylene	R
206-44-0	fluoranthene	R
207-08-9	benzo[k]fluoranthene	R
218-01-9	chrysene	R

· **OSHA-Ca (Occupational Safety & Health Administration)**

71-43-2	benzene
75-09-2	dichloromethane

· **Alternative sources for toxicological information** No non-standard sources for toxicological information where used.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**

· **PBT:**

50-32-8	benzo[a]pyrene
56-55-3	benz[a]anthracene
120-12-7	anthracene
129-00-0	pyrene
191-24-2	benzo[ghi]perylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

· **vPvB:**

50-32-8	benzo[a]pyrene
56-55-3	benz[a]anthracene
85-01-8	phenanthrene, pure
129-00-0	pyrene
191-24-2	benzo[ghi]perylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

· **Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

— US —

(Contd. on page 14)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 13)

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number · DOT, IMDG, IATA	UN1992
· UN proper shipping name · DOT · IMDG · IATA	Flammable liquids, toxic, n.o.s. (Benzene) FLAMMABLE LIQUID, TOXIC, N.O.S. (BENZENE, NAPHTHALENE, CRUDE), MARINE POLLUTANT Flammable liquid, toxic, n.o.s. (BENZENE)
· Transport hazard class(es) · DOT	 
· Class · Label	3 Flammable liquids 3, 6.1
· IMDG	  
· Class · Label	3 Flammable liquids 3/6.1
· IATA	 
· Class · Label	3 Flammable liquids 3 (6.1)
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	Product contains environmentally hazardous substances: benzo[a]pyrene, dibenz[a,h]anthracene Symbol (fish and tree)

(Contd. on page 15)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 14)

· Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 1 L On cargo aircraft only: 60 L
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Special precautions for user	Warning: Flammable liquids
· Hazard identification number (Kemler code):	336
· EMS Number:	F-E,S-D
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· UN "Model Regulation":	UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (BENZENE), 3 (6.1), II, ENVIRONMENTALLY HAZARDOUS

*15 Regulatory information

After February 3, 2025, this chemical substance (as defined in TSCA section 3(2))/product cannot be distributed in commerce to retailers. After January 28, 2026, this chemical substance (as defined in TSCA section 3(2))/product is and can only be distributed in commerce or processed with a concentration of methylene chloride equal to or greater than 0.1% by weight for the following purposes: (1) Processing as a reactant; (2) Processing for incorporation into a formulation, mixture, or reaction product; (3) Processing for repackaging; (4) Processing for recycling; (5) Industrial or commercial use as a laboratory chemical; (6) Industrial or commercial use as a bonding agent for solvent welding; (7) Industrial and commercial use as a paint and coating remover from safety critical, corrosion-sensitive components of aircraft and spacecraft; (8) Industrial and commercial use as a processing aid; (9) Industrial and commercial use for plastic and rubber products manufacturing; (10) Industrial and commercial use as a solvent that becomes part of a formulation or mixture, where that formulation or mixture will be used inside a manufacturing process, and the solvent (methylene chloride) will be reclaimed; (11) Industrial and commercial use in the refinishing for wooden furniture, decorative pieces, and architectural fixtures of artistic, cultural or historic value until May 8, 2029; (12) Industrial and commercial use in adhesives and sealants in aircraft, space vehicle, and turbine applications for structural and safety critical non-structural applications until May 8, 2029; (13) Disposal; and (14) Export.

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

· Section 355 (extremely hazardous substances):
129-00-0 pyrene
· Section 313 (Specific toxic chemical listings):
71-43-2 benzene
75-09-2 dichloromethane
50-32-8 benzo[a]pyrene
53-70-3 dibenz[a,h]anthracene
56-55-3 benz[a]anthracene
85-01-8 phenanthrene, pure

(Contd. on page 16)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 15)

91-20-3	naphthalene
120-12-7	anthracene
191-24-2	benzo[ghi]perylene
193-39-5	indeno[1,2,3-cd]pyrene
205-99-2	benz[e]acephenanthrylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

· TSCA (Toxic Substances Control Act):

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

71-43-2	benzene	ACTIVE
75-09-2	dichloromethane	ACTIVE
50-32-8	benzo[a]pyrene	ACTIVE
53-70-3	dibenz[a,h]anthracene	ACTIVE
56-55-3	benz[a]anthracene	ACTIVE
83-32-9	acenaphthene	ACTIVE
85-01-8	phenanthrene, pure	ACTIVE
86-73-7	fluorene	ACTIVE
91-20-3	naphthalene	ACTIVE
120-12-7	anthracene	ACTIVE
129-00-0	pyrene	ACTIVE
193-39-5	indeno[1,2,3-cd]pyrene	ACTIVE
206-44-0	fluoranthene	ACTIVE
208-96-8	acenaphthylene	ACTIVE
218-01-9	chrysene	ACTIVE

· Hazardous Air Pollutants

71-43-2	benzene
75-09-2	dichloromethane
50-32-8	benzo[a]pyrene
53-70-3	dibenz[a,h]anthracene
56-55-3	benz[a]anthracene
85-01-8	phenanthrene, pure
86-73-7	fluorene
91-20-3	naphthalene
120-12-7	anthracene
129-00-0	pyrene
193-39-5	indeno[1,2,3-cd]pyrene
205-99-2	benz[e]acephenanthrylene
206-44-0	fluoranthene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

(Contd. on page 17)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 16)

· Proposition 65**· Chemicals known to cause cancer:**

71-43-2	benzene
75-09-2	dichloromethane
50-32-8	benzo[a]pyrene
53-70-3	dibenz[a,h]anthracene
56-55-3	benz[a]anthracene
91-20-3	naphthalene
120-12-7	anthracene
193-39-5	indeno[1,2,3-cd]pyrene
205-99-2	benz[e]acephenanthrylene
207-08-9	benzo[k]fluoranthene
218-01-9	chrysene

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

71-43-2	benzene
---------	---------

· Chemicals known to cause developmental toxicity:

71-43-2	benzene
---------	---------

· Carcinogenic categories**· EPA (Environmental Protection Agency)**

71-43-2	benzene	A, K/L
75-09-2	dichloromethane	L
50-32-8	benzo[a]pyrene	CaH
53-70-3	dibenz[a,h]anthracene	B2
56-55-3	benz[a]anthracene	B2
85-01-8	phenanthrene, pure	D
86-73-7	fluorene	D
91-20-3	naphthalene	C, CBD
120-12-7	anthracene	D
129-00-0	pyrene	D
191-24-2	benzo[ghi]perylene	D
193-39-5	indeno[1,2,3-cd]pyrene	B2
205-99-2	benz[e]acephenanthrylene	B2
206-44-0	fluoranthene	D
207-08-9	benzo[k]fluoranthene	B2
208-96-8	acenaphthylene	D
218-01-9	chrysene	B2

· TLV (Threshold Limit Value)

71-43-2	benzene	A1
75-09-2	dichloromethane	A3
50-32-8	benzo[a]pyrene	A2
56-55-3	benz[a]anthracene	A2

(Contd. on page 18)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 17)

91-20-3	naphthalene	A4
205-99-2	benz[e]acephenanthrylene	A2
218-01-9	chrysene	A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)		
71-43-2	benzene	
75-09-2	dichloromethane	
50-32-8	benzo[a]pyrene	
218-01-9	chrysene	

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

benzene

benzo[a]pyrene

dichloromethane

dibenz[a,h]anthracene

phenanthrene, pure

anthracene

· **Hazard statements**

Highly flammable liquid and vapor.

Fatal in contact with skin.

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause genetic defects.

May cause cancer.

May damage fertility or the unborn child.

Causes damage to the central nervous system and the hematopoietic system through prolonged or repeated exposure.

May be fatal if swallowed and enters airways.

· **Precautionary statements**

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground / bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take action to prevent static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Do not get in eyes, on skin, or on clothing.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If swallowed: Immediately call a poison center/doctor.

(Contd. on page 19)

Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 18)

*Specific treatment (see on this label).**Do NOT induce vomiting.**If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].**If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.**If exposed or concerned: Get medical advice/attention.**Get medical advice/attention if you feel unwell.**Take off immediately all contaminated clothing and wash it before reuse.**If skin irritation or rash occurs: Get medical advice/attention.**If eye irritation persists: Get medical advice/attention.**In case of fire: Use CO₂, powder or water spray to extinguish.**Store in a well-ventilated place. Keep cool.**Store locked up.**Dispose of contents/container in accordance with local/regional/national/international regulations.***· National regulations:****· Information about limitation of use:***Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.***· Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.***· Department issuing SDS:** *Environment protection department.***· Contact:** *- Department Technical Manager***· Date of previous version** *02/29/2024***· Date of preparation** *06/30/2026***· Abbreviations and acronyms:***ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)**IMDG: International Maritime Code for Dangerous Goods**DOT: US Department of Transportation**IATA: International Air Transport Association**EINECS: European Inventory of Existing Commercial Chemical Substances**ELINCS: European List of Notified Chemical Substances**CAS: Chemical Abstracts Service (division of the American Chemical Society)**NFPA: National Fire Protection Association (USA)**HMIS: Hazardous Materials Identification System (USA)**VOC: Volatile Organic Compounds (USA, EU)**LC50: Lethal concentration, 50 percent**LD50: Lethal dose, 50 percent**PBT: Persistent, Bioaccumulative and Toxic**vPvB: very Persistent and very Bioaccumulative**NIOSH: National Institute for Occupational Safety**OSHA: Occupational Safety & Health**TLV: Threshold Limit Value**PEL: Permissible Exposure Limit**REL: Recommended Exposure Limit**BEL: Biological Exposure Limit**Flammable liquids 2: Flammable liquids – Category 2**Acute toxicity - dermal 2: Acute toxicity – Category 2**Skin irritation 2: Skin corrosion/irritation – Category 2**Eye irritation 2A: Serious eye damage/eye irritation – Category 2A**Sensitization - skin 1: Skin sensitisation – Category 1**Germ cell mutagenicity 1B: Germ cell mutagenicity – Category 1B**Carcinogenicity 1A: Carcinogenicity – Category 1A**Reproductive toxicity 1B: Reproductive toxicity – Category 1B*

(Contd. on page 20)

Safety Data Sheet
acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: C-385HC

(Contd. of page 19)

*Specific target organ toxicity (repeated exposure) 1: Specific target organ toxicity (repeated exposure) – Category 1**Aspiration hazard 1: Aspiration hazard – Category 1**· * **Data compared to the previous version altered.***

—US—