

Page 1/7

Reviewed on 06/27/2023

# 1 Identification

- · Product identifier
- · Product Name: Instrument Check Standard 5
- · Part Name: CL-ICS-5
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier:
  Spex CertiPrep, LLC.
  203 Norcross Ave, Metuchen,
  NJ 08840 USA
  732-549-7144
  USMet-CRMSales@antylia.com
- · Information department: product safety department
- Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irritation 2 H315 Causes skin irritation. Eye Irritation 2A H319 Causes serious eye irritation.

 $\cdot$  Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P264 Wash thoroughly after handling. P280 Wear eye protection / face protection. P302 + P352If on skin: Wash with plenty of water. P321 Specific treatment (see on this label). P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 2)

#### Product Name: Instrument Check Standard 5

ouuci ivanic. Insii am

Reviewed on 06/27/2023

· vPvB: Not applicable.

 $(Contd. \ of \ page \ 1)$ 

-US —

# · Chemical characterization: Mixtures

3 Composition/information on ingredients

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7697-37-2 nitric acid	2.0%
7664-39-3 hydrofluoric acid	0.2%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	97.796%
7439-98-7 molybdenum	0.001%
7440-24-6 strontium	0.001%
7440-31-5 tin	0.001%
7440-32-6 titanium	0.001%

Safety Data Sheet

acc. to OSHA HCS

#### 4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

# 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Not required.

#### · Environmental precautions:

- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Protective Action Criteria for Chemicals

7439-98-7    molybdenum    30      7440-24-6    strontium    30      7440-31-5    in    6 m      7440-32-6    titanium    30      ·PAC-2:    7697-37-2    nitric acid    24 p      7439-98-7    molybdenum    330	
7440-24-6    strontium    30      7440-31-5    tin    6 m      7440-32-6    titanium    30      • PAC-2:    7697-37-2    nitric acid    24 p      7439-98-7    molybdenum    330	16 ppm
7440-31-5    tin    6 m      7440-32-6    titanium    30      • PAC-2:    7697-37-2    nitric acid    24 p      7439-98-7    molybdenum    330	mg/m <sup>3</sup>
7440-32-6    ittanium    30      • PAC-2:	mg/m <sup>3</sup>
• PAC-2:      7697-37-2      nitric acid      24 p.        7439-98-7      molybdenum      330	ng/m³
7697-37-2      nitric acid      24 p.        7439-98-7      molybdenum      330	mg/m <sup>3</sup>
7439-98-7 molybdenum 330	
	эрт
	mg/m <sup>3</sup>
7440-24-6 strontium 330	mg/m <sup>3</sup>
7440-31-5 tin 67 m	ng/m³
7440-32-6 titanium 330	mg/m <sup>3</sup>
· PAC-3:	
7697-37-2 nitric acid 92 ppn	т
(Contd. on	page 3)

Page 2/7



#### Product Name: Instrument Check Standard 5

	(Contd. of page 2)
7439-98-7 molybdenum	$2,000 \text{ mg/m}^3$
7440-24-6 strontium	2,000 mg/m <sup>3</sup>
7440-31-5 tin	400 mg/m <sup>3</sup>
7440-32-6 titanium	2,000 mg/m <sup>3</sup>

Safety Data Sheet acc. to OSHA HCS

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves
- The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	

Reviewed on 06/27/2023

#### Product Name: Instrument Check Standard 5

Page 4/7

	(Contd. of page 3
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
• Density at 20 °C (68 °F) • Relative density • Vapor density • Evaporation rate	1.00824 g/cm <sup>3</sup> (8.41376 lbs/gal) Not applicable. Not applicable. Not applicable.
• Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/water	r): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Water: VOC content:	97.8 % 0.00 %
Solids content:	0.0 %
• Other information	No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS

# 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:

· LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Irritant
- · Carcinogenic categories

· IARC	(International Agen	cv for Research	i on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 5)

#### Product Name: Instrument Check Standard 5

Reviewed on 06/27/2023

(Contd. of page 4)

# · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information · UN-Number · DOT, ADR, IMDG, IATA UN3264 · UN proper shipping name $\cdot DOT$ Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) $\cdot ADR$ · IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) · Transport hazard class(es) $\cdot DOT$ 8 Corrosive substances · Class · Label 8 · ADR, IMDG, IATA · Class 8 Corrosive substances · Label 8 · Packing group · DOT, ADR, IMDG, IATA Ш · Environmental hazards: Not applicable. Warning: Corrosive substances · Special precautions for user · Hazard identification number (Kemler code): 80 · EMS Number: F-A, S-B· Segregation groups (SGG1) Acids · Stowage Category · Stowage Code SW2 Clear of living quarters. (Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

### **Product Name: Instrument Check Standard 5**

Page 6/7

	(Contd. of page 5)
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· Transport in bulk according to Annex II of MARPOL73/7	78 and the IBC Code Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

# 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. · Sara

· Section 313	B (Specific toxic chemical listings):	
7697-37-2	nitric acid	
7664-39-3	hydrofluoric acid	
· TSCA (Tox	ic Substances Control Act):	
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
7697-37-2	nitric acid	ACTIVE
7439-98-7	molybdenum	ACTIVE
7440-24-6	strontium	ACTIVE
7440-31-5	tin	ACTIVE
7440-32-6	titanium	ACTIVE
· Hazardous	Air Pollutants	
None of the	ingredients is listed.	
· Proposition	a 65	
· Chemicals	known to cause cancer:	
None of the	ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
· Chemicals	known to cause reproductive toxicity for males:	
	ingredients is listed.	
· Chemicals	known to cause developmental toxicity:	
None of the	ingredients is listed.	
· Carcinogen	iic categories	
· EPA (Envir	ronmental Protection Agency)	

None of the ingredients is listed.	]		
· TLV (Threshold Limit Value)	]		
7439-98-7 molybdenum A3	]		
· NIOSH-Ca (National Institute for Occupational Safety and Health)			
None of the ingredients is listed.			

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Warning

· Hazard statements

H315 Causes skin irritation.

US -

Safety Data Sheet acc. to OSHA HCS

#### **Product Name: Instrument Check Standard 5**

Reviewed on 06/27/2023

H319 Causes serious eve irritation. · Precautionary statements Wash thoroughly after handling. P264 P280 Wear eye protection / face protection. P302+P352 If on skin: Wash with plenty of water. P321 Specific treatment (see on this label). P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/attention.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

#### · Contact:

Spex CertiPrep, LLC. 1-732-549-7144 · Date of preparation / last revision 06/27/2023 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation – Category 2 Eye Irritation 2A: Serious eye damage/eye irritation – Category 2A



(Contd. of page 6)