

Page 1/9

Reviewed on 07/23/2024

1 Identification

· Product identifier

- · Product Name: ICP-MS Interference Check Solution AB
- · Part Number: CL-INT-B4
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Spex CertiPrep, LLC.
 203 Norcross Ave, Metuchen, NJ 08840 USA

NJ 08840 USA 732-549-7144 USMet-CRMSales@antylia.com

- Information department: product safety department • Emergency telephone number:
- Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

- Eye Damage 1 H318 Causes serious eye damage.
- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

nitric acid • Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor.
- *P321* Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• Classification system:





· HMIS-ratings (scale 0 - 4)

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

Safety Data Sheet acc. to OSHA HCS

certiprepPrinting date 07/23/2024

Product Name: ICP-MS Interference Check Solution AB

(Contd. of page 1)

Reviewed on 07/23/2024

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7697-37-2 nitric acid	5.0%
7664-39-3 hydrofluoric acid	0.2%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	94.7505%
87-69-4 (+)-tartaric acid	0.012%
7440-47-3 chromium	0.004%
7439-96-5 manganese	0.003%
7440-66-6 zinc	0.003%
7439-92-1 lead	0.0025%
7440-02-0 nickel	0.0025%
7440-50-8 copper	0.0025%
7440-22-4 silver	0.002%
7440-28-0 thallium	0.002%
7440-36-0 antimony	0.002%
7440-38-2 arsenic	0.002%
7440-39-3 barium	0.002%
7440-41-7 Beryllium from Beryllium Acetate	0.002%
7440-43-9 cadmium	0.002%
7440-48-4 cobalt	0.002%
7440-62-2 vanadium	0.002%
7782-49-2 selenium	0.002%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.

(00

Safety Data Sheet acc. to OSHA HCS

Printing date 07/23/2024

Product Name: ICP-MS Interference Check Solution AB

D'		(Contd. of page 2)
	ntaminated material as waste according to section 13. Quate ventilation.	
	o other sections	
See Section	7 for information on safe handling.	
	8 for information on personal protection equipment.	
	13 for disposal information.	
	ction Criteria for Chemicals	
PAC-1: 7697-37-2	and the second of the second	0.16
		0.16 ppm
	hydrofluoric acid	1.0 ppm
	(+)-tartaric acid	1.6 mg/m ³
7440-47-3		1.5 mg/m ³
7439-96-5		3 mg/m ³
7440-66-6		6 mg/m ³
7439-92-1		0.15 mg/m ³
7440-02-0		4.5 mg/m ³
7440-50-8		3 mg/m ³
7440-22-4		0.3 mg/m ³
7440-28-0		0.06 mg/m ³
7440-36-0		1.5 mg/m ³
7440-38-2		1.5 mg/m ³
7440-39-3		1.5 mg/m ³
	Beryllium from Beryllium Acetate	0.0023 mg/m ³
7440-43-9		0.10 mg/m ³
7440-48-4		0.18 mg/m ³
7440-62-2		3 mg/m ³
7782-49-2	selenium	$0.6 mg/m^3$
PAC-2:		
7697-37-2	nitric acid	24 ppm
7664-39-3	hydrofluoric acid	24 ppm
87-69-4	(+)-tartaric acid	17 mg/m ³
7440-47-3		17 mg/m ³
7439-96-5		5 mg/m ³
7440-66-6	zinc	21 mg/m ³
7439-92-1	lead	120 mg/m ³
7440-02-0		50 mg/m^3
7440-50-8	copper	33 mg/m ³
7440-22-4		170 mg/m ³
7440-28-0	thallium	3.3 mg/m ³
7440-36-0	antimony	13 mg/m ³
7440-38-2	arsenic	17 mg/m ³
7440-39-3	barium	180 mg/m ³
7440-41-7	Beryllium from Beryllium Acetate	0.025 mg/m ³
7440-43-9	cadmium	0.76 mg/m ³
7440-48-4	cobalt	2 mg/m ³
7440-62-2	vanadium	5.8 mg/m ³
7782-49-2	selenium	6.6 mg/m ³
PAC-3:		
7697-37-2	nitric acid	92 ppm
	hydrofluoric acid	44 ppm
	(+)-tartaric acid	100 mg/m ³
7440-47-3		99 mg/m ³
	manganese	1,800 mg/m ³
	zinc	120 mo/m ³
7440-66-6		120 mg/m ³ 700 mg/m ³
7440-66-6 7439-92-1	lead	700 mg/m ³
7440-66-6	lead nickel	



(Contd. of page 2)

Reviewed on 07/23/2024



Page 4/9

Product Name: ICP-MS Interference Check Solution AB

		ontd. of page 3)
7440-28-0	thallium	20 mg/m ³
7440-36-0	antimony	80 mg/m ³
7440-38-2	arsenic	100 mg/m ³
7440-39-3	barium	1,100 mg/m ³
7440-41-7	Beryllium from Beryllium Acetate	0.1 mg/m ³
7440-43-9	cadmium	4.7 mg/m ³
7440-48-4	cobalt	20 mg/m ³
7440-62-2	vanadium	35 mg/m ³
7782-49-2	selenium	40 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

7664-39-3 hydrofluoric acid

PEL Long-term value: 1* mg/m³, 3 ppm as F, *sulfuric acid REL Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F

TLV Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI

· Ingredients with biological limit values:

7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift Parameter: Fluorides (background, nonspecific)

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Product Name: ICP-MS Interference Check Solution AB

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Safety Data Sheet

acc. to OSHA HCS

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and c	hemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	According to product specification Characteristic
· Odor: · Odour Threshold:	
· Oaour Inresnola:	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
• Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density	Not applicable.
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	r): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	94.8 %
VOC content:	0.00 %
Solids content:	0.0~%
· Other information	No further relevant information available.
	(Contd. on page 6)

Reviewed on 07/23/2024

(Contd. of page 4)

Reviewed on 07/23/2024

Page 6/9

Printing date 07/23/2024

Product Name: ICP-MS Interference Check Solution AB

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values that	are relevant	for classification	on:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

· Primary irritant effect:

• on the skin: Caustic effect on skin and mucous membranes.

- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive Irritant

· Carcinogenic categories

Curcinoge		
· IARC (Inte	ernational Agency for Research on Cancer)	
7440-47-3	chromium	3
7439-92-1	lead	2B
7440-02-0	nickel	28
7440-38-2	arsenic	1
7440-41-7	Beryllium from Beryllium Acetate	1
7440-43-9	cadmium	1
7440-48-4	cobalt	28
7782-49-2	selenium	3
• NTP (Nati	onal Toxicology Program)	
7439-92-1	lead	R
7440-02-0	nickel	R
7440-38-2	arsenic	K
7440-41-7	Beryllium from Beryllium Acetate	K
7440-43-9	cadmium	K
7440-48-4	cobalt	R
· OSHA-Ca	(Occupational Safety & Health Administration)	
7440-38-2	arsenic	
7440-43-9	cadmium	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment

· PBT: Not applicable.

Printing date 07/23/2024

Product Name: ICP-MS Interference Check Solution AB

Reviewed on 07/23/2024

Page 7/9

(Contd. of page 6)

- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- \cdot Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Safety Data Sheet

acc. to OSHA HCS

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport inform	ation
---------------------	-------

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT ADR IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
Transport hazard class(es)	
DOT	
Class Label	8 Corrosive substances 8
ADR, IMDG, IATA	
Class Label	8 Corrosive substances 8
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code Segregation Code	Warning: Corrosive substances 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of MARPOL73/78 and	the IBC Code Not applicable.
Transport/Additional information: ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACIL

Printing date 07/23/2024

Product Name: ICP-MS Interference Check Solution AB

Reviewed on 07/23/2024

(Contd. of page 7)

15 Regulatory information

· Safety, hee · Sara	Ith and environmental regulations/legislation specific for the substance or mixture No further relevant information availab	le.
· Section 31	3 (Specific toxic chemical listings):	
7697-37-2	nitric acid	
7664-39-3	hydrofluoric acid	
7440-47-3	chromium	
7439-96-5	manganese	
7440-66-6	zinc	
7439-92-1	lead	
7440-02-0		
7440-50-8	copper	
7440-22-4	silver	
7440-28-0	thallium	
7440-36-0		
7440-38-2	arsenic	
7440-39-3		
	Beryllium from Beryllium Acetate	
7440-43-9		
7440-48-4		
7440-62-2		
7782-49-2	selenium	
· TSCA (To.	cic Substances Control Act):	
	ents have the value ACTIVE.	
• Hazardous	Air Pollutants	
7664-39-3	hydrofluoric acid	
	manganese	
7439-92-1		
7440-48-4		
· Propositio		
-	known to cause cancer:	
7439-92-1		
7440-02-0	nickel	
7440-38-2	arsenic	
7440-41-7	Beryllium from Beryllium Acetate	
7440-43-9		
7440-48-4	cobalt	
· Chemicals	known to cause reproductive toxicity for females:	
	pingredients is listed.	
-		
7440-43-9	known to cause reproductive toxicity for males:	
	known to cause developmental toxicity:	
7440-43-9	cadmium	
	nic categories	
	ronmental Protection Agency)	
	0	D
7440-66-6		D, I, II
7439-92-1		B2
7440-50-8	copper	D
7440-22-4	silver	D
7440-38-2	arsenic	A
7440-39-3	barium	D, CBD(inh), NL(oral)
7440-41-7	Beryllium from Beryllium Acetate	B1, K/L(inh), CBD(oral)
7440-43-9	cadmium	B1
7782-49-2	selenium	D
		(Contd. on page)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/23/2024

Product Name: ICP-MS Interference Check Solution AB

Page 9/9

	(Contd. of page 8)
· TLV (Threshold Limit Value)	
7439-92-1 lead	A3
7440-02-0 nickel	A5
7440-38-2 arsenic	A1
7440-39-3 barium	A4
7440-43-9 cadmium	A2
7440-48-4 cobalt	A3
· NIOSH-Ca (National Institute for Occupational Safety and Health)	
7440-02-0 nickel	
7440-38-2 arsenic	
7440-43-9 cadmium	

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

nitric acid

Hazard statements

H314 Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. P260 P264 Wash thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting. P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 07/23/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Skin Corrosion 1B: Skin corrosion/irritation – Category 1B

Eye Damage 1: Serious eye damage/eye irritation - Category 1