

Page 1/9

Reviewed on 10/10/2023

1 Identification

· Product identifier


- · Product Name: Spike Sample Standard 2 (soil)
- · Part Name: CL-SPIKE-2
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 Spex CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA

NJ 08840 USA 732-549-7144 USMet-CRMSales@antylia.com

• Information department: product safety department • Emergency telephone number:

Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

- Eye Damage 1 H318 Causes serious eye damage.
- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger


· Hazard-determining components of labeling:

nitric acid • Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- *P363 Wash contaminated clothing before reuse.*
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Classification system:





· HMIS-ratings (scale 0 - 4)

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

Product Name: Spike Sample Standard 2 (soil)

· Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7697-37-2 nitric acid 5.04		
· Chemical identification of the substance/preparation		
7732-18-5 water, distilled, conductivity or of similar purity	94.8195%	
7440-39-3 barium	0.025%	
7440-47-3 chromium	0.025%	
7440-50-8 copper	0.025%	
7440-66-6 zinc	0.025%	
7440-62-2 vanadium	0.015%	
7440-02-0 nickel	0.0125%	
7439-92-1 lead	0.01%	
7440-36-0 antimony	0.01%	
7440-48-4 cobalt	0.01%	
7440-38-2 arsenic	0.005%	
7440-43-9 cadmium	0.005%	
7440-22-4 silver	0.0025%	
7440-28-0 thallium	0.0025%	
7440-41-7 beryllium	0.0025%	
7782-49-2 selenium	0.0025%	
87-69-4 (+)-tartaric acid	0.002%	
7664-39-3 hydrofluoric acid	0.001%	
	`	

Safety Data Sheet

acc. to OSHA HCS

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
Environmental precautions: Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reviewed on 10/10/2023

(Contd. of page 1)

Product Name: Spike Sample Standard 2 (soil)

		ontd. of page 2)
	to other sections	
	a 7 for information on safe handling. a 8 for information on personal protection equipment.	
	a 13 for disposal information.	
	Action Criteria for Chemicals	
· PAC-1:		
7697-37-2	nitric acid	0.16 ppm
7440-39-3		$1.5 mg/m^3$
7440-47-3		1.5 mg/m ³
7440-50-8		$3 mg/m^3$
7440-66-6		$6 mg/m^3$
7440-62-2		$3 mg/m^3$
7440-02-0		4.5 mg/m^3
7439-92-1		0.15 mg/m ³
7440-36-0		1.5 mg/m ³
7440-48-4		0.18 mg/m ³
7440-38-2		1.5 mg/m ³
7440-43-9		0.10 mg/m ³
7440-22-4		0.3 mg/m^3
7440-22-4		0.06 mg/m^3
7440-28-0		0.0023 mg/m ³
7782-49-2		0.6 mg/m^3
		1.6 mg/m^3
		-
	hydrofluoric acid	1.0 ppm
· PAC-2:		
7697-37-2		24 ppm
7440-39-3		180 mg/m ³
7440-47-3		17 mg/m ³
7440-50-8		33 mg/m ³
7440-66-6	zinc	21 mg/m ³
7440-62-2	vanadium	5.8 mg/m ³
7440-02-0	nickel	50 mg/m ³
7439-92-1	lead	120 mg/m ³
7440-36-0	antimony	13 mg/m ³
7440-48-4	cobalt	$2 mg/m^3$
7440-38-2	arsenic	17 mg/m ³
7440-43-9	cadmium	0.76 mg/m ³
7440-22-4	silver	170 mg/m ³
7440-28-0	thallium	3.3 mg/m ³
7440-41-7	beryllium	0.025 mg/m ³
7782-49-2		6.6 mg/m ³
87-69-4	(+)-tartaric acid	17 mg/m ³
	hydrofluoric acid	24 ppm
· PAC-3:		
7697-37-2	nitric acid	92 ppm
7440-39-3		1,100 mg/m ³
7440-39-3		99 mg/m ³
7440-47-3		200 mg/m ²
7440-66-6		120 mg/m ³
7440-62-2		$35 mg/m^3$
7440-02-0		99 mg/m ³
7439-92-1		700 mg/m ³
7440-36-0		80 mg/m ³
7440-48-4		20 mg/m ³
7440-38-2		100 mg/m ³
7440-43-9		4.7 mg/m ³
7440-22-4		990 mg/m ³
		ntd. on page 4)

Reviewed on 10/10/2023

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS



Product Name: Spike Sample Standard 2 (soil)

		Contd. of page 3)
7440-28-0	thallium	20 mg/m ³
7440-41-7	beryllium	0.1 mg/m ³
7782-49-2	selenium	40 mg/m ³
87-69-4	(+)-tartaric acid	100 mg/m ³
7664-39-3	hydrofluoric acid	44 ppm

Safety Data Sheet acc. to OSHA HCS

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance: Form:

Liquid

Product Name: Spike Sample Standard 2 (soil)

Page 5/9

	(Contd. of page	(ge 4
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not applicable.	
· Ignition temperature:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density	Not applicable.	
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/water	r): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	94.8 % 	
VOC content:	0.00 %	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

Safety Data Sheet

acc. to OSHA HCS

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relev	ant for classification:
---------------------------------	-------------------------

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

· Primary irritant effect:

· on the skin: Caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive Irritant

Product Name: Spike Sample Standard 2 (soil)

(Contd. of page 5)

Page 6/9

- US —

· Carcinogenic categories		
· IARC (Int	ernational Agency for Research on Cancer)	
7440-47-3	chromium	3
7440-02-0	nickel	2B
7439-92-1	lead	2B
7440-48-4	cobalt	2B
7440-38-2	arsenic	1
7440-43-9	cadmium	1
7440-41-7	beryllium	1
7782-49-2	selenium	3
· NTP (Nati	ional Toxicology Program)	
7440-02-0	nickel	R
7439-92-1	lead	R
7440-48-4	cobalt	R
7440-38-2	arsenic	K
7440-43-9	cadmium	K
7440-41-7	beryllium	K
· OSHA-Ca	(Occupational Safety & Health Administration)	
7440-38-2	arsenic	
7440-43-9	cadmium	

Safety Data Sheet

acc. to OSHA HCS

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

UN3264
Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
-

Safety Data Sheet acc. to OSHA HCS

certiprep Printing date 10/10/2023

S

Product Name: Spike Sample Standard 2 (soil)

2023

	(Contd. of page
Transport hazard class(es)	
Class Label	8 Corrosive substances 8
ADR, IMDG, IATA	
Class Label	8 Corrosive substances 8
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code Segregation Code 	Warning: Corrosive substances 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of MARPOL73/78 and	ad the IBC Code Not applicable.
Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACIL 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. · Sara

7697-37-2 nitric acid 7440-39-3 barium 7440-47-3 chromium 7440-50-8 copper 7440-66-6 zinc 7440-62-2 vanadium 7440-02-0 nickel 7440-36-0 antimony 7440-38-0 antimony 7440-48-4 cobalt 7440-48-2 arsenic 7440-43-9 cadmium	· Section 31.	3 (Specific toxic chemical listings):
7440-47-3 chromium 7440-50-8 copper 7440-66-6 zinc 7440-62-2 vanadium 7440-02-0 nickel 7440-02-0 nickel 7440-36-0 antimony 7440-48-4 cobalt 7440-38-2 arsenic		
7440-50-8 copper 7440-66-6 zinc 7440-62-2 vanadium 7440-02-0 nickel 7439-92-1 lead 7440-36-0 antimony 7440-38-2 arsenic	7440-39-3	barium
7440-66-6 zinc 7440-62-2 vanadium 7440-02-0 nickel 7439-92-1 lead 7440-36-0 antimony 7440-48-4 cobalt 7440-38-2 arsenic	1	
7440-62-2 vanadium 7440-02-0 nickel 7439-92-1 lead 7440-36-0 antimony 7440-48-4 cobalt 7440-38-2 arsenic		
7440-02-0 nickel 7439-92-1 lead 7440-36-0 antimony 7440-48-4 cobalt 7440-38-2 arsenic		
7439-92-1 lead 7440-36-0 antimony 7440-48-4 cobalt 7440-38-2 arsenic	7440-62-2	vanadium
7440-36-0 antimony 7440-48-4 cobalt 7440-38-2 arsenic	7440-02-0	nickel
7440-48-4 cobalt 7440-38-2 arsenic	7439-92-1	lead
7440-38-2 arsenic	7440-36-0	antimony
	7440-48-4	cobalt
7440-43-9 cadmium		
	7440-43-9	cadmium

(Contd. on page 8)

Product Name: Spike Sample Standard 2 (soil)

Reviewed on 10/10/2023

	(Contd. of page		
7440-22-4 silver			
7440-28-0 thallium			
7440-41-7 beryllium			
7782-49-2 selenium			
7664-39-3 hydrofluoric acid			
• TSCA (Toxic Substances Control Act):			
All components have the value ACTIVE.			
· Hazardous Air Pollutants			
7439-92-1 lead			
7440-48-4 cobalt			
7664-39-3 hydrofluoric acid			
Proposition 65			
Chemicals known to cause cancer:			
7440-02-0 nickel			
1439-92-1 lead			
7440-48-4 cobalt			
7440-38-2 arsenic			
7440-43-9 cadmium			
7440-41-7 beryllium			
Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			
Chemicals known to cause reproductive toxicity for males:			
7440-43-9 cadmium			
Chemicals known to cause developmental toxicity:			
7440-43-9 cadmium			
· Carcinogenic categories			
EPA (Environmental Protection Agency)			
7440-39-3 barium	D, CBD(inh), NL(oral)		
7440-50-8 copper	D		
7440-66-6 zinc	D, I, II		
7439-92-1 lead	B2		
7440-38-2 arsenic	A		
7440-43-9 cadmium	Bl		
7440-22-4 silver	D		
7440-41-7 beryllium	B1, K/L(inh), CBD(ord		
7782-49-2 selenium	D		
TLV (Threshold Limit Value)			
7440-39-3 barium	A		
7440-02-0 nickel	A		
7439-92-1 lead	A		
7440-48-4 cobalt	Α		

Safety Data Sheet acc. to OSHA HCS

· Hazard pictograms

7440-38-2 arsenic



· Signal word Danger

A1

Product Name: Spike Sample Standard 2 (soil)

Reviewed on 10/10/2023

(Contd. of page 8)

	Hazard	-determining	components	of	labeling:
--	--------	--------------	------------	----	-----------

nitric acid

- · Hazard statements
- H314 Causes severe skin burns and eye damage.

· Precautionary statements

- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304 + P340IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Safety Data Sheet

acc. to OSHA HCS

- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P363 Wash contaminated clothing before reuse.
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- Spex CertiPrep, LLC.
- 1-732-549-7144
- · Date of preparation / last revision 10/10/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit
- Skin Corrosion 1B: Skin corrosion/irritation Category 1B Eye Damage 1: Serious eye damage/eye irritation Category 1

US -