Printing date 11/28/2023 Reviewed on 11/28/2023

1 Identification

· Product identifier

· Product Name: 1000 μg/mL Cobalt

· Part Name: CLCO2-2Y CLCO2-2M

· Application of the substance / the mixture For Laboratory Use Only

· Uses advised against Not for Human or Animal Use

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

· Information department: product safety department

· Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300)

2 Hazard(s) identification

Outside US: 703-527-3887

· Classification of the substance or mixture



GHS08 Health hazard

Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity 2 H351 Suspected of causing cancer.

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



GHS07

Skin Irritation 2 H315 Causes skin irritation.

Eye Irritation 2A H319 Causes serious eye irritation.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

cobalt

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).



Printing date 11/28/2023 Reviewed on 11/28/2023

Product Name: 1000 µg/mL Cobalt

(Contd. of page 1) 2+P364 Take off contaminated clothing and wash it before reuse.

P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | |
|---|-------|
| 7697-37-2 nitric acid | 2.0% |
| 7440-48-4 cobalt | 0.1% |
| · Chemical identification of the substance/preparation | |
| 7732-18-5 water, distilled, conductivity or of similar purity | 97.9% |

4 First-aid measures

- · Description of first aid measures
- $\cdot \textit{General information:} \ \textit{Immediately remove any clothing soiled by the product}.$
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.



Printing date 11/28/2023 Reviewed on 11/28/2023

Product Name: 1000 µg/mL Cobalt

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

| · PAC-1: | |
|---------------------------|-------------------------------|
| 7697-37-2 nitric acid 0.1 | 16 ppm |
| 7440-48-4 cobalt 0.1 | 18 mg/m³ |
| · PAC-2: | |
| 7697-37-2 nitric acid | 24 ppm 2 mg/m ³ |
| 7440-48-4 cobalt | 2 mg/m ³ |
| · PAC-3: | |
| | 92 ppm |
| 7440-48-4 cobalt 2 | 20 mg/m³ |

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

7440-48-4 cobalt

PEL Long-term value: 0.1* mg/m³
as Co; *for metal dust and fume

REL Long-term value: 0.05 mg/m³
as Co; metal dust & fume

TLV Long-term value: 0.005* mg/m³
*thoracic particulate matter, RSEN, A2

· Ingredients with biological limit values:

7440-48-4 cobalt

BEI 15 μg/L

Medium: urine

Time: end of shift at end of workweek Parameter: Cobalt (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

Printing date 11/28/2023 Reviewed on 11/28/2023

Product Name: 1000 µg/mL Cobalt

(Contd. of page 3)

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



| 9 | Pnysical | ana cne | emicai pro | perties |
|---|----------|---------|------------|---------|
| | | | | |

| Information on basic physical and chemical properties General Information Appearance: Form: Liquid Color: Cacording to product specification Odior: Characteristic Odiour Threshold: Not applicable. pH-value: Not applicable. pH-value: Undetermined Boiling point/Melting range: Undetermined Flash point: Not applicable. Flammability (solid, gaseous): Not applicable. Ignition temperature: Not applicable Ignition temperature: Not applicable Upper: Not applicable Upper: Not applicable Upper: Not applicable Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01706 giragi (8.49488 lbs/gal) Relative density Not applicable Vapor density | Information on basic physical and ch | nomical proporties |
|--|--|---|
| Apperance: Liquid Color: According to product specification Color: According to product specification Color: According to product specification Color: Col | | remun properties |
| Form: Liquid Color: According to product specification Odor: Characteristic Odor Threshold: Not applicable. PH-value: Not applicable. **Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100°C (212°F) **Flash point: Not applicable. **Flash point: Not applicable. **Planmability (solid, gaseous): Not applicable. **Decomposition temperature: Not applicable. **Ponger of explosion: Product is not selfigniting. **Danger of explosion: Product does not present an explosion hazard. **Explosion limits: Lover: **Lover: Not applicable. **Vapor pressure at 20°C (68°F): 23 hPa (17.3 mm Hg) **Density at 20°C (68°F): 1.01796 g/cm² (8.49488 lbs/gal) **Relative density Not applicable. **Vapor density Not applicable. **Vapor density Not applicable. **Vapor density Not applicable. **Vapor density Not applicable. | | |
| Odour Threshold: Not applicable. pHs-value: Not applicable. Change in condition Melting point/Melting range: Boiling point/Melting range: 100 °C (212 °F) Flash point: Not applicable. Flash point: Not applicable. Pecomposition temperature: Not applicable. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not applicable. Vapor pressure at 20 °C (68 °F): 23 №a (17.3 mm Hg) Density at 20 °C (68 °F): Not applicable. Peanity at 20 °C (68 °F): Not applicable. Vapor pressure at 20 °C (68 °F): Not applicable. Peanity in / Miscibility with Water: Not applicable. Vapor necessity Not applicable. Postability in / Miscibility with Water: Not applicable. Viscosity: Dynamic: Not applicable. Viscosity: Dynamic: Not applicable. Not applicable. Not applicable. Not applicable. Viscosity: Dynamic: Not applicable. Not applicable. Not applicable. Not applicable. Not applicable. Partition coefficient (n-octanol/water): Not applicable. Kinematic: Not applicable. | 1 | Liquid |
| Odour Threshold: Not applicable. pHr-value: Not applicable. change in condition Melting point/Melting range: Bolling point/Melting range: Bolling point/Melting range: 100 °C (212 °F) -Flash point: Not applicable. -Flash point: Not applicable. -Flammability (solid, gaseous): Not applicable. -Decomposition temperature: Not applicable. -Ignition temperature: Product is not selfigniting. -Danger of explosion: Product does not present an explosion hazard. -Explosion limits: -Lower: Not applicable. -Vuporr pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) -Density at 20 °C (68 °F): Not applicable. -Pensity in / Miscibility with Water: Not applicable. -Partition coefficient (n-octanol/water): Not applicable. -Partition coefficient (n-octanol/water): Not applicable. -Poynamic: | Color: | According to product specification |
| PII-value: Not applicable. Change in condition Melting point/Melting range: Boiling point/flowlling range: 100 °C (212 °F) Flash point: Not applicable. Flash point: Not applicable. Pecomposition temperature: Not applicable. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not applicable. Vapor pressure at 20 °C (68 °F): 23 hFa (17.3 mm Hg) Density at 20 °C (68 °F): 23 hFa (17.3 mm Hg) Density at 20 °C (68 °F): Not applicable. Explosion rate Not applicable. Fally miscible. Fally miscible. Fally miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematie: Not applicable. Solvent content: Water: 97.9 % VOC content: O.00 % Solids content: Valor content: Water: 97.9 % VOC content: O.00 % | · Odor: | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Not applicable. Flanmability (solid, gaseous): Not applicable. Decomposition temperature: Not applicable. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not applicable. Vapor pressure at 20 °C (68 °F): Density at 20 °C (68 °F): Not applicable. Vapor density Not applicable. Vapor density Not applicable. Vapor density Not applicable. Vapor density Not applicable. Viscoriar te Solubility in / Miscibility with Water: Viscosity: Dynamic: Kinematic: Not applicable. Not applicable. Not applicable. Solvent content: Water: Viscosity: Water: Viscosity: Water: Wa | · Odour Threshold: | Not applicable. |
| Melting point/Melting range: Underwined. Boiling point/Boiling range: 100°C (212°F) Flash point: Not applicable. - Planmability (solid, gaseous): Not applicable. - Decomposition temperature: Not applicable. - Danger of explosion: Product does not present an explosion hazard. - Explosion limits: Not applicable. - Upper: Not applicable. Upper: Not applicable. - Vapor pressure at 20°C (68°F): 23 Rpa (17.3 mm Hg) - Density at 20°C (68°F): 1.01796 g/cm³ (8.49488 lbs/gal) - Relative density: Not applicable. - Vapor density: Not applicable. - Vapor density: Not applicable. - Partition coefficient (n-octanol/water): Not applicable. Viscosity: Not applicable. Viscosity: Not applicable. Solvent content: 97.9 % VOC content: 97.9 % VOC content: 0.0 % | · pH-value: | Not applicable. |
| Flammbility (solid, gaseous): Not applicable. Decomposition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not applicable. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01796 g/cm³ (8.49488 lbs/gal) Not applicable. Vapor density with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Not applicable. Solvent content: Water: 97.9 % VOC content: 97.9 % VOC content: 0.00 % | Melting point/Melting range: | *************************************** |
| Decomposition temperature: Not applicable. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not applicable. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): Not applicable. Possity at 20 °C (68 °F): Not applicable. Vapor density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | · Flash point: | Not applicable. |
| Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not applicable. Upper: Not applicable. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): 1.01796 g/cm³ (8.49488 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | · Flammability (solid, gaseous): | Not applicable. |
| Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not applicable. Upper: Not applicable. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F) 1.01796 g/cm³ (8.49488 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | · Decomposition temperature: | Not applicable. |
| Explosion limits: Lower: Upper: Not applicable. Volapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F): Relative density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | · Ignition temperature: | Product is not selfigniting. |
| Lower: Upper: Not applicable. Not applicable. . Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) . Density at 20 °C (68 °F) 1.01796 g/cm³ (8.49488 lbs/gal) . Relative density Not applicable. . Vapor density Not applicable. . Evaporation rate Not applicable. . Solubility in / Miscibility with Water: Fully miscible. . Partition coefficient (n-octanol/water): Not applicable. . Viscosity: Dynamic: Kinematic: Not applicable. . Not applicable. . Solvent content: Water: VOC content: 97.9 % . VOC content: 0.00 % . Solids content: 0.1 % | · Danger of explosion: | Product does not present an explosion hazard. |
| Upper: Not applicable. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F) 1.01796 g/cm³ (8.49488 lbs/gal) • Relative density Not applicable. • Vapor density Not applicable. • Evaporation rate Not applicable. • Solubility in / Miscibility with Water: Fully miscible. • Partition coefficient (n-octanol/water): Not applicable. • Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. • Solvent content: 97.9 % • VOC content: 0.00 % • Solids content: 0.1 % | · Explosion limits: | |
| Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F) 1.01796 g/cm³ (8.49488 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: | Lower: | Not applicable. |
| Density at 20 °C (68 °F) 1.01796 g/cm³ (8.49488 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | Upper: | Not applicable. |
| Relative density Vapor density Not applicable. Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Not applicable. Solvent content: Water: Yafer: YOC content: O.00 % Solids content: O.1 % | · Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| Vapor density Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | · Density at 20 °C (68 °F) | 1.01796 g/cm³ (8.49488 lbs/gal) |
| Evaporation rate Not applicable. Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Water: YOC content: 0.00 % Solids content: 0.1 % | Relative density | Not applicable. |
| Solubility in / Miscibility with Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Water: YOC content: 0.00 % Solids content: 0.1 % | · Vapor density | Not applicable. |
| Water: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | · Evaporation rate | Not applicable. |
| Partition coefficient (n-octanol/water): Not applicable. Viscosity: Dynamic: Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | · Solubility in / Miscibility with | |
| Viscosity: Not applicable. Kinematic: Not applicable. Solvent content: Year: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | Water: | Fully miscible. |
| Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | · Partition coefficient (n-octanol/water | e): Not applicable. |
| Kinematic: Not applicable. Solvent content: Vater: VOC content: 0.00 % Solids content: 0.1 % | · Viscosity: | |
| Solvent content: Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | | |
| Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 % | Kinematic: | Not applicable. |
| VOC content: 0.00 % Solids content: 0.1 % | · Solvent content: | |
| Solids content: 0.1 % | 1 | |
| | VOC content: | 0.00 % |
| Other information No further relevant information available | Solids content: | 0.1 % |
| No juriner resevant information available. | · Other information | No further relevant information available. |

(Contd. on page 5)



Printing date 11/28/2023 Reviewed on 11/28/2023

Product Name: 1000 µg/mL Cobalt

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

- Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

· Carcinogenic categories

| curemogenic curegories | |
|---|------------|
| · IARC (International Agency for Research on Cancer) | |
| 7440-48-4 cobalt | 2 <i>B</i> |
| · NTP (National Toxicology Program) | |
| 7440-48-4 cobalt | R |
| · OSHA-Ca (Occupational Safety & Health Administration) | |
| None of the ingredients is listed. | |

12 Ecological information

- · Toxicity
- $\cdot \textbf{\textit{Aquatic toxicity:}} \ \textit{No further relevant information available}.$
- $\cdot \textit{Persistence and degradability No further relevant information available}.$
- · Behavior in environmental systems:
- $\cdot \textbf{\it Bioaccumulative potential \it No further relevant information available}.$
- $\cdot \textit{\textbf{Mobility in soil}} \ \textit{No further relevant information available}.$
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)



Printing date 11/28/2023 Reviewed on 11/28/2023

Product Name: 1000 µg/mL Cobalt

(Contd. of page 5)

| 14 Transport information | |
|--|--|
| · UN-Number · DOT, ADR, IMDG, IATA | UN3264 |
| · UN proper shipping name · DOT · ADR · IMDG, IATA | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) |
| · Transport hazard class(es) | |
| · Class · Label | 8 Corrosive substances |
| · ADR, IMDG, IATA | |
| · Class · Label | 8 Corrosive substances 8 |
| · Packing group · DOT, ADR, IMDG, IATA | III |
| · Environmental hazards: | Not applicable. |
| Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Stowage Code Segregation Code | Warning: Corrosive substances 80 F-A,S-B (SGG1) Acids A SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod | |
| · Transport/Additional information: | |
| · ADR · Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III |

15 Regulatory information

 $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture} \ \textit{No further relevant information available}. \\$

| · Sara | |
|---|--|
| · Section 313 (Specific toxic chemical listings): | |
| 7697-37-2 nitric acid | |
| 7440-48-4 cobalt | |
| · TSCA (Toxic Substances Control Act): | |
| All components have the value ACTIVE. | |
| · Hazardous Air Pollutants | |
| 7440-48-4 cobalt | |

(Contd. on page 7)



Reviewed on 11/28/2023 Printing date 11/28/2023

Product Name: 1000 µg/mL Cobalt

(Contd. of page 6)

· Proposition 65

· Chemicals known to cause cancer:

7440-48-4 cobalt

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

7440-48-4 cobalt

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

cobalt

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

· Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray P261

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection. P284

[In case of inadequate ventilation] wear respiratory protection.

P304+P341 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P337+P313 If eye irritation persists: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 11/28/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. of page 7)



Safety Data Sheet acc. to OSHA HCS

Reviewed on 11/28/2023 Printing date 11/28/2023

Product Name: 1000 µg/mL Cobalt

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

CAS. Chemicus Assiructs service (avisation of the America NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LCSO: Lethal concentration, 50 percent

LCSo: Lethal concentration, 50 percent
LDSo: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vpvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Skin Irritation 2: Skin corrosion/irritation – Category 2
Eye Irritation 2A: Serious eye damage/eye irritation – Category 1
Sensitization - Respiratory 1: Respiratory sensitisation – Category 1
Sensitization - Skin 1: Skin sensitisation – Category 1
Carcinogenicity 2: Carcinogenicity – Category 2
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

us —