

Page 1/8

## 1 Identification

- · Product identifier
- · Product Name: <u>SVOA ISTD</u> Mix
- Part Name: ECS-N-001
- · Restrictions

This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section 3(5)) or processed (as defined in TSCA section 3(13)) for consumer paint or coating removal.

- $\cdot$  Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA 732-549-7144 USMet-CRMSales@antylia.com

• Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300)

Outside US: 703-527-3887

## 2 Hazard(s) identification

· Classification of the substance or mixture

GHS08 Health hazard

Carcinogenicity 1A

H350 May cause cancer.



Acute Toxicity - Oral 4 Skin Irritation 2 H302 Harmful if swallowed. H315 Causes skin irritation.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling: dichloromethane Naphthalene-d8 Chrysene-d12 Phenanthrene-d10 · Hazard statements H302 Harmful if swallowed. H315 Causes skin irritation. H350 May cause cancer. H336 May cause drowsiness or dizziness. · Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapors/spray P264 Wash thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

## Product Name: SVOA ISTD Mix

Reviewed on 07/12/2023

(Contd. of page 1)

P321 Specific treatment (see on this label).

- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

· vPvB: Not applicable.

### 3 Composition/information on ingredients

## · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:                                |       |
|--|-------|
| 75-09-2 dichloromethane                                | 97.6% |
| 1146-65-2 Naphthalene-d8                               | 0.4%  |
| 1517-22-2 Phenanthrene-d10                             | 0.4%  |
| 1719-03-5 Chrysene-d12                                 | 0.4%  |
| 3855-82-1 1,4-Dichlorobenzene-d4                       | 0.4%  |
| · Chemical identification of the substance/preparation |       |
| 1520-96-3 Perylene-d12                                 | 0.4%  |
| 15067-26-2 Acenaphthene-d10                            | 0.4%  |

Safety Data Sheet acc. to OSHA HCS

### 4 First-aid measures

### · Description of first aid measures

· General information:

- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing:
- Immediately call a doctor.
- Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.

## Product Name: SVOA ISTD Mix

Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/12/2023

(Contd. of page 2)

| Methods and material fo | r containment and | cleaning up: |
|-------------------------|-------------------|--------------|
|-------------------------|-------------------|--------------|

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. • **Reference to other sections** See Section 7 for information on safe handling.

*See Section 8 for information on personal protection equipment.* 

## See Section 13 for disposal information.

Protective Action Criteria for Chemicals

| · PAC-1:                |           |
|-------------------------|-----------|
| 75-09-2 dichloromethane | 200 ppm   |
| · PAC-2:                |           |
| 75-09-2 dichloromethane | 560 ppm   |
| · PAC-3:                |           |
| 75-09-2 dichloromethane | 6,900 ppm |

## 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

#### $\cdot$ Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

| 9-2 dichloromethane       |
|---------------------------|
| Short-term value: 125 ppm |
| Long-term value: 25 ppm   |
| see 29 CFR 1910.1052      |
| See Pocket Guide App. A   |
| Long-term value: 50 ppm   |
| BEI, A3                   |
|                           |

· Ingredients with biological limit values:

75-09-2 dichloromethane BEI 0.3 mg/L Medium: urine Time: end of shift

Parameter: Dichloromethane (semi-quantitative)

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

## Product Name: SVOA ISTD Mix

## · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Safety Data Sheet

acc. to OSHA HCS

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. · Eye protection:
- Safety glasses



Tightly sealed goggles

## 9 Physical and chemical properties

| · Information on basic physical and c   | hemical properties                            |
|---|---|
| · General Information                   |   |
| · Appearance:                           |   |
| Form:                                   | Liquid  |
| Color:                                  | According to product specification            |
| · Odor:                                 | Characteristic                                |
| • Odour Threshold:                      | Not applicable.                               |
| · pH-value:                             | Not applicable.                               |
| · Change in condition                   |   |
| Melting point/Melting range:            | Undetermined.                                 |
| <b>Boiling point/Boiling range:</b>     | 40 °C (104 °F)                                |
| · Flash point:                          | > 100 °C (> 212 °F)                           |
| · Flammability (solid, gaseous):        | Not applicable.                               |
| · Auto igniting:                        | 605 °C (1,121 °F)                             |
| • Decomposition temperature:            | Not applicable.                               |
| · Ignition temperature:                 | Product is not selfigniting.                  |
| • Danger of explosion:                  | Product does not present an explosion hazard. |
| · Explosion limits:                     |   |
| Lower:                                  | 13 Vol %                                      |
| Upper:                                  | 22 Vol %                                      |
| · Vapor pressure at 20 °C (68 °F):      | 453 hPa (339.8 mm Hg)                         |
| · Density                               | Not applicable.                               |
| · Relative density                      | Not applicable.                               |
| · Vapor density                         | Not applicable.                               |
| · Evaporation rate                      | Not applicable.                               |
| · Solubility in / Miscibility with      |   |
| Water:                                  | Not miscible or difficult to mix.             |
| · Partition coefficient (n-octanol/wate | r): Not applicable.                           |
| · Viscosity:                            |   |
| Dynamic:                                | Not applicable.                               |
| Kinematic:                              | Not applicable.                               |
| · Solvent content:                      |   |
| Organic solvents:                       | 97.6 %  |
| VOC content:                            | 0.00 %  |
| Solids content:                         | 0.0 %   |
|   | (Contd. on page 5)                            |

Reviewed on 07/12/2023

(Contd. of page 3)

## Product Name: SVOA ISTD Mix

· Other information

No further relevant information available.

Safety Data Sheet

acc. to OSHA HCS

Reviewed on 07/12/2023

(Contd. of page 4)

Page 5/8

#### 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials: } No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

## · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

| 75-09-2 | dichloromethane |
|---------|-----------------|

Oral LD50 1,600 mg/kg (rat)

Inhalative LC50/4 h 88 mg/l (rat)

· Primary irritant effect:

- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Irritant

#### Carcinogenic categories

| · IARC (International Agency for Research on Cancer)    |    |
|---|----|
| 75-09-2 dichloromethane                                 | 2A |
| · NTP (National Toxicology Program)                     |    |
| 75-09-2 dichloromethane                                 | R  |
| · OSHA-Ca (Occupational Safety & Health Administration) |    |
| 75-09-2 dichloromethane                                 |    |

## 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

· Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Page 6/8

(Contd. of page 5)

| · UN-Number<br>· DOT, ADR, IMDG, IATA UI   |  |
|--|--|
|  | N1593  |
| · ADR 15   | ichloromethane<br>593 DICHLOROMETHANE<br>ICHLOROMETHANE  |
| · Transport hazard class(es)   |  |
| ·DOT   |  |
|  |  |
|  | 1 Toxic substances   |
| · Label 6  | 1  |
|  |  |
| · Class 6<br>· Label 6   | 1 Toxic substances<br>1  |
| · Packing group<br>· DOT, ADR, IMDG, IATA III  | I  |
| · Environmental hazards: No  | ot applicable.   |
| · Hazard identification number (Kemler code):60· EMS Number:F-· Segregation groups(Support of Stowage Category)· Stowage CategoryB | -A,S-B<br>GGG1) Acids  |
| • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code No   | ot applicable.   |
| · Transport/Additional information:  |  |
| Ma Ma  | ode: E1<br>Iaximum net quantity per inner packaging: 30 ml<br>Iaximum net quantity per outer packaging: 1000 ml      |
| Ma   | L<br>ode: E1<br>laximum net quantity per inner packaging: 30 ml<br>laximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": UI  | N 1593 DICHLOROMETHANE, 6.1, III   |

# 15 Regulatory information

| · Section 313 (Specific toxic chemical listings):   |   |
|---|---|
| 75-09-2 dichloromethane   |   |
| · TSCA (Toxic Substances Control Act):  |   |
|   | (2(5))  |
| This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section consumer paint or coating removal. | on $3(5)$ ) or processed (as defined in TSCA section $3(13)$ ) for  |
| This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section                                    | on 3(5)) or processed (as defined in TSCA section 3(13)) for ACTIVE |
| This chemical/product is not and cannot be distributed in commerce (as defined in TSCA section consumer paint or coating removal. |   |

A3

Printing date 07/12/2023

#### Product Name: SVOA ISTD Mix

Reviewed on 07/12/2023

| · Pro | onositio | n 65 |
|-------|----------|------|

| · Proposition 65  |
|---|
| · Chemicals known to cause cancer:                            |
| 75-09-2 dichloromethane                                       |
| · Chemicals known to cause reproductive toxicity for females: |
| None of the ingredients is listed.                            |
| · Chemicals known to cause reproductive toxicity for males:   |
| None of the ingredients is listed.                            |
| · Chemicals known to cause developmental toxicity:            |
| None of the ingredients is listed.                            |
| · Carcinogenic categories                                     |
| · EPA (Environmental Protection Agency)                       |
| 75-09-2 dichloromethane                                       |

· TLV (Threshold Limit Value)

75-09-2 dichloromethane

· NIOSH-Ca (National Institute for Occupational Safety and Health)

### 75-09-2 dichloromethane

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



#### · Signal word Danger

#### · Hazard-determining components of labeling:

- dichloromethane
- Naphthalene-d8
- Chrysene-d12
- Phenanthrene-d10
- Hazard statements
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H350 May cause cancer.
- H336 May cause drowsiness or dizziness.

#### · Precautionary statements

- Avoid breathing dust/fume/gas/mist/vapors/spray P261
- P264 Wash thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.
- P330 Rinse mouth

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P321 Specific treatment (see on this label).
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

certiprep Printing date 07/12/2023

|   | (Contd. of page /) |
|---|--------------------|
| Contact:  |                    |
| Spex CertiPrep, LLC.  |                    |
| 1-732-549-7144  |                    |
|   |                    |
| Date of preparation / last revision 07/12/2023  |                    |
| Abbreviations and acronyms:   |                    |
| ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) |                    |
| IMDG: International Maritime Code for Dangerous Goods   |                    |
| DOT: US Department of Transportation  |                    |
| IATA: International Air Transport Association   |                    |
| EINECS: European Inventory of Existing Commercial Chemical Substances   |                    |
| ELINCS: European List of Notified Chemical Substances   |                    |
| CAS: Chemical Abstracts Service (division of the American Chemical Society)   |                    |
| NFPA: National Fire Protection Association (USA)  |                    |
| HMIS: Hazardous Materials Identification System (USA)   |                    |
| VOC: Volatile Organic Compounds (USA, EU)   |                    |
| LC50: Lethal concentration, 50 percent  |                    |
| LD50: Lethal dose, 50 percent   |                    |
| PBT: Persistent, Bioaccumulative and Toxic  |                    |
| vPvB: very Persistent and very Bioaccumulative  |                    |
| NIOSH: National Institute for Occupational Safety   |                    |
| OSHA: Occupational Safety & Health  |                    |
| TLV: Threshold Limit Value  |                    |
| PEL: Permissible Exposure Limit   |                    |
| REL: Recommended Exposure Limit   |                    |
| BEI: Biological Exposure Limit  |                    |
| Acute Toxicity - Oral 4: Acute toxicity – Category 4  |                    |
| Skin Irritation 2: Skin corrosion/irritation – Category 2   |                    |
| Carcinogenicity IA: Carcinogenicity – Category IA   |                    |
| Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) – Category 3   |                    |

S

Product Name: SVOA ISTD Mix

Reviewed on 07/12/2023

(Contd. of page 7)