09/12/2023	Kit Components	
Product code	Description	
EMPT-2	Extractable Metals 2	
Components:		
EMPT-1A	Extractable Metals from Plastic Toys 1A	
EMPT-1B	Extractable Metals from Plastic Toys 1B	

Interference Check Standard

INT-EM1



acc. to OSHA HCS Printing date 09/12/2023 Reviewed on 09/12/2023

Safety Data Sheet

1 Identification

- · Product identifier
- · Product Name: Extractable Metals from Plastic Toys 1A
- · Part Name: EMPT-1A
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 1A H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

GHS07

GHS08

· Signal word Danger

· Hazard-determining components of labeling:

nitric acid

cadmium

lead

hydrofluoric acid

Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use. P201 P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Contd. on page 2)



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

(Contd. of page 1)

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7697-37-2	nitric acid	10.0%
7664-39-3	hydrofluoric acid	0.2%
7439-92-1	lead	0.1%
7440-38-2	arsenic	0.1%
7440-43-9	cadmium	0.1%
7782-49-2	selenium	0.1%
· Chemical i	dentification of the substance/preparation	
	water, distilled, conductivity or of similar purity	89.0%
87-69-4	(+)-tartaric acid	0.2%
7440-36-0	antimony	0.1%
7440-47-3	chromium	0.1%

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot \textbf{Indication of any immediate medical attention and special treatment needed} \ \textit{No further relevant information available}.$

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

 $See\ Section\ 7\ for\ information\ on\ safe\ handling.$

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	•	
7697-37-2	nitric acid	0.16 ppm
87-69-4	(+)-tartaric acid	1.6 mg/m³
7664-39-3	hydrofluoric acid	1.0 ppm
7439-92-1	lead	0.15 mg/m
7440-36-0	antimony	1.5 mg/m ³
7440-38-2	arsenic	1.5 mg/m ³
7440-43-9	cadmium	0.10 mg/m
7440-47-3	chromium	1.5 mg/m ³
7782-49-2	selenium	0.6 mg/m³
· PAC-2:		
7697-37-2	nitric acid	24 ppm
87-69-4	(+)-tartaric acid	17 mg/m³
7664-39-3	hydrofluoric acid	24 ppm
7439-92-1	lead	120 mg/m ³
7440-36-0	antimony	13 mg/m³
7440-38-2	arsenic	17 mg/m³
7440-43-9	cadmium	0.76 mg/m
7440-47-3	chromium	17 mg/m³
7782-49-2	selenium	6.6 mg/m ³
· PAC-3:		
7697-37-2	nitric acid	92 ppm
87-69-4	(+)-tartaric acid	100 mg/m
7664-39-3	hydrofluoric acid	44 ppm
7439-92-1	lead	700 mg/m
7440-36-0	antimony	80 mg/m³
7440-38-2	arsenic	100 mg/m
7440-43-9	cadmium	4.7 mg/m ²
7440-47-3	chromium	99 mg/m³
7782-49-2	selenium	40 mg/m³

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

(Contd. of page 3)

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The j	following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.
At th	is time, the remaining constituent has no known exposure limits.
7664	-39-3 hydrofluoric acid
PEL	Long-term value: 1* mg/m³, 3 ppm as F, *sulfuric acid
REL	Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F
TLV	Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI
7439	-92-1 lead
PEL	Long-term value: 0.05* mg/m³ *see 29 CFR 1910.1025
REL	Long-term value: 0.05* mg/m³ *8-hr TWA ;See PocketGuide App.C
TLV	Long-term value: 0.05* mg/m³ *and inorganic compds., as Pb; BEI, A3
7440	-38-2 arsenic
PEL	Long-term value: 0.5* 0.01** mg/m³ as As; *organic**inorg. compds.; 29 CFR 1910.1018
REL	Ceiling limit value: 0.002 mg/m³ as As; 15min; See Pocket Guide App. A
TLV	Long-term value: 0.01 mg/m³ as As; BEI, A1
7440	-43-9 cadmium
PEL	Long-term value: 0.005 mg/m³ as Cd; see 29 CFR 1910.1027
REL	See Pocket Guide App. A

REL | See Pocket Guide App. A

TLV Long-term value: 0.01 0.002* mg/m³ as Cd; A2; *respirable fraction; BEI

7782-49-2 selenium

PEL Long-term value: 0.2 mg/m³

as Se

RELLong-term value: 0.2 mg/m³

as Se

TLV Long-term value: 0.2 mg/m³

Ingredients with biological limit values:

7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine Medium: urine

Time: prior to shift

Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Fluorides (background, nonspecific)

(Contd. on page 5)

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

(Contd. of page 4)

7439-92-1 lead

BEI | 200 μg/L

Medium: blood Time: not critical Parameter: Lead

7440-38-2 arsenic

BEI 35 μg As/L

Medium: urine

Time: end of workweek

Parameter: Inorganic arsenic plus methylated metabolites (background)

7440-43-9 cadmium

BEI | 5 μg/g creatinine

Medium: urine Time: not critical

Parameter: Cadmium (background)

 $5 \mu g/L$

Medium: blood Time: not critical

Parameter: Cadmium (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

According to product specification Color:

· Odor: Characteristic · Odour Threshold: Not applicable.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 6)



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

(Contd. of page 5)

	(Conta. of page 5)
Boiling point/Boiling range:	83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
 Density at 20 °C (68 °F) Relative density Vapor density Evaporation rate 	1.08015 g/cm³ (9.01385 lbs/gal) Not applicable. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible.
Partition coefficient (n-octanol/water): Not applicable.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Water: VOC content:	89.0 % 0.00 %
Solids content:	0.7 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textbf{Incompatible materials:} \ No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

· Carcinogenic categories

7439-92-1 lead

2B



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

	(Contd. of page 6)
7440-38-2 arsenic	1
7440-43-9 cadmium	1
7440-47-3 chromium	3
7782-49-2 selenium	3
· NTP (National Toxicology Program)	
7439-92-1 lead	R
7440-38-2 arsenic	K
7440-43-9 cadmium	K
· OSHA-Ca (Occupational Safety & Health Administration)	
7440-38-2 arsenic	
7440-43-9 cadmium	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

11	Trans	nort	int	forme	ition
LŦ	1 I ulis	ρυπ	uu	<i>OH HI</i>	won

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es)	

- $\cdot DOT$



· Class 8 Corrosive substances 8 · Label

(Contd. on page 8)

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

(Contd. of page 7)

· ADR, IMDG, IATA



· Class 8 Corrosive substances · Label

· Packing group

· DOT, ADR, IMDG, IATA II

· Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code):

· EMS Number: F-A,S-B(SGG1) Acids

· Segregation groups · Stowage Category

· Stowage Code SW2 Clear of living quarters.

SG36 Stow "separated from" SGG18-alkalis. · Segregation Code SG49 Stow "separated from" SGG6-cyanides

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot ADR$

Code: E2 · Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· IMDG

· Limited quantities (LQ) 1L· Excepted quantities (EQ)

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID),

8, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

	Section 313 (Specific toxic chemical listings):		
	nitric acid		
	hydrofluoric acid		
7439-92-1	lead		
7440-36-0	antimony		
7440-38-2	arsenic		
7440-43-9	cadmium		
7440-47-3			
7782-49-2	selenium		

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Hazardous Air Pollutants

7664-39-3 hydrofluoric acid

7439-92-1 lead

Proposition 65

· Chemicals known to cause cancer:

7439-92-1 lead

7440-38-2 arsenic

7440-43-9 cadmium

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 9)

Reviewed on 09/12/2023 Printing date 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

(Contd. of page 8) · Chemicals known to cause reproductive toxicity for males: 7440-43-9 cadmium

· Chemicals known to cause developmental toxicity:

7440-43-9 cadmium

· Carcinogenic categories

0	curomogenic curegories			
· EPA (Envi	ronmental Protection Agency)			
7439-92-1	lead	B2		
7440-38-2	arsenic	A		
7440-43-9	cadmium	<i>B1</i>		
7782-49-2	selenium	D		
	shold Limit Value)			
7439-92-1	lead	A3		
7440-38-2	arsenic	<i>A1</i>		
7440-43-9	cadmium	A2		

· NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-38-2 arsenic

7440-43-9 cadmium

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







GHS05

GHS07

· Signal word Danger

· Hazard-determining components of labeling:

nitric acid

cadmium

lead

hydrofluoric acid

· Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

· Precautionary statements

P201 Obtain special instructions before use. P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: product safety department



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1A

(Contd. of page 9)

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 09/12/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

DOT: US Department of TransportAtion
IATA: International Air TransportAssociation
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)

NATA. National Fire Frotection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

BEI: Biological Exposure Limit
Actule Toxicity - Inhalation 4: Acute toxicity - Category 4
Skin Corrosion 1B: Skin corrosion/irritation - Category 1B
Eye Damage 1: Serious eye damage/eye irritation - Category 1
Carcinogenicity 1A: Carcinogenicity - Category 1A
Toxic to Reproduction 1A: Reproductive toxicity - Category 1A

us —

certiprep acc. to OSHA HCS

Printing date 09/12/2023

Reviewed on 09/12/2023

Safety Data Sheet

1 Identification

- · Product identifier
- · Product Name: Extractable Metals from Plastic Toys 1B
- · Part Name: EMPT-1B
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Toxic to Reproduction 1B H360 May damage fertility or the unborn child.



Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

mercury

· Hazard statements

H314 Causes severe skin burns and eye damage. H360 May damage fertility or the unborn child.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

 $P303 + P361 + P353 \ If on \ skin \ (or \ hair): \ Take \ off \ immediately \ all \ contaminated \ clothing. \ Rinse \ skin \ with \ water/shower.$

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1B

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	· Dangerous components:		
7697-37-2	nitric acid	10.0%	
7439-97-6	mercury	0.1%	
· Chemical i	dentification of the substance/preparation		
7732-18-5	water, distilled, conductivity or of similar purity	89.8%	
7440-39-3	barium	0.1%	

4 First-aid measures

- · Description of first aid measures
- $\cdot \textit{General information:} \ \textit{Immediately remove any clothing soiled by the product}.$
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- $\textbf{Most important symptoms and effects, both acute and delayed} \ \textit{No further relevant information available}.$
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- $\cdot \textit{Extinguishing media}$
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- $\cdot \textbf{Special hazards arising from the substance or \textit{mixture } \textit{During heating or in case of fire poisonous gases are produced.} \\$
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

 $See\ Section\ 13\ for\ disposal\ information.$



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1B

(Contd. of page 2)

· Protective Action Criteria for Chemicals

· Protective Action Criteria for Chemicais			
· PAC-1:			
7697-37-2	nitric acid	0.16 ppm	
7439-97-6	mercury	0.15 mg/m ³	
7440-39-3	barium	1.5 mg/m ³	
· PAC-2:	· PAC-2:		
7697-37-2	nitric acid	24 ppm	
7439-97-6	mercury	1.7 mg/m³	
7440-39-3	barium	180 mg/m³	
• PAC-3:	· PAC-3:		
7697-37-2		92 ppm	
7439-97-6	mercury	8.9 mg/m³	
7440-39-3	barium	$1,100 \text{ mg/m}^3$	

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- $\cdot \textit{Information about storage in one common storage facility: } \textit{Not required.}$
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- $\cdot \textit{Components with limit values that require monitoring at the workplace:} \\$

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

7439-97-6 mercury

PEL Long-term value: 0.1 mg/m³

as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05* mg/m³

Ceiling limit value: 0.1 mg/m³

as Hg; *Vapor; Skin

TLV Long-term value: 0.025 mg/m³

as Hg; A4; Skin; BEI

· Ingredients with biological limit values:

7439-97-6 mercury

BEI 20 μg/g creatinine

Medium: urine

Time: prior to shift

Parameter: Mercury

· Additional information: The lists that were valid during the creation were used as basis.

- $\cdot \textit{Exposure controls}$
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1B

(Contd. of page 3)

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:

Water:

VOC content:

Solids content:

· Other information

89.8 %

0.00 %

0.1 %

No further relevant information available.



9 Physical and chemical properties
Information on basic physical and chemical properties

· Information on basic physical and chemical properties		
· General Information		
· Appearance:		
Form: Color:	Liquid	
· Odor:	According to product specification Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not applicable.	
· Ignition temperature:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F)	1.06614 g/cm³ (8.89694 lbs/gal)	
Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	er): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		

(Contd. on page 5)



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1B

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eve:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7439-97-6 mercury

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot \textit{\textbf{Mobility in soil}} \ \textit{No further relevant information available}.$
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- $\cdot \textit{Other adverse effects} \ \textit{No further relevant information available}.$

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1B

(Contd. of page 5)

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN2031
· UN proper shipping name · DOT · ADR · IMDG, IATA	Nitric acid solution 2031 NITRIC ACID solution NITRIC ACID solution
· Transport hazard class(es)	Title field sommon
· DOT	
· Class · Label	8 Corrosive substances
· ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category 	Warning: Corrosive substances 80 F-A,S-B (SGG1a) Strong acids D

· Transport in bulk according t	Annex II of MARPOL73/78 and the IBC	Code Not applicable.
---------------------------------	-------------------------------------	-----------------------------

· Transport/Additional information:

· Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 500 ml
• IMDG

· Limited quantities (LQ)

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides

· UN "Model Regulation": UN 2031 NITRIC ACID SOLUTION, 8, II

15 Regulatory information

· Segregation Code

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	
--------	--

· Sur u			
· Section 31.	· Section 313 (Specific toxic chemical listings):		
7697-37-2	nitric acid		
7439-97-6	mercury		
7440-39-3	barium		
· TSCA (Tox	· TSCA (Toxic Substances Control Act):		
All compor	All components have the value ACTIVE.		

Reviewed on 09/12/2023 Printing date 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1B

(Contd. of page 6)

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

Chemicals known to cause developmental toxicity:

7439-97-6 mercury

· Carcinogenic categories

· EPA (Environmental Protection Agency)		
7439-97-6 mercury	D	
7440-39-3 barium	D, CBD(inh), NL(oral)	

· TLV (Threshold Limit Value)

7439-97-6 mercury	A4
7440-39-3 barium	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

mercury

· Hazard statements

H314 Causes severe skin burns and eye damage.

H360 May damage fertility or the unborn child.

· Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label). Wash contaminated clothing before reuse. P363

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

Spex CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 09/12/2023
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Extractable Metals from Plastic Toys 1B

(Contd. of page 7)

IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Haradayus Materials Identification System (USA)

HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

PB1: Persistent, Bioaccumulative and 10xic VPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit

FEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Skin Corrosion 1B: Skin corrosion/irritation – Category 1B
Eye Damage 1: Serious eye damage/eye irritation – Category 1
Toxic to Reproduction 1B: Reproductive toxicity – Category 1B

us —

Printing date 09/12/2023 Reviewed on 09/12/2023

1 Identification

- · Product identifier
- · Product Name: Interference Check Standard
- · Part Name: INT-EM1
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

- · Hazard statements
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0Reactivity = 0

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Interference Check Standard

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
7697-37-2		10.0%	
7664-39-3	hydrofluoric acid	0.1%	
· Chemical i	dentification of the substance/preparation		
7732-18-5	water, distilled, conductivity or of similar purity	88.888%	
87-69-4	(+)-tartaric acid	0.2%	
7429-90-5	aluminium	0.2%	
7439-89-6	iron	0.2%	
7439-95-4	magnesium	0.2%	
7440-70-2	calcium	0.2%	
7439-92-1	lead	0.002%	
7440-36-0	antimony	0.002%	
7440-38-2	arsenic	0.002%	
7440-43-9	cadmium	0.002%	
7440-47-3	chromium	0.002%	
7782-49-2	selenium	0.002%	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- $\cdot \textit{Most important symptoms and effects, both acute and delayed} \ \textit{No further relevant information available}.$
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Interference Check Standard

(Contd. of page 2)

· Protective Action Criteria for Chemicals

PAC-1:	Action Criteria for Chemicals		
		0.16 ppm	
	(+)-tartaric acid	1.6 mg/m ³	
7439-89-6		3.2 mg/m³	
	magnesium	18 mg/m³	
	hydrofluoric acid	1.0 ppm	
7439-92-1		0.15 mg/m ³	
7440-36-0		1.5 mg/m ³	
7440-38-2		1.5 mg/m ³	
7440-43-9		0.10 mg/m ³	
7440-47-3		1.5 mg/m ³	
7782-49-2	selenium	0.6 mg/m ³	
· PAC-2:			
7697-37-2	nitric acid	24 ppm	
87-69-4	(+)-tartaric acid	17 mg/m ³	
7439-89-6	iron	35 mg/m ³	
7439-95-4	magnesium	200 mg/m ³	
7664-39-3	hydrofluoric acid	24 ppm	
7439-92-1	lead	120 mg/m ³	
7440-36-0	antimony	13 mg/m ³	
7440-38-2	arsenic	17 mg/m ³	
7440-43-9	cadmium	0.76 mg/m^3	
7440-47-3	chromium	17 mg/m ³	
7782-49-2	selenium	6.6 mg/m ³	
· PAC-3:		<u>'</u>	
7697-37-2	nitric acid	92 ppm	
87-69-4	(+)-tartaric acid	100 mg/m ³	
7439-89-6	iron	150 mg/m ³	
7439-95-4	magnesium	1,200 mg/m ³	
	hydrofluoric acid	44 ppm	
7439-92-1		700 mg/m ³	
7440-36-0	antimony	80 mg/m³	
7440-38-2		100 mg/m ³	
7440-43-9	cadmium	4.7 mg/m ³	
7440-47-3	chromium	99 mg/m³	
7782-49-2	selenium	40 mg/m ³	

7 Handling and storage

- · Handling:
- $\cdot \textit{Precautions for safe handling}$

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- $\cdot \textit{Conditions for safe storage, including any incompatibilities}$
- · Storage.
- $\cdot \textit{Requirements to be met by storerooms and receptacles:} \ \textit{No special requirements}.$
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- $\cdot \textbf{\textit{Additional information about design of technical systems:} \ \textit{No further data; see section 7.} \\$
- $\cdot \textit{Control parameters}$
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

(Contd. on page 4)

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Interference Check Standard

(Contd. of page 3)

7664-39-3 hydrofluoric acid

PEL Long-term value: 1* mg/m³, 3 ppm

as F, *sulfuric acid

REL Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm

*15-min, as F

TLV Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI

· Ingredients with biological limit values:

7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine

Medium: urine Time: prior to shift

Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Fluorides (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic · Odour Threshold: Not applicable.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 5)

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Interference Check Standard

(Contd. of page 4)

· Other information	No further relevant information available.
Solids content:	1.0 %
VOC content:	0.00 %
· Solvent content: Water:	88.9 %
Kinematic:	Not applicable.
Viscosity: Dynamic:	Not applicable.
· Partition coefficient (n-octanol/wate	r): Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible.
· Vapor density · Evaporation rate	Not applicable. Not applicable.
· Density at 20 °C (68 °F) · Relative density	1.06222 g/cm³ (8.86423 lbs/gal) Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Danger of explosion:	Product does not present an explosion hazard.
· Ignition temperature:	Product is not selfigniting.
· Decomposition temperature:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Flash point:	Not applicable.
Boiling point/Boiling range:	83 °C (181.4 °F)
Doiling point/Doiling pay	(Contd. of page

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- $\cdot \textbf{Incompatible materials:} \ No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

.	LD/LC50	values	that are	relevant	for c	classification:
---	---------	--------	----------	----------	-------	-----------------

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

· Carcinogenic categories

٠,	· IARC (International Agency for Research on Cancer)					
	7439-92-1	lead	2B			
	7440-38-2	arsenic	1			
	7440-43-9	cadmium	1			
	7440-47-3	chromium	3			

(Contd. on page 6)



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Interference Check Standard

	(Contd. of page 5)
7782-49-2 selenium	3
· NTP (National Toxicology Program)	
7439-92-1 lead	R
7440-38-2 arsenic	K
7440-43-9 cadmium	K
· OSHA-Ca (Occupational Safety & Health Administration)	
7440-38-2 arsenic	
7440-43-9 cadmium	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14	Trans	port	in	format	ion

· UN-Number	
· DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· Transport hazard class(es)	
· DOT	
CORROSIVE	
· Class	8 Corrosive substances
· Label	8
· ADR, IMDG, IATA	
· Class	8 Corrosive substances
· Label	8

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Interference Check Standard

(Contd. of page 6) · Packing group · DOT, ADR, IMDG, IATA II · Environmental hazards: Not applicable. Warning: Corrosive substances · Special precautions for user · Hazard identification number (Kemler code): F-A,S-B· EMS Number: · Segregation groups (SGG1) Acids · Stowage Category · Stowage Code SW2 Clear of living quarters. SG36 Stow "separated from" SGG18-alkalis. · Segregation Code SG49 Stow "separated from" SGG6-cyanides · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: $\cdot ADR$ · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IMDG · Limited quantities (LQ) 1L· Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, II

15 Regulatory information

· Section 313 (Specific toxic chemical listings):

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

7697-37-2 nitric acid
7429-90-5 aluminium
7664-39-3 hydrofluoric acid
7439-92-1 lead
7440-36-0 antimony
7440-38-2 arsenic
7440-43-9 cadmium
7440-47-3 chromium
7782-49-2 selenium
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
7664-39-3 hydrofluoric acid
7439-92-1 lead
Proposition 65
· Chemicals known to cause cancer:
7439-92-1 lead
7440-38-2 arsenic
7440-43-9 cadmium
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
7440-43-9 cadmium
· Chemicals known to cause developmental toxicity:
7440-43-9 cadmium

(Contd. on page 8)

Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Interference Check Standard

(Contd. of page 7)

· Carcinogenic categories

· EPA (Envi	ronmental Protection Agency)				
7439-92-1	lead	B2			
7440-38-2	arsenic	A			
7440-43-9	cadmium	<i>B1</i>			
7782-49-2	selenium	D			
· TLV (Thre	· TLV (Threshold Limit Value)				
7429-90-5	aluminium	A4			
7439-92-1	lead	<i>A3</i>			
7440-38-2	arsenic	<i>A1</i>			
7440-43-9	cadmium	A2			
· NIOSH-Ca (National Institute for Occupational Safety and Health)					
7440-38-2	arsenic				
7440-43-9	cadmium				

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

nitric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor. P321 Specific treatment (see on this label). P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 09/12/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

(Contd. on page 9)



Printing date 09/12/2023 Reviewed on 09/12/2023

Product Name: Interference Check Standard

(Contd. of page 8)

REL: Recommended Exposure Limit BEI: Biological Exposure Limit Skin Corrosion 1B: Skin corrosion/irritation – Category 1B Eye Damage 1: Serious eye damage/eye irritation – Category 1

– us –