

Printing date 11/22/2019 Reviewed on 11/22/2019

### 1 Identification

· Product identifier

· Trade name: ICP Stock Standard · Article number: ICP-MS-MCS-A

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: High-Purity Standards

7221 Investment Drive, North Charleston, SC 29418 United States

Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com

Email: info@highpuritystandards.com

· Information department: Product safety department

· Emergency telephone number:

*INFOTRAC* 

Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

Hydrofluoric acid

· Hazard statements

H290 May be corrosive to metals.

H312 Harmful in contact with skin.

(Contd. on page 2)



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 1)

H314 Causes severe skin burns and eye damage.

#### · Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

0	components:	
7697-37-2	nitric acid	2.0%
7664-39-3	Hydrofluoric acid	0.49%
	dentification of the substance/preparation	
7647-14-5	sodium chloride	0.72%
7440-44-0	carbon	0.2%
7429-90-5	aluminium	0.1%
7439-95-4	magnesium	0.1%
	(Con	td. on page 3)



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

		(Contd. of page 2
7440-23-5	sodium	0.1%
7783-20-2	ammonium sulphate	0.1%
7440-66-6	zinc	0.002%
7439-96-5	manganese	0.002%
7440-02-0	nickel	0.002%
7440-32-6	titanium	0.002%
7440-36-0	antimony	0.002%
7440-41-7	beryllium	0.002%
7440-47-3	chromium	0.002%
7440-62-2	vanadium	0.002%
7732-18-5	water, distilled, conductivity or of similar purity	96.174%

#### 4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 3)

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### Protective Action Criteria for Chemicals

<b>3</b>	
· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7664-39-3 Hydrofluoric acid	1.0 ppm
7440-44-0 carbon	6 mg/m <sup>3</sup>
7439-95-4 magnesium	18 mg/m³
7440-23-5 sodium	13 mg/m³
7783-20-2 ammonium sulphate	13 mg/m³
7440-66-6 zinc	6 mg/m³
7439-96-5 manganese	$3 mg/m^3$
7440-02-0 nickel	$4.5  mg/m^3$
7440-32-6 titanium	$30 \text{ mg/m}^3$
7440-36-0 antimony	$1.5 \text{ mg/m}^3$
7440-41-7 beryllium	$0.0023 \text{ mg/m}^3$
7440-47-3 chromium	$1.5 mg/m^3$
7440-62-2 vanadium	3 mg/m <sup>3</sup>
· PAC-2:	-
7697-37-2 nitric acid	24 ppm
7664-39-3 Hydrofluoric acid	24 ppm
7440-44-0 carbon	$330 \text{ mg/m}^3$
7439-95-4 magnesium	$200 \text{ mg/m}^3$
7440-23-5 sodium	$140 \text{ mg/m}^3$
7783-20-2 ammonium sulphate	$140 \text{ mg/m}^3$
7440-66-6 zinc	$21 \text{ mg/m}^3$
7439-96-5 manganese	$5 \text{ mg/m}^3$
7440-02-0 nickel	$50 \text{ mg/m}^3$
7440-32-6 titanium	$330 \text{ mg/m}^3$
7440-36-0 antimony	13 mg/m³
7440-41-7 beryllium	$0.025 \text{ mg/m}^3$
7440-47-3 chromium	17 mg/m³
7440-62-2 vanadium	$5.8 \text{ mg/m}^3$
· PAC-3:	1
7697-37-2 nitric acid	92 ppm
7664-39-3 Hydrofluoric acid	44 ppm
7440-44-0 carbon	$2,000 \text{ mg/m}^{3}$
<u> </u>	(Contd. on page



Reviewed on 11/22/2019 Printing date 11/22/2019

Trade name: ICP Stock Standard

		(Contd. of page 4)
7439-95-4	magnesium	$1,200 \text{ mg/m}^3$
7440-23-5		$870 \text{ mg/m}^3$
7783-20-2	ammonium sulphate	840 mg/m³
7440-66-6	zinc	120 mg/m³
7439-96-5	manganese	$1,800 \text{ mg/m}^3$
7440-02-0	nickel	99 mg/m³
7440-32-6	titanium	$2,000 \text{ mg/m}^3$
7440-36-0	· ·	80 mg/m³
7440-41-7	beryllium	$0.1 \text{ mg/m}^3$
7440-47-3	chromium	99 mg/m³
7440-62-2	vanadium	$35 \text{ mg/m}^3$

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.

7697-37-2 nitric acid	
PEL Long-term value: 5 mg/m³, 2 ppm	
REL Short-term value: 10 mg/m³, 4 ppm	
Long-term value: 5 mg/m³, 2 ppm	
TLV Short-term value: 10 mg/m³, 4 ppm	
Long-term value: 5.2 mg/m³, 2 ppm	
7664-39-3 Hydrofluoric acid	
PEL Long-term value: 3 ppm	
as F	
REL Long-term value: 2.5 mg/m³, 3 ppm	
Ceiling limit value: 5* mg/m³, 6* ppm	
*15-min, as F	(01

(Contd. on page 6)



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 5)

TLV Long-term value: 0.41 mg/m³, 0.5 ppm Ceiling limit value: 1.64 mg/m³, 2 ppm as F; Skin, BEI

#### · Ingredients with biological limit values:

#### 7664-39-3 Hydrofluoric acid

BEI 3 mg/g creatinine

Medium: urine Time: prior to shift

Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Fluorides (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 6)

· Eye protection:



Tightly sealed goggles

Information on basic physical and o	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	colorless
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.01696 g/cm³ (8.48653 lbs/gal)
Bulk density:	$\sim 1,005 - \sim 1,011 \text{ kg/m}^3$
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.

(Contd. on page 8)



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50	values	that are	relevant	for	classi	fication:
-----------	--------	----------	----------	-----	--------	-----------

#### 7664-39-3 Hydrofluoric acid

Oral LD50 1,276 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · **Sensitization:** No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
7440-02-0	nickel	2B
7440-41-7	beryllium	1
7440-47-3	chromium	3
· NTP (Nati	onal Toxicology Program)	
7440-02-0	nickel	R

(Contd. on page 9)



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 8)

7440-41-7 beryllium

K

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
· ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

(Contd. on page 10)



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 9)

· Transport	hazard	class(	es)	
-------------	--------	--------	-----	--

 $\cdot DOT$ 



· Class 8 Corrosive substances

· Label

· ADR, IMDG, IATA



· Label

· Class 8 Corrosive substances

8

· Packing group

· DOT, ADR, IMDG, IATA III

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

Danger code (Kemler):
EMS Number:
Segregation groups
Stowage Category

80
F-A,S-B
Acids
A

• Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot$  **DOT** 

• Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

 $\cdot$  ADR

· Excepted quantities (EQ) Code: El

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

 $\cdot$  IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(NITRIC ACID), 8, III



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 10)

Sara	specific for the substance or mixture
Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
7664-39-3 Hydrofluoric acid	
Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7664-39-3 Hydrofluoric acid	
7429-90-5 aluminium	
7783-20-2 ammonium sulphate	
7440-66-6 zinc	
7439-96-5 manganese	
7440-02-0 nickel	
7440-36-0 antimony	
7440-41-7 beryllium	
7440-47-3 chromium	
7440-62-2 vanadium	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
7664-39-3 Hydrofluoric acid	
7439-96-5 manganese	
Proposition 65	
Chemicals known to cause cancer:	
7440-02-0 nickel	
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for female	ules:
7440-02-0 nickel 7440-41-7 beryllium	nles:
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for femal None of the ingredients is listed.	
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for femal None of the ingredients is listed.	
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for femal None of the ingredients is listed.  Chemicals known to cause reproductive toxicity for male	
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for female. None of the ingredients is listed.  Chemicals known to cause reproductive toxicity for male. None of the ingredients is listed.	
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for femal None of the ingredients is listed.  Chemicals known to cause reproductive toxicity for male None of the ingredients is listed.  Chemicals known to cause developmental toxicity:  None of the ingredients is listed.	
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for femal None of the ingredients is listed.  Chemicals known to cause reproductive toxicity for male None of the ingredients is listed.  Chemicals known to cause developmental toxicity:  None of the ingredients is listed.  Carcinogenic categories	
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for femal None of the ingredients is listed.  Chemicals known to cause reproductive toxicity for male None of the ingredients is listed.  Chemicals known to cause developmental toxicity:  None of the ingredients is listed.  Carcinogenic categories  EPA (Environmental Protection Agency)	25:
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for femal None of the ingredients is listed.  Chemicals known to cause reproductive toxicity for male None of the ingredients is listed.  Chemicals known to cause developmental toxicity:  None of the ingredients is listed.  Carcinogenic categories  EPA (Environmental Protection Agency)  7440-66-6 zinc	D, I, II
7440-02-0 nickel 7440-41-7 beryllium  Chemicals known to cause reproductive toxicity for femalon None of the ingredients is listed.  Chemicals known to cause reproductive toxicity for male None of the ingredients is listed.  Chemicals known to cause developmental toxicity:  None of the ingredients is listed.  Carcinogenic categories  EPA (Environmental Protection Agency)	25:



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 11)

		(Conta. of page 11)
· TLV (Thre	shold Limit Value established by ACGIH)	
7429-90-5	aluminium	A4
7440-02-0	nickel	A5
	beryllium	AI
7440-47-3	chromium	A4
· NIOSH-C	a (National Institute for Occupational Safety and Health)	
7440-02-0		
7440-41-7	beryllium	

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05 GHS

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

Hydrofluoric acid

· Hazard statements

H290 May be corrosive to metals.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

 $We ar \ protective \ gloves/protective \ clothing/eye \ protection/face \ protection.$ 

*If swallowed: Rinse mouth. Do NOT induce vomiting.* 

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

HS



Printing date 11/22/2019 Reviewed on 11/22/2019

Trade name: ICP Stock Standard

(Contd. of page 12)

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Environment protection department.
- · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

- · Date of preparation / last revision 11/22/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation - Category 1A

Eye Dam. 1: Serious eye damage/eye irritation - Category 1