

Printing date 05/13/2019 Reviewed on 05/13/2019

#### 1 Identification

· Product identifier

· Trade name: <u>ICP-MS-SS-1</u> · Article number: ICP-MS-SS-1

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: High-Purity Standards

P.O. Box 41727

Charleston, SC 29423 Telephone: (843) 767-7900 FAX: (843) 767-7906

· Information department: Product safety department

Emergency telephone number:

INFOTRAC

Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

*If eye irritation persists: Get medical advice/attention.* 

(Contd. on page 2)



Reviewed on 05/13/2019 Printing date 05/13/2019

Trade name: ICP-MS-SS-1

(Contd. of page 1)

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

_	s components:	
7697-37-2	nitric acid	1.0%
· Chemical i	identification of the substance/preparation	
7440-45-1	cerium	0.0000001%
7440-74-6	indium	0.0000001%
7439-89-6	iron	0.0000001%
7439-92-1	lead	0.0000001%
7439-93-2	lithium	0.0000001%
7439-95-4	magnesium	0.0000001%
7440-61-1	uranium	0.0000001%
7440-41-7	beryllium	0.0000001%
7732-18-5	water, distilled, conductivity or of similar purity	98.9999%

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)



Printing date 05/13/2019 Reviewed on 05/13/2019

Trade name: ICP-MS-SS-1

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

7697-37-2	nitric acid	0.16 ppm
7440-45-1	cerium	$30 \text{ mg/m}^3$
7440-74-6	indium	$0.3 \text{ mg/m}^3$
7439-89-6	iron	$3.2 \text{ mg/m}^3$
7439-92-1	lead	$0.15  mg/m^3$
7439-93-2	lithium	$3.3 \text{ mg/m}^3$
7439-95-4	magnesium	18 mg/m³
7440-61-1	uranium	$0.6 \text{ mg/m}^3$
7440-41-7	beryllium	0.0023 mg/m
<i>PAC-2:</i>		
7697-37-2	nitric acid	24 ppm
7440-45-1	cerium	$330 \text{ mg/m}^3$
7440-74-6	indium	$3.3 \text{ mg/m}^3$
7439-89-6	iron	$35 \text{ mg/m}^3$
7439-92-1	lead	$120 \text{ mg/m}^3$
7439-93-2	lithium	$36 \text{ mg/m}^3$
7439-95-4	magnesium	$200 \text{ mg/m}^3$
7440-61-1	uranium	$5 \text{ mg/m}^3$
		0.025 mg/m



Printing date 05/13/2019 Reviewed on 05/13/2019

Trade name: ICP-MS-SS-1

	(Contd. of page 3
· PAC-3:	
7697-37-2 nitric acid	92 ppm
7440-45-1 cerium	$2,000 \text{ mg/m}^3$
7440-74-6 indium	$20 \text{ mg/m}^3$
7439-89-6 iron	$150 \text{ mg/m}^3$
7439-92-1 lead	$700 \text{ mg/m}^3$
7439-93-2 lithium	$220 \text{ mg/m}^3$
7439-95-4 magnesium	$1,200 \text{ mg/m}^3$
7440-61-1 uranium	$30 \text{ mg/m}^3$
7440-41-7 beryllium	$0.1 \text{ mg/m}^3$

#### 7 Handling and storage

- · Handling:
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Com	· Components with limit values that require monitoring at the workplace:	
7697	-37-2 nitric acid	
PEL	Long-term value: 5 mg/m³, 2 ppm	
REL	Short-term value: 10 mg/m³, 4 ppm	
	Long-term value: 5 mg/m³, 2 ppm	
TLV	Short-term value: 10 mg/m³, 4 ppm	

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Long-term value: 5.2 mg/m³, 2 ppm

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

(Contd. on page 5)



Printing date 05/13/2019 Reviewed on 05/13/2019

Trade name: ICP-MS-SS-1

(Contd. of page 4)

#### · Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Lower:

Upper:

Tightly sealed goggles

9 Physical and chemical properties

Appearance:		
Form:	Liquid	
Color:	colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

Not determined.

Not determined.

(Contd. on page 6)



Printing date 05/13/2019 Reviewed on 05/13/2019

Trade name: ICP-MS-SS-1

		(Contd. of pag
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.00503 g/cm³ (8.38698 lbs/gal)	
Bulk density:	$1,005 \text{ kg/m}^3$	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	99.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (Inte	national Agency for Research on Cancer)
7 (20 02 1	1

7439-92-1 | lead



Printing date 05/13/2019 Reviewed on 05/13/2019

Trade name: ICP-MS-SS-1

7440-41-7 beryllium	(Contd. of page 6)
· NTP (National Toxicology Program)	
7439-92-1 lead	R
7440-41-7 beryllium	K
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI
	ACID)

(Contd. on page 8)



Printing date 05/13/2019 Reviewed on 05/13/2019

Trade name: ICP-MS-SS-1

(Contd. of page 7)

· Transport	hazard	class	(es)	)
-------------	--------	-------	------	---

 $\cdot DOT$ 



· Class 8 Corrosive substances

· Label

· ADR, IMDG, IATA



· Label

· Class 8 Corrosive substances

č

· Packing group

· DOT, ADR, IMDG, IATA III

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

Danger code (Kemler):
EMS Number:
Segregation groups
Stowage Category

80
F-A,S-B
Acids
A

• Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot$  **DOT** 

• Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

 $\cdot$  ADR

· Excepted quantities (EQ) Code: El

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

 $\cdot$  IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(NITRIC ACID), 8, III



Printing date 05/13/2019 Reviewed on 05/13/2019

Trade name: ICP-MS-SS-1

(Contd. of page 8)

Safety, health and environmental regulations/legislation specific for the substat	nce or mixture
Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7439-92-1 lead	
7440-41-7 beryllium	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
7439-92-1   lead	
7440-41-7 beryllium	
Chemicals known to cause reproductive toxicity for females:	
7439-92-1   lead	
Chemicals known to cause reproductive toxicity for males:	
7439-92-1   lead	
Chemicals known to cause developmental toxicity:	
7439-92-1   lead	
Carcinogenic categories	
EPA (Environmental Protection Agency) (Substances not listed)	
7697-37-2 nitric acid	
7440-45-1 cerium	
7440-74-6 indium	
7439-89-6 iron	
7439-93-2   lithium	
7439-95-4 magnesium	
7440-61-1 uranium	
7732-18-5 water, distilled, conductivity or of similar purity	
TLV (Threshold Limit Value established by ACGIH)	
7439-92-1 lead	1
7440-61-1 uranium	1
7440-41-7 beryllium	1
NIOSH-Ca (National Institute for Occupational Safety and Health)	
7440-61-1 uranium	



Printing date 05/13/2019 Reviewed on 05/13/2019

Trade name: ICP-MS-SS-1

(Contd. of page 9)

#### · Hazard pictograms



- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water. Specific treatment (see on this label).

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

*If eye irritation persists: Get medical advice/attention.* 

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

- · Date of preparation / last revision 05/13/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A