

Printing date 07/20/2023 Reviewed on 07/20/2023

### 1 Identification

- · Product identifier
- · Product Name: Stock Organic Standard
- · Part Name: LCS-6654
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA 732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours) CHEMTREC (800-424-9300)

Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flammable Liquids 2 H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute Toxicity - Inhalation 3 H331 Toxic if inhaled.



Carcinogenicity 2

H351 Suspected of causing cancer.

Specific Target Organ Toxicity - Single Exposure 1 H370 Causes damage to the central nervous system and the visual organs.

- Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS02

GHS06

GHS08

· Signal word Danger

· Hazard-determining components of labeling:

methanol daminozide

· Hazard statements

H225 Highly flammable liquid and vapor.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H370 Causes damage to the central nervous system and the visual organs.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

(Contd. of page 1)



# Safety Data Sheet acc. to OSHA HCS

Printing date 07/20/2023 Reviewed on 07/20/2023

### Product Name: Stock Organic Standard

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 3Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*1 Fire = 3Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- $\cdot \textit{Description: Mixture of the substances listed below with nonhazardous additions.}$

	· Dangerous components:			
ſ	67-56-1	methanol	94.9%	
	1596-84-5	daminozide	0.1%	

# 4 First-aid measures

- · Description of first aid measures
- $\cdot \ General \ information:$

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

· After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

# 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)



Printing date 07/20/2023 Reviewed on 07/20/2023

### Product Name: Stock Organic Standard

(Contd. of page 2)

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Trouvent Henon Crucia jor Chemicals	
· PAC-1:	
67-56-1 methanol	530 ppm
· PAC-2:	
67-56-1 methanol	2,100 ppm
· PAC-3:	
67-56-1 methanol	7200* ppm

# 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

# 67-56-1 methanol PEL Long-term value: 260 mg/m³, 200 ppm Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI Ingredients with biological limit values:

### 67-56-1 methanol

BEI 15 mg/L

Medium: urine

Time: end of shift

Parameter: Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

(Contd. on page 4)

Printing date 07/20/2023 Reviewed on 07/20/2023

Product Name: Stock Organic Standard

(Contd. of page 3)

#### · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



0 D1	. 1	1 1	. ,	
9 Phys.	ıcaı an	a cnem	icai pro	mernes

9 Fhysical and chemical properties			
· Information on basic physical and chemical properties · General Information · Appearance:			
Form:	Liquid		
Color:	According to product specification		
· Odor:	Characteristic		
· Odour Threshold:	Not applicable.		
· pH-value:	Not applicable.		
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 64.7 °C (148.5 °F)		
· Flash point:	< 23 °C (< 73.4 °F)		
· Flammability (solid, gaseous):	Highly flammable.		
· Auto igniting:	455 °C (851 °F)		
· Decomposition temperature:	Not applicable.		
· Ignition temperature:	Product is not selfigniting.		
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.		
· Explosion limits:			
Lower:	5.5 Vol %		
Upper:	44 Vol %		
· Vapor pressure at 20 °C (68 °F):	128 hPa (96 mm Hg)		
· Density	Not applicable.		
· Relative density	Not applicable.		
· Vapor density	Not applicable.		
· Evaporation rate	Not applicable.		
· Solubility in / Miscibility with			
Water:	Fully miscible.		
· Partition coefficient (n-octanol/water): Not applicable.			
· Viscosity:			
Dynamic:	Not applicable.		
Kinematic:	Not applicable.		
· Solvent content:			
Organic solvents:	94.9 %		
VOC content:	94.90 %		



Printing date 07/20/2023 Reviewed on 07/20/2023

Product Name: Stock Organic Standard

(Contd. of page 4)

Solids content:	5.1 %
· Other information	No further relevant information available.

# 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

LD/LC50 values that are relevant for classification:		
67-56-1	metha	nol
Oral	LD50	5,628 mg/kg (rat)
Dermal	LD50	15,800 mg/kg (rabbit)

- · Primary irritant effect:
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

· Carcinogenic categories

· IARC (International Agency for Research on Cancer
---

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential} \ \textit{No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 6)

Reviewed on 07/20/2023 Printing date 07/20/2023

Product Name: Stock Organic Standard

(Contd. of page 5)

Class   3 Flammable liquids   3-6.1	14 Transport information	
DOT ADR   MIDG   LATA   DATE   LATA   DATE   LATA   DATE   LATA		
ADR	· DOT, ADR, IMDG, IATA	UN1230
-ADR   123 METHANOL		Methanol
Transport hazard class(es)  - DOT  - Class	· ADR	1230 METHANOL
Class 3 Flammable liquids - Label 3.6.1  - ADR  - Class 3 Flammable liquids - ALDR 3.6.1  - Class 3 Flammable liquids - 3.6.1  - Label 3.6.1  - IMDG  - Class 3 Flammable liquids - 3.6.1  - Label 3.6.1  - Class 3 Flammable liquids - 3.6.1  - Label 3.6.1  - Label 3.6.1  - Tanapart lamand hazards: Not applicable.  - Special greenulions for user - Hazard stemplings for uner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml		METHANOL
Class 3 Flammable liquids 3.6.1  ADR  Class 3 Flammable liquids - Label 3.6.7  Flata  Class 3 Flammable liquids - Label 3.6.7  Flata - Label 3 Flammable liquids - Label 3.6.7  Flata - Label 3 Flammable liquids - Label 3.6.7  Flatas 3 Flammable liquids - Short applicable liquids - Label 3.6.7  Flatas 3 Flammable liquids - Label 3.6.7  Flatas 4 Flammable liquids - Label 4 Flatas 4 Fl		
Class 3, 6.1  ADR  Class 3, 6.1  Class 3, 6.1  IMDG  Class 3, 6.1  IMDG  Class 3, 6.1  IMDG  Class 3, 6.1  Class 4, 6.1  Class 4, 6.1  Class 3, 6.1  Class 4, 6.1  Class 5, 6.1  Class 6, 6.1  Class 6, 6.1  Class 1, 6.1  Class 1		
- Class - Label - Label - Class - Label - Label - Class - Clas		2 Fl
Class Label 3 Flammable liquids 3+6.1  IMDG  Class 1 Seamable liquids 3 Flammable liquids 4 Flammable liqu		3 Flammable liquids 3, 6.1
Class 3 Flammable liquids 3+6.1  IMDG  Class 3 Flammable liquids 3-6.1  Label 3 Flammable liquids 3-6.1  LATA  Class 3 Flammable liquids 3-6.1  LATA  Class 3 Flammable liquids 3-6.1  LATA  Class 3 Flammable liquids 3-6.1  Label 3 (6.1)  Packing group DOT, ADR, IMIG, IATA II  Environmental hazards: Not applicable.  Special precautions for user Hazard identification number (Remler code): 336  Hazard identification number (Remler code): 336  Label 3 Swage Cutegory B Warning: Flammable liquids 3-7 Fransport in bulk according to Annex II of MARPOLT378 and the IBC Code Not applicable.  Transport in bulk according to Annex II of MARPOLT378 and the IBC Code Not applicable.  Transport Additional information:  Transport Additional information:  Transport Additional information:  LIMDG Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IMDG Limited quantities (LQ)  Limited quantities (LQ)  Excepted quantities (LQ)  Limited quantities (LQ)  Excepted quantities (LQ)  Limited quantities (LQ)  Excepted quantities (LQ)  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml		
IMDG  Class Class Clabel  Alabel  Alabel  Class Alabel  Alabel		
Class Label 3 Flammable liquids 3 K-1  - IATA  - Class Label 3 Flammable liquids 3 K-1  - IATA  - Class Label 3 Flammable liquids 3 (6.1)  - Packing group - DOT, ADR, IMDG, IATA 11  - Packing group - DOT, ADR, IMDG, IATA 11  - Environmental hozards: Not applicable Special precautions for user Hazard identification number (Kemler code): Special precautions for user Hazard identification number (Kemler code): Special precaudions for user Hazard identification number (Kemler code): Systemage Category B Warning: Flammable liquids 336 - F.E.S-D - Stowage Category B Warning: Flammable liquids 336 - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  - Transport bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  - Transport hulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  - Transport hulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  - Transport packaging: 30 ml Maximum net quantity per inner packaging: 30 ml Maximum net quantitity per outer packaging: 500 ml  - IMDG - Limited quantities (LQ) - Limited quantities (LQ) - Excepted quantities (EQ) - Maximum net quantity per inner packaging: 30 ml		
Class Label  3 Flammable liquids 3/6.1  - IATA  - Class - Label  Class - Label  Class - Label  Class - Label  1 Graph of the properties of		3+0.1
Label  - Class - Label  - Class - Label  - Class - Label  - Class - Label  - Packing group - DOT, ADR, IMDG, IATA  - Environmental hazards: - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precautions for user - Hazard identification number (Kemler code): - Special precaution number (Kemler code): - Special preca		
Class Label Special precautions for user Hazard identification number (Kemler code): Special precautions for user Hazard identification number (Kemler code): Stowage Category Stowage Category Stowage Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Code: E2 Maximum net quantity per inner packaging: 30 ml MING Limited quantities (LQ) Limited quantities (EQ) Limited quantities (EQ) Maximum net quantity per inner packaging: 30 ml		
Class Label  3 Flammable liquids 3 (6.1)  Packing group DOT, ADR, IMDG, IATA  II  Environmental hazards: Not applicable.  Special precautions for user Hazard identification number (Kemler code): Special precautions for user Hazard identification number (Kemler code): F-E,S-D Slowage Category B Stowage Category B Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml		
- Label 3 (6.1)  - Packing group - DOT, ADR, IMDG, IATA II  - Environmental hazards: Not applicable.  - Special precautions for user - Hazard identification number (Kemler code): - EMS Number: - F-E,S-D - Stowage Category - Stowage Category - Stowage Code - Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  - Transport/Additional information: - ADR - Excepted quantities (EQ) - Code: E2 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantities (LQ) - Limited quantities (LQ) - Limited quantities (EQ) - Code: E2 - Maximum net quantity per inner packaging: 500 ml - IMDG - Limited quantities (EQ) - Code: E2 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 30 ml - Maximum net quantity per inner packaging: 30 ml		
DOT, ADR, IMDG, IATA  Environmental hazards: Not applicable.  Special precautions for user Hazard identification number (Kemler code): 336 EMS Number: F-E,S-D Stowage Category B Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml	· Label	
Environmental hazards:  Special precautions for user Hazard identification number (Kemler code): Stowage Category Stowage Code Sw2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per inner packaging: 30 ml		II
• Hazard identification number (Kemler code): • EMS Number: • Stowage Category • Stowage Code • SW2 Clear of living quarters.  • Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  • Transport/Additional information: • ADR • Excepted quantities (EQ)  • Code: E2  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 500 ml  • Limited quantities (LQ)  • Limited quantities (LQ)  • Limited quantities (EQ)  • Code: E2  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 30 ml  Maximum net quantity per outer packaging: 30 ml		Not applicable.
EMS Number: Stowage Category Stowage Code  SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IMDG Limited quantities (LQ) Limited quantities (EQ) Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml		
Stowage Category Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IMDG Limited quantities (LQ) Limited quantities (EQ) Code: E2 Maximum net quantity per outer packaging: 30 ml Maximum net quantity per outer packaging: 30 ml Maximum net quantity per inner packaging: 30 ml		
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  IMDG Limited quantities (LQ) IL Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml	· Stowage Category	B
• Transport/Additional information:  • ADR • Excepted quantities (EQ)  • Code: E2 • Maximum net quantity per inner packaging: 30 ml • Maximum net quantity per outer packaging: 500 ml  • IMDG • Limited quantities (LQ) • Limited quantities (EQ)  • Excepted quantities (EQ)  • Code: E2 • Maximum net quantity per inner packaging: 30 ml		
· ADR · Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  · IMDG  · Limited quantities (LQ)  · Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 ml		
• Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml  • IMDG • Limited quantities (LQ) • Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 ml	· ADR	
<ul> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> <li>Code: E2</li> <li>Maximum net quantity per inner packaging: 30 ml</li> </ul>	· Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
Excepted quantities (EQ)  Code: E2  Maximum net quantity per inner packaging: 30 ml		11
maximum net quantity per outer packaging. 500 mi		Code: E2

Reviewed on 07/20/2023 Printing date 07/20/2023

Product Name: Stock Organic Standard

(Contd. of page 6)

· UN "Model Regulation":

UN 1230 METHANOL, 3 (6.1), II

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Section 313 (Specific toxic chemical listings):

67-56-1 methanol

· TSCA (Toxic Substances Control Act):

67-56-1 methanol

**ACTIVE** 

· Hazardous Air Pollutants

67-56-1 methanol

· Proposition 65

· Chemicals known to cause cancer:

1596-84-5 daminozide

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed

· Chemicals known to cause developmental toxicity:

67-56-1 methanol

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS06



GHS02

GHS08

· Signal word Danger

· Hazard-determining components of labeling:

methanol

daminozide

· Hazard statements

H225 Highly flammable liquid and vapor.

H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H370 Causes damage to the central nervous system and the visual organs.

· Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. P210

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools. P242

P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray.

Wear protective gloves/protective clothing/eye protection/face protection. P280

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.



Printing date 07/20/2023 Reviewed on 07/20/2023

Product Name: Stock Organic Standard

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC.

1-732-549-7144

· Date of preparation / last revision 07/20/2023

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation

IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

NFTA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Flammable Liquids 2: Flammable liquids – Category 2 Acute Toxicity - Inhalation 3: Acute toxicity – Category 3 Carcinogenicity 2: Carcinogenicity – Category 2

Specific Target Organ Toxicity - Single Exposure 1: Specific target organ toxicity (single exposure) - Category 1

us -