08/12/2015	Kit Components	
Product code	Description	
MIXSTD-SETA	Set of 5 ICP Calibration Standards	
Components:		
MIXSTD1A-100	Mixed Calibration Standard 1A	
MIXSTD2A-100	Mixed Calibration Standard 2A	
MIXSTD3A-100	Mixed Calibration Standard 3A	
MIXSTD4A-100	Mixed Calibration Standard 4A	
MIXSTD5A-100	Mixed Calibration Standard 5A	

Reviewed on 08/12/2015

# **1** Identification

- · Product identifier
- · Product Name: Mixed Calibration Standard 1A
- · Part Number: MIXSTD1A-100 / 500
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- $\cdot \textit{Application of the substance / the mixture Certified Reference Material}$
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

- · Information department: product safety department
- Emergency telephone number: Emergency Phone Number (24 hours)
- CHEMTREC (800-424-9300) Outside US: 703-527-3887

#### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid
- Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



#### · HMIS-ratings (scale 0 - 4)



- $\cdot$  Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### Product Name: Mixed Calibration Standard 1A

(Contd. of page 1)

Reviewed on 08/12/2015

Description	haracterization: Mixtures :: Mixture of the substances listed below with nonhazardous additions.	
4	components:	
7697-37-2	nitric acid	5.0%
7664-39-3	hydrofluoric acid	<0.9%
Chemical i	dentification of the substance/preparation	· · ·
87-69-4	(+)-tartaric acid	<0.9%
7440-38-2	arsenic	0.01%
7440-70-2	Calcium from Calcium carbonate	0.01%
7440-36-0	antimony	0.005%
7782-49-2	selenium	0.005%
7440-43-9	cadmium (non-pyrophoric)	0.002%
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	0.002%
7439-96-5	manganese	0.002%
7440-50-8	copper	0.002%
7440-39-3	Barium from Barium carbonate	0.001%
7440-22-4	silver	0.001%
7732-18-5	water, distilled, conductivity or of similar purity	93.161%

### 4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:
- Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

(Contd. on page 3)

US

Printing date 08/12/2015

#### Product Name: Mixed Calibration Standard 1A

See Section 13 for disposal information.

Reviewed on 08/12/2015

(Contd. of page 2)

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

	· Components with	limit values that	require monitoring	at the workplace:
--	-------------------	-------------------	--------------------	-------------------

7697-37-2 nitric acid PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

- REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm
- TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

### 7664-39-3 hydrofluoric acid

# PEL Long-term value: 3 ppm

as F REL Long-term value: 2.5 mg/m<sup>3</sup>, 3 ppm Ceiling limit value: 5\* mg/m<sup>3</sup>, 6\* ppm \*15-min, as F

TLV Long-term value: 0.41 mg/m<sup>3</sup>, 0.5 ppm Ceiling limit value: 1.64 mg/m<sup>3</sup>, 2 ppm as F; Skin, BEI

#### · Ingredients with biological limit values:

#### 7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift Parameter: Fluorides (background, nonspecific)

· Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

Reviewed on 08/12/2015

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2015

#### Product Name: Mixed Calibration Standard 1A

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Tightly sealed goggles

### 9 Physical and chemical properties

· Information on basic physical and o	chemical properties
· General Information	
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	83 °C (181 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not applicable.
• Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
<i>Lower:</i>	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
· Density	Not applicable.
· Relative density	Not applicable.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Water:	93.2 %
Solids content:	0.9 %
	(Contd. on page 5

Reviewed on 08/12/2015

(Contd. of page 4)

#### Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2015

Product Name: Mixed Calibration Standard 1A

· Other information

No further relevant information available.

**10 Stability and reactivity** 

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 7664-39-3 hydrofluoric acid

Oral LD50 1276 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Harmful Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7440-38-2	arsenic	1
7782-49-2	selenium	3
7440-43-9	cadmium (non-pyrophoric)	1
· NTP (Natio	nal Toxicology Program)	
7440-38-2	arsenic	K
7782-49-2		R
7440-43-9	cadmium (non-pyrophoric)	K
· OSHA-Ca	Occupational Safety & Health Administration)	
7440-38-2		
7440-43-9	cadmium (non-pyrophoric)	

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 6)

US

Printing date 08/12/2015

Product Name: Mixed Calibration Standard 1A

 $\cdot \textit{Other adverse effects}$  No further relevant information available.

**13 Disposal considerations** 

· Waste treatment methods

• Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
·DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, hydrofluor
ADR	acid) 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution
	hydrofluoric acid)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACI
	SOLUTION, hydrofluoric acid)
Transport hazard class(es)	
·DOT	
<b>V</b>	
· Class · Label	8 Corrosive substances 8
	0
· ADR, IMDG, IATA	
PS	
· Class	8 Corrosive substances
· Label	8
· Packing group	
· DOT, ADR, ÎMDG, IATA	111
· Environmental hazards:	
• Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler): · EMS Number:	80 F-A.S-B
· EMS Number: · Segregation groups	Acids
• Transport in bulk according to Annex II of MARP	
Code	Not applicable.
· Transport/Additional information:	
· ADR	
• Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
·IMDG	
· Limited quantities (LQ)	1L Code: E2
$\cdot$ Excepted quantities (EQ)	Coae: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 50 ml
	(Contd. on page

(Contd. of page 5)

Reviewed on 08/12/2015

Printing date 08/12/2015

# Product Name: Mixed Calibration Standard 1A

(Contd. of page 6)

Reviewed on 08/12/2015

· UN "Model Regulation":

UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, hydrofluoric acid), 8, III

# 15 Regulatory information

· Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
7664-39-3 hydrofluoric acid	
· Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7664-39-3 hydrofluoric acid	
7440-38-2 arsenic	
7440-36-0 antimony	
7782-49-2 selenium	
7440-43-9 cadmium (non-pyrophoric)	
7439-96-5 manganese	
7440-50-8 copper	
7440-39-3 Barium from Barium carbonate	
7440-22-4 silver	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
7440-38-2 arsenic	
7440-43-9 cadmium (non-pyrophoric)	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
7440-43-9 cadmium (non-pyrophoric)	
· Chemicals known to cause developmental toxicity:	
7440-43-9 cadmium (non-pyrophoric)	
Canoino catagonia	
Carcinogenic categories     EPA (Environmental Protection Agency)	
7440-38-2 arsenic	Α
7782-49-2 selenium	
7440-43-9 cadmium (non-pyrophoric)	Bl
7440-45-9     Caamuum (non-pyrophoric)     B1       7440-42-8     Boron from Ammonium tetraborate tetrahydrate     I (oral)	
7439-96-5 manganese D	
7440-50-8 copper	
7440-39-3 Barium from Barium carbonate	D, CBD(inh), NL(oral)
7440-22-4 silver	D
• TLV (Threshold Limit Value established by ACGIH)	I
7440-38-2 arsenic	Ai
7440-43-9 cadmium (non-pyrophoric)	A2
7440-39-3 Barium from Barium carbonate	A4

7440-38-2 arsenic

7440-43-9 cadmium (non-pyrophoric)

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 8)

US

### Product Name: Mixed Calibration Standard 1A

- · Hazard pictograms
  - GHS05

· Signal word Danger

- Hazard-determining components of labeling: nitric acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Store locked up.

- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- *SPEX CertiPrep, LLC.* 1-732-549-7144

Date of preparation / last revision 08/12/2015 / Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transport Association
IATA: International Air Transport Association
ACCHI: American Conference of Governmental Industrial Hygienists
ELINCS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European Isis of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Harardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
Skin Corr. IB: Skin corrosion/irritation, Hazard Category IB
Eye Dam. I: Serious eye damage/eye irritation, Hazard Category I

(Contd. of page 7)

Reviewed on 08/12/2015

Reviewed on 08/12/2015

# **1** Identification

- · Product identifier
- · Product Name: Mixed Calibration Standard 2A
- · Part Number: MIXSTD2A-100 / 500
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- $\cdot \textit{Application of the substance / the mixture Certified Reference Material}$
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

- · Information department: product safety department
- Emergency telephone number: Emergency Phone Number (24 hours)
- CHEMTREC (800-424-9300) Outside US: 703-527-3887

#### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid
- Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



#### · HMIS-ratings (scale 0 - 4)



- $\cdot$  Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### Product Name: Mixed Calibration Standard 2A

(Contd. of page 1)

Reviewed on 08/12/2015

Chemical characterization: Mixtures Description: Mixture of the substances listed below with nonhazardous additions.	
Dangerous components:	
7697-37-2 nitric acid	5.09
Chemical identification of the substance/preparation	·
7440-09-7 Potassium from Potassium nitrate	0.02%
7439-98-7 molybdenum	0.01%
7440-23-5 Sodium from Sodium carbonate	0.01%
7439-93-2 Lithium from Lithium carbonate	0.005%
7440-24-6 Strontium from Strontium carbonate	0.001%
7732-18-5 water, distilled, conductivity or of similar purity	94.9549

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 3)

Printing date 08/12/2015

Product Name: Mixed Calibration Standard 2A

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

 $\cdot$  Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm

Long-term value: 5 mg/m<sup>3</sup>, 2 ppm TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm

Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

• Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

<ul> <li>Information on basic physical and o</li> <li>General Information</li> <li>Appearance:</li> <li>Form:</li> <li>Color:</li> <li>Odor:</li> </ul>	chemical properties Liquid According to product specification Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 83 °C (181 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
	(Contd on page 4)

(Contd. on page 4)

(Contd. of page 2)

Reviewed on 08/12/2015

Reviewed on 08/12/2015

#### Product Name: Mixed Calibration Standard 2A

		(Contd. of page 3)
· Ignition temperature:		
Decomposition temperature:	Not applicable.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F) · Relative density · Vapour density · Evaporation rate	1.02603 g/cm <sup>3</sup> (8.562 lbs/gal) Not applicable. Not applicable. Not applicable.	
• Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	pr): Not applicable.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
Solvent content: Organic solvents: Water:	0.0 % 95.0 %	
• Other information	No further relevant information available.	

#### **10 Stability and reactivity**

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- None of the ingredients is listed.

```
· NTP (National Toxicology Program)
```

- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

### **12** Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 5)

US

Printing date 08/12/2015

#### Product Name: Mixed Calibration Standard 2A

Reviewed on 08/12/2015

· Behavior in environmental systems:

- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- $\cdot$  Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution)
ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACI SOLUTION)
Transport hazard class(es)	,
DOT	
Li Li	
8	
Class	8 Corrosive substances
Label	8
ADR, IMDG, IATA	
No Participanti de la construcción de la construcci	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	111
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80 E 4 6 B
EMS Number: Segregation groups	F-A,S-B Acids
Transport in bulk according to Annex II of MARP Code	<i>OL73/78 and the IBC</i> Not applicable.

Reviewed on 08/12/2015

#### Product Name: Mixed Calibration Standard 2A

	(Contd. of page
· Transport/Additional information:	
ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution), III

·	Sara
•	Section 355 (extremely hazardous substances):
	7697-37-2 nitric acid
·	Section 313 (Specific toxic chemical listings):
	7697-37-2 nitric acid
	7439-93-2 Lithium from Lithium carbonate
•	TSCA (Toxic Substances Control Act):
	All ingredients are listed.
•	Proposition 65
•	Chemicals known to cause cancer:
	None of the ingredients is listed.
•	Chemicals known to cause reproductive toxicity for females:
	None of the ingredients is listed.
_	

· Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals known to cause reproductive toxicity for males:
 None of the ingredients is listed.
 Chemicals known to cause developmental toxicity:
 7439-93-2 Lithium from Lithium carbonate

· Carcinogenic categories

15 Regulatory information

• **EPA (Environmental Protection Agency)** None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

7439-98-7 molybdenum

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: nitric acid

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

(Contd. on page 7)

A3

<sup>. . )</sup> 

Printing date 08/12/2015

#### Product Name: Mixed Calibration Standard 2A

Store locked up.

(Contd. of page 6)

Reviewed on 08/12/2015

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- SPEX CertiPrep, LLC. 1-732-549-7144
- · Date of preparation / last revision 08/12/2015 / -

• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Reviewed on 08/12/2015

# **1** Identification

- · Product identifier
- · Product Name: Mixed Calibration Standard 3A
- · Part Number: MIXSTD3A-100 / 500
- Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- $\cdot \textit{Application of the substance / the mixture Certified Reference Material}$
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

- · Information department: product safety department
- Emergency telephone number: Emergency Phone Number (24 hours)
- CHEMTREC (800-424-9300) Outside US: 703-527-3887

#### 2 Hazard(s) identification

 $\cdot$  Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid
- Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.

#### Product Name: Mixed Calibration Standard 3A

(Contd. of page 1)

Reviewed on 08/12/2015

	characterization: Mixtures 1: Mixture of the substances listed below with nonhazardous additions.	
Dangerous	components:	
7697-37-2	nitric acid	5.09
· Chemical i	dentification of the substance/preparation	
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate	0.01%
7440-48-4	cobalt	0.0029
7440-45-1	Cerium from Cerium(III) nitrate hexahydrate	0.0029
7440-62-2	Vanadium from Ammonium trioxovanadate	0.0029
7732-18-5	water, distilled, conductivity or of similar purity	94.984

#### **4** First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

Printing date 08/12/2015

#### Product Name: Mixed Calibration Standard 3A

(Contd. of page 2)

Reviewed on 08/12/2015

#### 8 Exposure controls/personal protection

· Additional information abou	t design of technic	al systems: No	further data: see iten	n 7.
Autonal injoi manon abou	u ucsign of iccnnic	at systems. 110	juinter adua, see nen	

#### · Control parameters

· Components with limit va	lues that require	monitoring at the work	place:
----------------------------	-------------------	------------------------	--------

# 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm

Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

### · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:		
Decomposition temperature:	Not applicable.	
		(Contd. on page 4)

Reviewed on 08/12/2015

#### Product Name: Mixed Calibration Standard 3A

		(Contd. of page 3)
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)	
· Density at 20 °C (68 °F)	1.02566 g/cm³ (8.559 lbs/gal)	
· Relative density	Not applicable.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wat	r): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
Water:	95.0 %	
• Other information	No further relevant information available.	

#### **10 Stability and reactivity**

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

Corrosive

- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7440-48-4 cobalt	2B
· NTP (National Toxicology Program)	
None of the ingredients is listed.	

- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

#### **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.

(Contd. on page 5)

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2015

### Product Name: Mixed Calibration Standard 3A

### $\cdot$ Additional ecological information:

- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- $\cdot$  Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
· Transport hazard class(es)	
·DOT	
ALL DATE OF THE OWNER OWNER OF THE OWNER OWNE	
· Class · Label	8 Corrosive substances 8
· ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	111
• Environmental hazards: • Marine pollutant:	No
· Special precautions for user · Danger code (Kemler): · EMS Number:	Warning: Corrosive substances 80 F-A,S-B
· Segregation groups	Acids
• Transport in bulk according to Annex II of MARPOL73/78 and the Code	he IBC Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page 6)

(Contd. of page 4)

Reviewed on 08/12/2015

Printing date 08/12/2015

Reviewed on 08/12/2015

#### Product Name: Mixed Calibration Standard 3A

	(Contd. of page 5)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution), 8, III

### 15 Regulatory information

• Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
7723-14-0 Phosphorus from Ammonium dihydrogenorthophosphate	
Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7723-14-0 Phosphorus from Ammonium dihydrogenorthophosphate	
7440-48-4 cobalt	
7440-62-2 Vanadium from Ammonium trioxovanadate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
7440-48-4 cobalt	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value established by ACGIH)	
7440-48-4 cobalt	A

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid
- · Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

US

Reviewed on 08/12/2015

#### Product Name: Mixed Calibration Standard 3A

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 6)

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: product safety department · Contact:

- SPEX CertiPrep, LLC. 1-732-549-7144
- · Date of preparation / last revision 08/12/2015 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation IATA: International Air Transport Association

ACGH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Reviewed on 08/12/2015

# **1** Identification

- · Product identifier
- · Product Name: Mixed Calibration Standard 4A
- · Part Number: MIXSTD4A-100 / 500
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- $\cdot \textit{Application of the substance / the mixture Certified Reference Material}$
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

- · Information department: product safety department
- Emergency telephone number: Emergency Phone Number (24 hours)
- CHEMTREC (800-424-9300) Outside US: 703-527-3887

#### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid
- Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



#### · HMIS-ratings (scale 0 - 4)



- $\cdot$  Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### Product Name: Mixed Calibration Standard 4A

(Contd. of page 1)

Reviewed on 08/12/2015

	characterization: Mixtures n: Mixture of the substances listed below with nonhazardous additions.	
Dangerous	s components:	
7697-37-2	nitric acid	5.0%
7664-39-3	hydrofluoric acid	<0.99
Chemical i	identification of the substance/preparation	
7429-90-5	aluminium	0.01%
7631-86-9	silicon dioxide, chemically prepared	0.01%
7440-32-6	titanium	0.01%
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	0.005%
7440-66-6	zinc powder -zinc dust (stabilized)	0.005%
7440-31-5	tin	0.004%
7732-18-5	water, distilled, conductivity or of similar purity	94.0569

#### 4 First-aid measures

- $\cdot$  Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

Reviewed on 08/12/2015

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2015

Product Name: Mixed Calibration Standard 4A

· Information about protection against explosions and fires: No special measures required.

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

 $\cdot$  Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Cont	roi parameters			
· Components with limit values that require monitoring at the workplace:				
7697	-37-2 nitric acid			
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm			
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm			
	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm			
TLV	Short-term value: 10 mg/m³, 4 ppm			
	Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm			
7664	-39-3 hydrofluoric acid			
	Long-term value: 3 ppm			
	as F			
REL	Long-term value: 2.5 mg/m <sup>3</sup> , 3 ppm			
	Ceiling limit value: 5* mg/m <sup>3</sup> , 6* ppm *15-min, as F			
TIV				
ILV	Long-term value: 0.41 mg/m <sup>3</sup> , 0.5 ppm Ceiling limit value: 1.64 mg/m <sup>3</sup> , 2 ppm			
	as F; Skin, BEI			
. Ingr	edients with biological limit values:			
0	-39-3 hydrofluoric acid			
	3 mg/g creatinine Medium: urine			
	Time: prior to shift			
	Parameter: Fluorides (background, nonspecific)			
	10 mg/g creatinine			
	Medium: urine			
	Time: end of shift Parameter: Fluorides (background, nonspecific)			
	tional information: The lists that were valid during the creation were used as basis.			
	osure controls			
	· Personal protective equipment: · General protective and hygienic measures:			
	away from foodstuffs, beverages and feed.			
-r				

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

US

Printing date 08/12/2015

#### Product Name: Mixed Calibration Standard 4A

 $\cdot$  Penetration time of glove material

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:* 



Tightly sealed goggles

# 9 Physical and chemical properties

• Information on basic physical and ch • General Information	nemical properties
· Appearance:	
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
• Change in condition Melting point/Melting range:	Undetermined,
Boiling point/Boiling range:	83 °C (181 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not applicable.
• Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
· Density at 20 °C (68 °F)	1.01749 g/cm <sup>3</sup> (8.491 lbs/gal)
· Relative density	Not applicable.
· Vapour density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
$\cdot$ Partition coefficient (n-octanol/water	): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
Water:	94.1 %
• Other information	No further relevant information available.

## **10 Stability and reactivity**

· Reactivity

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

(Contd. of page 3)

Reviewed on 08/12/2015

3

3

Printing date 08/12/2015

#### Product Name: Mixed Calibration Standard 4A

(Contd. of page 4)

Reviewed on 08/12/2015

#### 11 Toxicological information

### · Information on toxicological effects

· Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

- 7664-39-3 hydrofluoric acid
- Oral LD50 1276 mg/kg (rat)
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Harmful
- Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

#### · IARC (International Agency for Research on Cancer)

7631-86-9 silicon dioxide, chemically prepared

7440-47-3 Chromium from Chromium(III) nitrate nonahydrate

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12 Ecological information**

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 2 (Self-assessment): hazardous for water
- Do not allow product to reach ground water, water course or sewage system.
- Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- Danger to drinking water if even small quantities leak into the ground. • Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
·DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution, hydrofluoric
	acid)
· ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution,
	hydrofluoric acid)
	(Contd on page 6

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2015

# Product Name: Mixed Calibration Standard 4A

Reviewed on 08/12/2015

	(Contd. of page
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACI SOLUTION, hydrofluoric acid)
· Transport hazard class(es)	
·DOT	
N 22	
· Class	8 Corrosive substances
· Label	8
· ADR, IMDG, IATA	
· Class	8 Corrosive substances
· Label	8
· Packing group · DOT, ADR, IMDG, IATA	111
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Warning: Corrosive substances
· Danger code (Kemler): · EMS Number:	80 F-A,S-B
· Segregation groups	Acids
• Transport in bulk according to Annex II of MARP	POL73/78 and the IBC
Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	11
<ul> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E2
Exception quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution
	hydrofluoric acid), 8, III

# **15 Regulatory information**

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara	
· Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
7664-39-3 hydrofluoric acid	
· Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7664-39-3 hydrofluoric acid	
7429-90-5 aluminium	
7440-47-3 Chromium from Chromium(III) nitrate nonahydrate	
7440-66-6 zinc powder -zinc dust (stabilized)	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
	(Contd. on page 7)

D, I, II

A4

US

Printing date 08/12/2015

Product Name: Mixed Calibration Standard 4A

Reviewed on 08/12/2015

· Proposition 65	(Contd. of page 6)
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	

7440-66-6 zinc powder -zinc dust (stabilized)

· TLV (Threshold Limit Value established by ACGIH)

7429-90-5 aluminium

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



· Signal word Danger

#### · Hazard-determining components of labeling:

nitric acid · Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

SPEX CertiPrep, LLC. 1-732-549-7144

- · Date of preparation / last revision 08/12/2015 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Reviewed on 08/12/2015

# **1** Identification

- · Product identifier
- · Product Name: Mixed Calibration Standard 5A
- · Part Number: MIXSTD5A-100 / 500
- · Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- $\cdot \textit{Application of the substance / the mixture Certified Reference Material}$
- · Details of the supplier of the safety data sheet

• Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA

- · Information department: product safety department
- Emergency telephone number: Emergency Phone Number (24 hours)
- CHEMTREC (800-424-9300) Outside US: 703-527-3887

#### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- nitric acid
- Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



#### · HMIS-ratings (scale 0 - 4)



- $\cdot$  Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### Product Name: Mixed Calibration Standard 5A

(Contd. of page 1)

Reviewed on 08/12/2015

Chemical characteriz Description: Mixture	ation: Mixtures of the substances listed below with nonhazardous additions.	
Dangerous componer	ts:	
7697-37-2 nitric acid		5.09
Chemical identificati	on of the substance/preparation	·
7439-95-4 magnesiur	1	0.01%
7439-89-6 iron		0.01%
7439-92-1 Lead from	Lead Oxide	0.01%
7440-28-0 Thallium j	rom Thallium nitrate	0.005%
7440-02-0 nickel		0.002%
7440-41-7 Beryllium	from Beryllium Acetate	0.001%
7732-18-5 water, dis	illed, conductivity or of similar purity	94.9629

#### **4** First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 3)

Printing date 08/12/2015

Product Name: Mixed Calibration Standard 5A

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

 $\cdot$  Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm

Long-term value: 5 mg/m<sup>3</sup>, 2 ppm TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm

Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

• Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· Information on basic physical and · General Information · Appearance:	chemical properties
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 83 °C (181 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
	(Contd on page 4)

(Contd. on page 4)

- US -

Reviewed on 08/12/2015

(Contd. of page 2)

Reviewed on 08/12/2015

#### Product Name: Mixed Calibration Standard 5A

	(Contd. of page 3)
· Ignition temperature:	
Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17 mm Hg)
<ul> <li>Density at 20 °C (68 °F)</li> <li>Relative density</li> <li>Vapour density</li> <li>Evaporation rate</li> </ul>	1.02765 g/cm <sup>3</sup> (8.576 lbs/gal) Not applicable. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	r): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
<ul> <li>Solvent content: Organic solvents: Water:</li> <li>Other information</li> </ul>	0.0 % 95.0 % No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7439-92-1 Lead from Lead Oxide	2B
7440-02-0 nickel	1
7440-41-7 Beryllium from Beryllium Acetate	1
· NTP (National Toxicology Program)	
7439-92-1 Lead from Lead Oxide	R
7440-02-0 nickel	R
7440-41-7 Beryllium from Beryllium Acetate	K
	(Contd. on page 5)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/12/2015

Product Name: Mixed Calibration Standard 5A

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12** Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- $\cdot$  Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- $\cdot$  Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT ADR IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACII SOLUTION)
Transport hazard class(es)	
DOT	
Received and the second	
· Class	8 Corrosive substances
Label	8
ADR, IMDG, IATA	
- Class	8 Corrosive substances
· Label	8
· Packing group · DOT, ADR, IMDG, IATA	III
Environmental hazards: Marine pollutant:	No
Special precautions for user	Warning: Corrosive substances

(Contd. of page 4)

Reviewed on 08/12/2015

# Product Name: Mixed Calibration Standard 5A

	(Contd. of page 5)	
· Danger code (Kemler):	80	
· EMS Number:	F- $A$ , $S$ - $B$	
· Segregation groups	Acids	
· Transport in bulk according to Annex II of MARI	POL73/78 and the IBC	
Code	Not applicable.	
· Transport/Additional information:		
· ADR		
· Excepted quantities (EQ)	Code: E1	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 1000 ml	
· IMDG		
· Limited quantities (LQ)	1L	
· Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
· UN "Model Regulation":	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution), 8,	
-	Ш	

# **15 Regulatory information**

Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7439-92-1 Lead from Lead Oxide	
7440-28-0 Thallium from Thallium nitrate	
7440-02-0 nickel	
7440-41-7 Beryllium from Beryllium Acetate	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
· Chemicals known to cause cancer:	
7439-92-1 Lead from Lead Oxide	
7440-02-0 nickel	
7440-41-7 Beryllium from Beryllium Acetate	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
• EPA (Environmental Protection Agency)	
7439-92-1 Lead from Lead Oxide	<i>B2</i>
7440-41-7 Beryllium from Beryllium Acetate	B1, K/L(inh), CBD(oral
• TLV (Threshold Limit Value established by ACGIH)	1
7439-92-1 Lead from Lead Oxide	A.
7440-02-0 nickel	A.
NIOSH-Ca (National Institute for Occupational Safety and Health)	
7440-02-0 nickel	

### Product Name: Mixed Calibration Standard 5A

- · Hazard pictograms
  - GHS05

· Signal word Danger

- · Hazard-determining components of labeling: nitric acid
- · Hazard statements
- Causes severe skin burns and eye damage.
- · Precautionary statements
- Do not breathe dusts or mists.
- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

- Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- SPEX CertiPrep, LLC. 1-732-549-7144

· Date of preparation / last revision 08/12/2015 / -· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

(Contd. of page 6)

Reviewed on 08/12/2015