

Printing date 02/09/2024

Reviewed on 02/09/2024

### 1 Identification

- · Product identifier
- · Product Name: 1000 µg/mL Silicon
- · Part Name:

PLSI9-2Y PLSI9-2M PLSI9-2T PLSI9-2X

- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier:
   Spex CertiPrep, LLC.
   203 Norcross Ave, Metuchen,

NJ 08840 USA 732-549-7144 USMet-CRMSales@antylia.com

· Information department: product safety department

· Emergency telephone number:

*Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887* 

### 2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Regulated
- · Hazard pictograms Not Regulated
- Signal word Not Regulated
- · Hazard statements Not Regulated
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH0Health = 0FIRE0Fire = 0REACTIVITY0Reactivity = 0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
16919-19-0 ammonium hexafluorosilicate	0.64%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	99.36%

### 4 First-aid measures

- $\cdot$  Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting



Printing date 02/09/2024

### Product Name: 1000 µg/mL Silicon

(Contd. of page 1)

12 mg/m<sup>3</sup>

130 mg/m<sup>3</sup>

780 mg/m<sup>3</sup>

Page 2/5

- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

# · Protective Action Criteria for Chemicals

# · PAC-1:

16919-19-0 ammonium hexafluorosilicate

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- No special measures required.
- Follow good laboratory practices.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 3)

# Product Name: 1000 µg/mL Silicon

0 Physical and chamical propertie

· Eye protection: Goggles recommended during refilling.

Information on basic physical and chemical properties         General Information         Appearance:         Form:       Liquid         Color:       According to product specification         Odour Threshold:       Not applicable.         ' Dharge in condition       Meting point/Mething range:         Mething point/Mething range:       Undetermined.         Boiling point/Mething range:       Into (212 °F)         - Flash point:       Not applicable.         - Plannebility (solid, gascensus):       Not applicable.         - Plannability (solid, gascensus):       Not applicable.         - Upper:       Not applicable.         - Upper:       Not applicable.         - Upper:       Not applicable.         - Vapor density       Not applicable.         - Vapplicable.	9 Physical and chemical propertie.	S
Color:According to product specificationOdor:Not applicable.• Odor: Threshold:Not applicable.• Pl-value:Not applicable.• Charge in condition Metting point/Boiling range:Undetermined. 100 °C (212 °F)• Flash point:Undetermined. 100 °C (212 °F)• Flash point:Not applicable.• Parambility (solid, gaseous):Not applicable.• Decomposition temperature:Not applicable.• Jonger of explosion:Not applicable.• Jonger of explosion:Not applicable.• Danger of explosion:Not applicable.• Danger of 20 °C (80 °F):23 hPa (17.3 mm Hg)• Ono's que decable.Not applicable.• Density at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Schwitter (In-octanol/Weith): Water:Not applicable.• Synomic: Kinematic:Not applicable.• Synomic: Kinematic:Not applicable.• Synomic: Kinematic:Not applicable.• Solvent content: Water:Not applicable.• Water: Not applicable.Not applicable.• Synomic: Kinematic:Not applicable.• Solvent content: Water:Not applicable.• Solvent content: Kinematic:Not applicable.• S	· General Information	hemical properties
• Odor:       Characteristic         • Odor:       Not applicable.         • Others       Not applicable.         • Change in condition       Undetermined.         Meiting point/Meiting range:       Undetermined.         Boiling point/Meiting range:       Undetermined.         Boiling point/Meiting range:       Undetermined.         Boiling point/Meiting range:       Not applicable.         • Flash point:       Not applicable.         • Decomposition temperature:       Not applicable.         • Jegnition temperature:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Isot applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Vapor density       Not applicable.         • Vapor ensity       Not applicable.         • Solubility in / Miscibility with       Fully miscible. <t< th=""><th></th><th>1</th></t<>		1
· Odour Threshold:Not applicable.· pH-value:Not applicable.· Densip in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)· Flash point:Not applicable.· Flammability (solid, gaseous):Not applicable.· Pramability (solid, gaseous):Not applicable.· Denomposition temperature:Not applicable.· Jonger (splicable):Product is not selfigniting.· Danger of explosion:Product so to resent an explosion hazard.· Super:Not applicable.· Vapor ressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Denvity at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Subility in / Miscibility with Water:Fully miscible.· Subility in / Miscibility with Water:Fully miscible.· Subility in / Miscibility with Water:Fully miscible.· Subility in / Miscibility with Water:Subjecable.· Subjecable.Not applicable.· Subjecable.Not applicable		
• pH-value:     Not applicable.       • Change in condition Melting point/Melting range:     Undetermined. Boiling point/Melting range:       Boiling point/Melting range:     100 °C (212 °F)       • Flash point:     Not applicable.       • Flash point:     Not applicable.       • Flash point:     Not applicable.       • Decomposition temperature:     Not applicable.       • Decomposition temperature:     Not applicable.       • Jagnition temperature:     Product does not present an explosion hazard.       • Explosion limits:     Explosion limits:       Lower:     Not applicable.       • Vapor pressure at 20 °C (68 °F):     23 hPa (17.3 mm Hg)       • Density at 20 °C (68 °F)     1.00096 g/cm <sup>3</sup> (8.35301 lbs/gal)       • Relative density     Not applicable.       • Vapor density     Not applicable.       • Solubility in / Miscibility with     Fully miscible.		
• Change in condition Melting point/Belling range:       Undetermined. Boiling point/Boiling range:       100 °C (212 °F)         • Flash point:       Not applicable.         • Flammability (solid, gaseous):       Not applicable.         • Decomposition temperature:       Not applicable.         • Jamicon temperature:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits: Lower:       Not applicable.         • Upper:       Not applicable.         • Upper:       Not applicable.         • Upper:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F)       1.00096 g/cm <sup>4</sup> (8.3501 lbs/gal)         • Relative density       Not applicable.         • Vapor pressure at 20 °C (68 °F)       1.00096 g/cm <sup>4</sup> (8.3501 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Vapor density       Not applicable.         • Solubility in / Miscibility with       Fully miscible.         • Partition coefficient (n-octanol/water): Not applicable.       .         • Viscosity:       Dot applicable.         • Viscosity:       Dot applicable.         • Viscosity		**
Meiling point/Beiling range:Undetermined. 100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Decomposition temperature:Not applicable.• Jgeniton temperature:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not applicable.• Deromposition temperature:Not applicable.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F)1.00096 gcm² (8.35301 lbs/gal)• Relative densityNot applicable.• Vapor pressure at 20 °C (68 °F):0.00096 gcm² (8.35301 lbs/gal)• Relative densityNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Viscosity: Dynamic: Kinematic:Not applicable.• Viscosity: Water:Not applicable.• Viscosity: Water:Not applicable.• Viscosity: Mot applicable.Not applicable.• Viscosity: Motare: Motare:Not applicable.• Viscosity: Motare: Motare:Not applicable.• Viscosity: Motare: Motare:Not applicable.• Solvent content: Water:99.4 % 	· pH-value:	Not applicable.
• Flammability (solid, gaseous):       Not applicable.         • Decomposition temperature:       Not applicable.         • Ignition temperature:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Intervention         • Lower:       Not applicable.         • Upper:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F)       1.00096 g/cm³ (8.35301 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Vapor density       Not applicable.         • Solubility in / Miscibility with       Water:         • Partition coefficient (n-octanol/water): Not applicable.         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Solvent content:       99.4 %         VOC content:       0.00 %	Melting point/Melting range:	
• Decomposition temperature:       Not applicable.         • Ignition temperature:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Iower:         Iower:       Not applicable.         Upper:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mHg)         • Density at 20 °C (68 °F)       1.00096 g/cm³ (8.35301 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Vapor density       Not applicable.         • Solubility in / Miscibility with       Not applicable.         • Vascosity:       Fully miscible.         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Solubert content:       99.4 %         VOC content:       0.00 %	· Flash point:	Not applicable.
Ignition temperature:       Product is not selfigniting.         Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Iower:         Lower:       Not applicable.         Upper:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F)       1.00096 g/cm³ (8.35301 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Vapor ansity       Not applicable.         • Vapor density       Not applicable.         • Solubility in / Miscibility with       Water:         • Partition coefficient (n-octanol/water): Not applicable.         • Viscosity:       Not applicable.         • Solubel content:       Not applicable.         • Voc content:       Not applicable.         • Solubel content:       99.4 %         VOC content:       0.0 % <th>· Flammability (solid, gaseous):</th> <th>Not applicable.</th>	· Flammability (solid, gaseous):	Not applicable.
• Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Iower:       Not applicable.         • Upper:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F)       1.00096 g/cm³ (8.35301 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Viscosity:       Fully miscible.         • Dynamic:       Not applicable.         • Solvent content:       Not applicable.         • VOC content:       0.00 %         Solids content:       0.0 %	• Decomposition temperature:	Not applicable.
Explosion limits:       Not applicable.         Lower:       Not applicable.         Upper:       Not applicable.         Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density at 20 °C (68 °F)       1.00096 g/cm³ (8.35301 lbs/gal)         Relative density       Not applicable.         Vapor density       Not applicable.         Vapor density       Not applicable.         Vapor density       Not applicable.         Solubility in / Miscibility with       Not applicable.         Vater:       Fully miscible.         Viscosity:       Dynamic:         Dynamic:       Not applicable.         Kinematic:       Not applicable.         Solvent content:       99.4 %         VOC content:       0.0 %	· Ignition temperature:	Product is not selfigniting.
Lower:Not applicable.Upper:Not applicable.· Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Density at 20 °C (68 °F):1.00096 g/cm³ (8.35301 lbs/gal)· Relative densityNot applicable.· Vapor densityNot applicable.· Vapor densityNot applicable.· Vapor density withNot applicable.· Vapor density in / Miscibility withNot applicable.· Solubility in / Miscibility withFully miscible.· Viscosity:Fully miscible.· Viscosity:Not applicable.· Viscosity:Not applicable.· Viscosity:Not applicable.· Voluplicable.Not applicable.· Viscosity:Not applicable.· Voluplicable.Not applicable.· Viscosity:Not applicable.· Voluplicable.Not applicable.· Viscosity:Not applicable.· Voluplicable.Not applicable.· Solvent content:99.4 %· VOC content:0.0 %· Solids content:0.0 %	• Danger of explosion:	Product does not present an explosion hazard.
Upper:Not applicable.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):1.00096 g/cm³ (8.35301 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility with Water:Fully miscible.Viscosity:Fully miscible.Dynamic: Kinematic:Not applicable.Solvent content: Water:99.4 % 0.00 %Solids content:0.0 %	· Explosion limits:	
Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         Density at 20 °C (68 °F)       1.00096 g/cm³ (8.35301 lbs/gal)         Relative density       Not applicable.         Vapor density       Not applicable.         Evaporation rate       Not applicable.         Solubility in / Miscibility with       Fully miscible.         Viscosity:       Fully miscible.         Dynamic:       Not applicable.         Kinematic:       Not applicable.         Solvent content:       Water:         Water:       99.4 %         VOC content:       0.00 %	Lower:	
• Density at 20 °C (68 °F)1.00096 g/cm³ (8.35301 lbs/gal)• Relative densityNot applicable.• Vapor densityNot applicable.• Evaporation rateNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Water:99.4 % 0.00 %• Solids content:0.0 %	Upper:	Not applicable.
Relative densityNot applicable.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not applicable.Not applicable.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water:99.4 % 0.00 %Solids content:0.0 %	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not applicable.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water:99.4 % 0.00 %Solids content:0.0 %	· Density at 20 °C (68 °F)	1.00096 g/cm <sup>3</sup> (8.35301 lbs/gal)
• Evaporation rate       Not applicable.         • Solubility in / Miscibility with       Fully miscible.         • Partition coefficient (n-octanol/water): Not applicable.       • Viscosity:         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Voc content:       Not applicable.         • Solvent content:       99.4 %         • VOC content:       0.00 %		
Solubility in / Miscibility with Water:       Fully miscible.         • Partition coefficient (n-octanol/water): Not applicable.         • Viscosity:       Not applicable.         Dynamic:       Not applicable.         Kinematic:       Not applicable.         • Solvent content:       99.4 %         Water:       99.4 %         VOC content:       0.00 %         Solids content:       0.0 %		
Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity:Dynamic:Not applicable.Kinematic:Not applicable.• Solvent content:Water:99.4 %VOC content:0.00 %Solids content:0.0 %	· Evaporation rate	Not applicable.
• Partition coefficient (n-octanol/water): Not applicable.         • Viscosity:         Dynamic:       Not applicable.         Kinematic:       Not applicable.         • Solvent content:       99.4 %         VOC content:       0.00 %         Solids content:       0.0 %		
Viscosity:       Image: I		
Dynamic:     Not applicable.       Kinematic:     Not applicable.       Solvent content:     99.4 %       Water:     99.4 %       VOC content:     0.00 %       Solids content:     0.0 %		<b>r):</b> Not applicable.
Kinematic:     Not applicable.       Solvent content:     99.4 %       Water:     99.4 %       VOC content:     0.00 %       Solids content:     0.0 %		Not enable all.
Solvent content:       99.4 %         Water:       99.4 %         VOC content:       0.00 %         Solids content:       0.0 %		
Water:         99.4 %           VOC content:         0.00 %           Solids content:         0.0 %		Noi applicable.
VOC content:         0.00 %           Solids content:         0.0 %		00 4 0
Solids content: 0.0 %		
· Oner injormation Information available.		
	· Other information	

Safety Data Sheet

acc. to OSHA HCS

# 10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- $\cdot$  Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

Page 3/5

(Contd. of page 2)

### Product Name: 1000 µg/mL Silicon

Safety Data Sheet

acc. to OSHA HCS

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

IARC (International Agency for Research on Cancer) None of the ingredients is listed.      NTP (National Toxicology Program)
· NTP (National Toxicology Program)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

### 12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available.}$
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- $\cdot$  Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- $\cdot \textit{Recommended cleansing agent: Water, if necessary with cleansing agents.}$

### 14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	Not Regulated	

# 15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
 Sara

· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
None of the ingredients is listed.	
	(Contd. on page 5)

Reviewed on 02/09/2024

Printing date 02/09/2024

### Product Name: 1000 µg/mL Silicon

Page 5/5

us —

position	

(Contd. of page 4)

Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.
· TLV (Threshold Limit Value)

Safety Data Sheet

acc. to OSHA HCS

None of the ingredients is listed.

- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- · GHS label elements Not Regulated

· Hazard pictograms Not Regulated

- Signal word Not Regulated
- · Hazard statements Not Regulated
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Department issuing SDS: product safety department

- · Contact:
- Spex CertiPrep, LLC.
- 1-732-549-7144
- · Date of preparation / last revision 02/09/2024
- · Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- IMDDs: International Martume Code for Dangerous Goods DOT: US Department of Transport Association IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: Chemical Abstracts Service (division of the American Chemical Society) NEDA (Microal Even Department)

- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit