

Printing date 04/07/2023

Page 1/8

# 1 Identification

- · Product identifier
- · Product Name: <u>1000 µg/mL Tin</u>
- · Part Name: PLSN2-2X
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier:
   Spex CertiPrep, LLC.
   203 Norcross Ave, Metuchen,
   NJ 08840 USA
   732-549-7144
   USMet-CRMSales@antylia.com
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours)
- CHEMTREC (800-424-9300)
- Outside US: 703-527-3887

### 2 Hazard(s) identification

· Classification of the substance or mixture



Acute Toxicity - Dermal 3 H311 Toxic in contact with skin.

GHS05 Corrosion

Skin Corrosion 1B

H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.

- Eye Damage 1 • Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- hydrofluoric acid
- nitric acid
- Hazard statements
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements
- P260 Do not breathe dusts or mists.
- P264Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P361+P364Take off immediately all contaminated clothing and wash it before reuse.P405Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)



Printing date 04/07/2023

#### Product Name: 1000 µg/mL Tin

- · Classification system:
- · NFPA ratings (scale 0 4)



Reactivity = 0

### · HMIS-ratings (scale 0 - 4)

HEALTH 3 Health = 3FIRE 0 Fire = 0Reactivity = 0**REACTIVITY** 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7664-39-3 hydrofluoric acid	1.0%
7697-37-2 nitric acid	1.0%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	97.9%
7440-31-5 tin	0.1%

Safety Data Sheet acc. to OSHA HCS

#### 4 First-aid measures

- · Description of first aid measures
- · General information:
- Immediately remove any clothing soiled by the product.
- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. · Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation. · Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

Reviewed on 04/07/2023

(Contd. of page 1)

### Product Name: 1000 µg/mL Tin

Page 3/8

	(Contd. of page 2)
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
7440-31-5 tin	6 mg/m <sup>3</sup>
• PAC-2:	
7440-31-5 tin	67 mg/m <sup>3</sup>
• PAC-3:	
7440-31-5 tin	400 mg/m <sup>3</sup>

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

 $The glove material \ has \ to \ be \ impermeable \ and \ resistant \ to \ the \ product/ \ the \ substance/ \ the \ preparation.$ 

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



Tightly sealed goggles

### Product Name: 1000 µg/mL Tin

Safety Data Sheet acc. to OSHA HCS

Reviewed on 04/07/2023

(Contd. of page 3)

Information on basic physical and chemical properties         General Information         Appearance:         Form:       Liquid         Color:       According to product specification         Odor:       Characteristic         Odour Threshold:       Not applicable.         • Pl-value:       Not applicable.         • Charge in condition       Meting point/Molting range:         Mething point/Molting range:       Undetermined.         Billing point/Boiling range:       100 °C (212 °F)         • Flash point:       Not applicable.         • Flash point:       Not applicable.         • Pacomosition temperature:       Not applicable.         • Auto igniting:       Product is not seffigniting.         • Decomposition temperature:       Not applicable.         • Explosion limits:       Lower:         Lower:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hf a (17.3 nm Hg)         • Density at 0 °C (68 °F):       23 hf a (17.3 nm Hg)         • Vapor density       Not applicable.         • Solubility in / Miscibility with Watter: </th <th>9 Physical and chemical propertie</th> <th>S</th>	9 Physical and chemical propertie	S			
· Apperance:LiquidForm:LiquidColor:CharacteristicOdor Threshold:Not applicable.• Otar Direkting range:Undetermined.Boiling point/Boiling range:Undetermined.Boiling point/Boiling range:Undetermined.Boiling point/Boiling range:Undetermined.Boiling point/Boiling range:Not applicable.• Flamability (solid, gaseous):Not applicable.• Decomposition temperature:Not applicable.• Decomposition temperature:Not applicable.• Dange of explosion:Product is not selfigniting.• Dange of explosion:Not applicable.• Dange of explosion:Not applicable.• Deroing volt (Solid, Server):Not applicable.• Dange of explosion:Not applicable.• Deroing volt (Solid, Server):Not applicable.• Deroing volt (Solid, Server):Not applicable.• Deroing volt (Solid, Server):Not applicable.• Spar for Strest (Screet):Not applicable.• Vapor for Strest (Screet):Not applicable.• Vapor for Strest (Screet):Not applicable.• Vapor densityNot applicable.• Vapor densi		hemical properties			
Form:LiquidColor:According to product specificationOdor:CharacteristicOdor:Not applicable.ofter to mattingNot applicable.ofting point/Belting range:Undetermined.Boiling point/Belting range:100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Decomposition temperature:Not applicable.• Decomposition temperature:Not applicable.• Dage of explosion:Product is not selfigniting.• Dage of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not applicable.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):0.99754 g/cm² (8.32447 lbs/gal)• Relative densityNot applicable.• Vapor pressureNot applicable.• Vapor densityNot applicable.• Vapor					
Color:According to product specificationOdor:CharacteristicOdor:Characteristicof applicable.Not applicable.• Diage in condition Melting point/Melting range:Undetermined. 100 °C (212 °F)• Flash point:Undetermined. 100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Decomposition temperature:Not applicable.• Decomposition temperature:Not applicable.• Danger of explosion:Product is not selfigniting.• Danger of explosion:Not applicable.• Darger of explosion itmits: • Darger at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Vagor densityNot applicable.• Vagor densityNot applicable.<		Line is			
• Odor:Characeristic• Odor:Not applicable.• Otarut:Not applicable.• Otarut:Not applicable.• Otarut:Undetermined.Boiling point/Boiling range:Undetermined.Boiling point/Boiling range:Ovo °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Decomposition temperature:Not applicable.• Decomposition temperature:Not applicable.• Dator of explosion:Product is not selfigniting.• Dator of explosion:Product of os not present an explosion hazard.• Explosion limits: Lower:Not applicable.• Upper:Not applicable.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Relative densityNot applicable.• Vapor densityNot applicable.• Vapor densityNot applicable.• Vapor ensityNot applicable. <th></th> <th></th>					
· Odour Threshold:Not applicable.· pll-value:Not applicable.· Melting point/Melting range: boiling point/Melting range:Undetermined. 100 °C (212 °F)· Flak point:Not applicable.· Flammability (solid gaseous):Not applicable.· Decomposition temperature:Not applicable.· Danger of explosion:Product is not selfigniting.· Danger of explosion:Product so not selfigniting.· Danger of explosion:Product so not selfigniting.· Danger of explosion:Product does not present an explosion hazard.· Explosion limits: Upper:Not applicable.· Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Vapor densityNot applicable.· Vapor densityNot applicable.· Vapor densityNot applicable.· Solubility in / Miscibility with Water:Fully miscible.· Solubility in / Miscibility with Water:Fully miscibale.· Solubility in / Miscibility with Water:Solubility in / Miscibility with Not applicable.· Solubility in / Miscibility with Water:Solubility in / Miscibility with Not applicable.· Solubility in / Miscibility with Water:Solubility in / Miscibility with Not applicable.· Solubility in / Miscibility with Water:Solubility in / Miscibility with Not applicable.· Solubility					
• pH-value:       Not applicable.         • Change in condition Melting point/Melting range: Boiling point/Boiling range: 100 °C (212 °F)       Image: 100 °C (212 °F)         • Flash point:       Not applicable.         • Flash point:       Not applicable.         • Flash point:       Not applicable.         • Decomposition temperature:       Not applicable.         • Danger of explosion:       Product is not selfigniting.         • Danger of explosion limits: Lower:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 kPa (17.3 mn Hg)         • Density at 20 °C (68 °F):       0.99754 g/cm <sup>3</sup> (8.32447 lbs/gal)         • Relative density       Not applicable.         • Vapor pressure at 20 °C (68 °F):       0.99754 g/cm <sup>3</sup> (8.32447 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Solubility in / Miscibility with Water:       Fully miscible.         • Partition coefficient (n-octanol/water): Not applicable.       .         • Viscosity: Dynamic:       Not applicable.         • Viscosity: Dynamic:       Not applicable.         • Viscosity: Dynamic:       Not applicable.         • Viscosity: Dynamic:       Not applicable.         • Solvent content: Water:       97.9 % VOC content:					
• Change in condition Melting point/Belting range:       Undetermined. Boiling point/Belting range:       100 °C (212 °F)         • Flash point:       Not applicable.         • Flash point:       Not applicable.         • Decomposition temperature:       Not applicable.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Lower:         Lower:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F)       0.99754 g/cm <sup>4</sup> (8.32471 lbs/gal)         • Relative density       Not applicable.         • Vapor pressure at 20 °C (68 °F)       0.99754 g/cm <sup>4</sup> (8.32471 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Vapor density       Not applicable.         • Solubility in / Miscibility with       Water:         • Vater:       Fully miscible.         • Prantition coefficient (n-octanol/water): Not applicable.         • Viscosity:       Dynamic:         Dynamic:       Not applicable.         • Viscosity:       Vot applicable.         • Vot content:       0.00 %         Solids conte					
Meiling point/Meiling range:Underemined. 100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Decomposition temperature:Not applicable.• Date of explosion:Product is not selfigniting.• Danger of explosion:Not applicable.• Darger of explosion:Not applicable.• Darger of C(68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F)0.99754 g(cm³ (8.32447 lbs/gal)• Relative densityNot applicable.• Vapor pressure at 20 °C (68 °F)0.99754 g(cm³ (8.32447 lbs/gal)• Relative densityNot applicable.• Vapor densityNot applicable.• Vapor densityNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Danger officient (n-octanol/water): Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Water:97.9 % VOC content:• Out %0.00 %• Solvent content:0.00 %	•				
Boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not applicable.• Auto igniting:Product is not selfigniting.• Danger of explosion:Product is not selfigniting.• Danger of explosion:Product oses not present an explosion hazard.• Explosion limits:Implicable.• Lower:Not applicable.• Upper:Not applicable.• Upper:Not applicable.• Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F)0.99754 g/cm³ (8.32447 lbs/gal)• Relative densityNot applicable.• Vapor densityNot applicable.• Vapor densityNot applicable.• Vapor densityNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Vasori rateNot applicable.• Solubility in / Miscibility with Water:Not applicable.• Visosity:Not applicable.• Darmitic:Not applicable.• Visosity:Not applicable.• Visocrit:Not applicable. <t< th=""><th></th><th>Undetermined</th></t<>		Undetermined			
• Flash point:       Not applicable.         • Flammability (solid, gaseous):       Not applicable.         • Decomposition temperature:       Not applicable.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Image: Not applicable.         Lower:       Not applicable.         Upper:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F):       0.99754 g/cm³ (8.32447 lbs/gal)         • Relative density       Not applicable.         • Vapor pressure at 20 °C (68 °F):       0.99754 g/cm³ (8.32447 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Vapor ansity       Not applicable.         • Vapor density       Not applicable.         • Viscosify:       Juplicable.         • Dynamic:       Not applicable.					
• Flammability (solid, gaseous):       Not applicable.         • Decomposition temperature:       Not applicable.         • Auto igniting:       Product is not selfigniting.         • Danger of explosion:       Product does not present an explosion hazard.         • Explosion limits:       Iower:         Lower:       Not applicable.         Upper:       Not applicable.         • Vapor pressure at 20 °C (68 °F):       23 hPa (17.3 mm Hg)         • Density at 20 °C (68 °F)       0.99754 g/cm³ (8.32447 lbs/gal)         • Relative density       Not applicable.         • Vapor density       Not applicable.         • Vapor density       Not applicable.         • Solubility in / Miscibility with       Water:         • Vater:       Fully miscible.         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Viscosity:       Not applicable.         • Solubent content:       Not applicable.         • Voc content:       0.00 %         Solub content:       0.1 %		Not applicable.			
Auto igniting:Product is not selfigniling.Danger of explosion:Product does not present an explosion hazard.Explosion limits:Image: Image: Im	· Flammability (solid, gaseous):				
Danger of explosion:Product does not present an explosion hazard.Explosion limits: Lower: Upper:Not applicable.Vanor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F)0.99754 g/cm³ (8.32447 lbs/gal)Relative density Vapor antipicable.Not applicable.Vapor antipicable.Not applicable.Vapor antipicable.Not applicable.Vapor antipicable.Not applicable.Vapor antipicable.Not applicable.Vapor antipicable.Not applicable.Vapor antipicable.Not applicable.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water:97.9 % 0.00 %Solids content:0.1 %	· Decomposition temperature:	Not applicable.			
Explosion limits: Lower: Upper:Not applicable.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):0.99754 g/cm³ (8.32447 lbs/gal)• Relative density0.99754 g/cm³ (8.32447 lbs/gal)• Relative densityNot applicable.• Vapor densityNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Water:97.9 % 0.00 %• VOC content:0.1 %	· Auto igniting:	Product is not selfigniting.			
Lower: Upper:Not applicable. Not applicable.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F):0.99754 g/cm³ (8.32447 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility with Water:Fully miscible.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water:Not applicable.Solvent content: Water:97.9 % 0.00 %Solids content:0.1 %	• Danger of explosion:	Product does not present an explosion hazard.			
Upper:Not applicable.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F)0.99754 g/cm³ (8.32447 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.Viscosity: Dynamic: Kinematic:Not applicable.Viscosity: VOC content:Not applicable.Solubert content: Water:97.9 % 0.00 %Solids content:0.1 %	· Explosion limits:				
Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F)0.99754 g/cm³ (8.32447 lbs/gal)• Relative densityNot applicable.• Vapor densityNot applicable.• Evaporation rateNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Water:Not applicable.• Solvent content: Water:97.9 % 0.00 %• Solids content:0.1 %					
Density at 20 °C (68 °F)0.99754 g/cm³ (8.32447 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Solubert content: Water:Not applicable.• Solvent content: Water:97.9 % 0.00 %• Solids content:0.1 %	Upper:	Not applicable.			
Relative densityNot applicable.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not applicable.Not applicable.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water:97.9 % 0.00 %Solids content:0.1 %	$\cdot$ Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Water: VOC content:97.9 % 0.00 %• Solids content:0.1 %					
· Evaporation rate       Not applicable.         · Solubility in / Miscibility with       Fully miscible.         · Partition coefficient (n-octanol/water): Not applicable.         · Viscosity:       Not applicable.         Dynamic:       Not applicable.         Kinematic:       Not applicable.         · Solvent content:       Not applicable.         VOC content:       0.00 %         Solids content:       0.1 %	•				
Solubility in / Miscibility with Water:       Fully miscible.         • Partition coefficient (n-octanol/water): Not applicable.         • Viscosity: Dynamic:       Not applicable.         by Not applicable.         Solvent content:       Not applicable.         VOC content:       97.9 %         VOC content:       0.00 %         Solids content:       0.1 %					
Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity:Dynamic:Not applicable.Kinematic:Not applicable.• Solvent content:Water:97.9 %VOC content:0.00 %Solids content:0.1 %	· Evaporation rate	Not applicable.			
• Partition coefficient (n-octanol/water): Not applicable.         • Viscosity:         Dynamic:       Not applicable.         Kinematic:       Not applicable.         • Solvent content:       97.9 %         VOC content:       0.00 %         Solids content:       0.1 %	· Solubility in / Miscibility with				
· Viscosity:       Not applicable.         Dynamic:       Not applicable.         Kinematic:       Not applicable.         · Solvent content:       97.9 %         VOC content:       0.00 %         Solids content:       0.1 %	Water:	Fully miscible.			
Dynamic:     Not applicable.       Kinematic:     Not applicable.       Solvent content:     97.9 %       Water:     97.9 %       VOC content:     0.00 %       Solids content:     0.1 %	· Partition coefficient (n-octanol/wate	· Partition coefficient (n-octanol/water): Not applicable.			
Kinematic:     Not applicable.       Solvent content:     97.9 %       Water:     97.9 %       VOC content:     0.00 %       Solids content:     0.1 %					
Solvent content:       97.9 %         Water:       97.9 %         VOC content:       0.00 %         Solids content:       0.1 %					
Water:         97.9 %           VOC content:         0.00 %           Solids content:         0.1 %	Kinematic:	Not applicable.			
VOC content:         0.00 %           Solids content:         0.1 %	· Solvent content:				
Solids content: 0.1 %					
	VOC content:	0.00 %			
• Other information         No further relevant information available.	Solids content:	0.1 %			
	• Other information	No further relevant information available.			

## 10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 7664-39-3 hydrofluoric acid
- Oral LD50 1,276 mg/kg (rat)
- · Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- $\cdot$  on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

Safety Data Sheet acc. to OSHA HCS

Reviewed on 04/07/2023

Product Name: 1000 µg/mL Tin

· Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Toxic

Corrosive

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14	Trans	nort	inf	orma	tion
17	1 nuns	por	uuj	ormu	non

· UN-Number · DOT, ADR, IMDG, IATA	UN2922
· UN proper shipping name · DOT · ADR	Corrosive liquids, toxic, n.o.s. (Hydrofluoric acid, Nitric acid) 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID, NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID, NITRIC ACID)
· Transport hazard class(es)	
·DOT	
· Class	8 Corrosive substances
· Label	8, 6.1



(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Reviewed on 04/07/2023

#### (Contd. of page 5) · ADR 8 Corrosive substances · Class · Label 8+6.1 · IMDG 8 Corrosive substances · Class · Label 8/6.1 $\cdot IATA$ · Class 8 Corrosive substances · Label 8 (6.1) · Packing group · DOT, ADR, IMDG, IATA Π · Environmental hazards: Not applicable. · Special precautions for user Warning: Corrosive substances · Hazard identification number (Kemler code): 86 · EMS Number: F-A, S-B· Segregation groups (SGG1a) Strong acids · Stowage Category В SW2 Clear of living quarters. · Stowage Code · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · ADR Code: E2 · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IMDG · Limited quantities (LQ) 1L· Excepted quantities ( $\widetilde{E}Q$ ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (HYDROFLUORIC ACID, · UN "Model Regulation": NITRIC ACID), 8 (6.1), II

## 15 Regulatory information

certiprer

Printing date 04/07/2023

Product Name: 1000 µg/mL Tin

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

	· Section 313 (Specific toxic chemical listings):			
7664-39-3	hydrofluoric acid			
7697-37-2	nitric acid			
	xic Substances Control Act):			
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE		
7440-31-5	tin	ACTIVE		
·Hazardou	· Hazardous Air Pollutants			
None of th	e ingredients is listed.			
		(Contd. on page 7)		



Printing date 04/07/2023

#### Product Name: 1000 µg/mL Tin

Reviewed on 04/07/2023

	Duo	position	65
٠	Pro	position	03

(Contd. of page 6)

· Troposition 05
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
None of the ingredients is listed.
· Carcinogenic categories
· EPA (Environmental Protection Agency)
None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

#### None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

#### · Hazard-determining components of labeling:

hydrofluoric acid

- nitric acid
- · Hazard statements

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

- · Precautionary statements
- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- P361+P364 Take off immediately all contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship

- · Department issuing SDS: product safety department
- · Contact:
- Spex CertiPrep, LLC.
- 1-732-549-7144
- · Date of preparation / last revision 04/07/2023
- Abbreviations and acronyms:
- ADR: Accord relatif au transport internat onal des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation
- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent

US —

Reviewed on 04/07/2023

Safety Data Sheet acc. to OSHA HCS

Certiprep
Printing date 04/07/2023

S

### Product Name: 1000 µg/mL Tin

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Toxicity - Dermal 3: Acute toxicity - Category 3 Skin Corrosion 1B: Skin corrosion/irritation - Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category 1 (Contd. of page 7)