

Printing date 07/05/2024

Page 1/5

Reviewed on 07/05/2024

1 Identification

· Product identifier

- · Product Name: <u>1000 µg/mL Zinc</u>
- Part Number: PLZN1-2X
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- Details of the supplier of the safety data sheet • Manufacturer/Supplier:

Spex CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA 732-549-7144 USMet-CRMSales@antylia.com

• Information department: product safety department • Emergency telephone number:

Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Regulated
- · Hazard pictograms Not Regulated
- Signal word Not Regulated
- Hazard statements Not Regulated
- · Classification system:
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH*0FIRE0Fire = 0REACTIVITY0

· Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7647-01-0 hydrochloric acid	2.0%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	97.9%
7440-66-6 zinc powder- zinc dust (pyrophoric)	0.1%

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting

• Information for Doctor:

· Most important symptoms and effects, both acute and delayed No further relevant information available.



Printing date 07/05/2024

Product Name: 1000 µg/mL Zinc

Safety Data Sheet acc. to OSHA HCS

Reviewed on 07/05/2024

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. of page 1)

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information. • Protective Action Criteria for Chemicals

PAC-1: 7647-01-0 hydrochloric acid 1.8 ppm • PAC-2: 7647-01-0 hydrochloric acid 22 ppm • PAC-3: 7647-01-0 hydrochloric acid 100 ppm

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- No special measures required.
- Follow good laboratory practices.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

0011			
· Con	· Components with limit values that require monitoring at the workplace:		
7642	7647-01-0 hydrochloric acid		
PEL	Ceiling limit value: 7 mg/m ³ , 5 ppm		
REL	Ceiling limit value: 7 mg/m ³ , 5 ppm		
TLV	Ceiling limit value: 2 ppm		
	A4		

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
- · Respiratory protection: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Page 3/5

Product Name: 1000 µg/mL Zinc

(Contd. of page 2)

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Goggles recommended during refilling.

 Information on basic physical and chemical properties General Information Appearance: Form: Liquid Calor: Characteristic Odior: Characteristic Odior: Characteristic Odior: Characteristic Odior: Characteristic Odior: Odior: Characteristic Odior: Odior: Characteristic Odior: Odior:	9 Physical and chemical properties	y .	
· Apperancie: iquid Form: iquid Form: Characteristic • Odor Threshold: Not applicable. • Jenarge in condition Modername Melting point/Melting range: Undertermined. Boiling point/Melting range: Undertermined. Boiling point/Boiling range: Undertermined. Boiling point/Boiling range: Not applicable. • Flammability (solid, gaseous): Not applicable. • Decomposition temperature: Not applicable. • Decomposition temperature: Not applicable. • Darger of explosion: Not applicable. • Durger of explosion: Not applicable. • Upper: Not applicable. • Durger of explosion: Not applicable. • Upper: Not applicable. • Vapor density Not applicable. • Vapor density Not applicable. • Vapor density Not applicable.		hemical properties	
Form:LiquidColor:According to product specificationOdor:CharacteristicOdorNot applicable.pH-value:Not applicable.pH-value:Not applicable.beiling point/Beiling range:Undetermined.boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flash point:Not applicable.• Parmability (solid, gaseous):Not applicable.• Parmability (solid, gaseous):Not applicable.• Jegnition temperature:Not applicable.• Decomposition temperature:Not applicable.• Vapor pressure at 20 °C (68 °F):23 hPa (173 mm Hg)• Density at 20 °C (68 °F):23 hPa (173 mm Hg)• Density at 20 °C (68 °F):100914 g/cm² (8.42127 lbs/gal)• Relative densityNot applicable.• Vapor densityNot			
Color:Ac ording to product specification CharacteristicOdor Threshold:Not applicable.'Pl-value:Not applicable.'Pl-value:Undetermined.'Plange in condition Melting point/Boiling range:Undetermined.'Boiling point/Boiling range:Undetermined.'Boiling point/Boiling range:Undetermined.'Boiling point/Boiling range:Not applicable.'Flammability (solid, gaseous):Not applicable.'Planability (solid, gaseous):Not applicable.'Decomposition temperature:Not applicable.'Decomposition temperature:Not applicable.'Decomposition temperature:Not applicable.'Super:Not applicable.'Decomposition temperature:Not applicable.'Vapor pressure at 20°C (68 °F):23 hra (17.3 mm Hg)'Density at 20°C (68 °F):23 hra (17.3 mm Hg)'Density at 20°C (68 °F):23 hra (17.3 mm Hg)'Vapor densityNot applicable.'Vapor densityNot applicable.'Vapor densityNot applicable.'Subility in / Miscible.Fully miscible.'Density at 20°C (68 °F):Not applicable.'Super:Not applicable.'S	11		
Odor:Characteristic• Odor:Not applicable.• Odar:Not applicable.• Otago in condition Melting point/Belting range:Undetermined. Dolling point/Belting range:• Dolling point/Belting range:Undetermined. Doll's (DO °C (21 °F)• Flash point:Not applicable.• Decomposition temperature:Not applicable.• Decomposition temperature:Not applicable.• Jage of explosion:Product is not selfigning.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not applicable.• Vappr:Not applicable.• Vappr:Not applicable.• Vappr:Not applicable.• Vappr:Not applicable.• Vappr:Not applicable.• Vappr:Not applicable.• Vapor density at 20 °C (68 °F):2 JaPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.00914 g/cm² (8.42127 lbs/gal)• Relative densityNot applicable.• Vapor density<			
· Odour Threshold:Not applicable.· JPI-value:Not applicable.· Dange in condition Melting point/Molting range:Undetermined. 100 °C (212 °F)· Flash point:Not applicable.· Flammability (solid, gaseous):Not applicable.· Decomposition temperature:Not applicable.· Jonger of explosion:Product is not selfigniting.· Danger of explosion:Product is not selfigniting.· Danger of explosion:Product is not selfigniting.· Danger of explosion:Product does not present an explosion hazard.· Super:Not applicable.· Vapor ressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Density at 20 °C (68 °F):3 hPa (17.3 mm Hg)· Vapor densityNot applicable.· Vapor densityFully Inscible.· Vapor densityNot applicable.· Vapor densityNot applicable. <t< th=""><th></th><th></th></t<>			
• Change in condition Melting point/Melting range: Undetermined. Boiling point/Boiling range: 100 °C (212 °F) • Flash point: Not applicable. • Flammability (solid, gaseous): Not applicable. • Decomposition temperature: Not applicable. • Jgnition temperature: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Lower: Not applicable. • Upper: Not applicable. • Upper: Not applicable. • Upper: Not applicable. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F) 1.0014 g/cm³ (8.42127 lbs/gal) • Relative density Not applicable. • Vapor pressure at 20 °C (68 °F) 1.0014 g/cm³ (8.42127 lbs/gal) • Relative density Not applicable. • Vapor density Not applicable. • Solubility in / Miscibility with Yot applicable. • Vapor density Not applicable. • Solubility in / Miscibility with Fully miscible. • Partition coefficient (n-octanol/water): Not applicable. • Viscosity: Dynamic: Dynamic:			
Melling point/Melling range:Undetermined. 100 °C (212 °F)• Flash point:Not applicable.• Flasmability (solid, gaseous):Not applicable.• Decomposition temperature:Not applicable.• Jention temperature:Product is not selfigniting.• Danger of explosion:Product is not selfigniting.• Danger of explosion:Not applicable.• Danger of explosion:Not applicable.• Danger of explosion:Not applicable.• Danger of explosion limits: Lower:Not applicable.• Danger of explosion limits: Lower:Not applicable.• Danger of C(68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F)1.00914 g/cm² (8.42127 lbs/gal)• Relative densityNot applicable.• Vapor densityNot applicable.• Vapor densityNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Vapor densityNot applicable.• Solubility in / Miscibility with Water:Not applicable.• Viscosity:Not applicable.• Dynamic: Kinematic:Not applicable.• Viscosity: Water:Not applicable.• Viscosity: Water:Not applicable.• Not applicable.• Viscosity: Wot content:Not applicable.• Viscosity: 	· pH-value:	Not applicable.	
Boiling point/Boiling range:100 °C (212 °F)• Flash point:Not applicable.• Flammability (solid, gaseous):Not applicable.• Decomposition temperature:Not applicable.• Jonition temperature:Product is not selfigniting.• Danger of explosion:Product does not present an explosion hazard.• Explosion limits: Lower:Not applicable.• Upper:Not applicable.• Upper:Not applicable.• Upper:Not applicable.• Danger of explosion:1.00914 g/ma* (8.42127 lbs/gal)• Vagor pressure at 20 °C (68 °F):2.3 hPa (17.3 mm Hg)• Density at 20 °C (68 °F):1.00914 g/ma* (8.42127 lbs/gal)• Relative densityNot applicable.• Vagor densityNot applicable.• Vagor densityNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Water:97.9 % 97.9 % 97.000 %• Solvent content: Water:0.00 %• Solvent content:0.1 %	· Change in condition		
• Flash point: Not applicable. • Flash point: Not applicable. • Decomposition temperature: Not applicable. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Igniticable. • Upper: Not applicable. • Upper: Not applicable. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Vapor pressure at 20 °C (68 °F): 1.00914 g/cm³ (8.42127 lbs/gal) • Relative density Not applicable. • Vapor density Not applicable. • Solubility in / Miscibility with Water: • Partition coefficient (n-octanol/water): Not applicable. • Viscosity: Dynamic: Dynamic: Not applicable. • Solvent content: 97.9 % VOC content: 0.00 %			
• Flammability (solid, gaseous): Not applicable. • Decomposition temperature: Not applicable. • Ignition temperature: Product is not selfigniting. • Danger of explosion: Product does not present an explosion hazard. • Explosion limits: Itower: Lower: Not applicable. Upper: Not applicable. • Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) • Density at 20 °C (68 °F): 1.00914 g/cm³ (8.42127 lbs/gal) • Relative density Not applicable. • Vapor density Not applicable. • Vapor density Not applicable. • Solubility in / Miscibility with Water: • Fully miscible. Not applicable. • Viscosity: Not applicable. • Viscosity: Not applicable. • Viscosity: Not applicable. • Viscosity: Not applicable. • Soluble. Not applicable. • Viscosity: Not applicable. • Viscosity: Not applicable. • Viscosity: Not applicable. • Soluble. Not applicable. • Viscosity: Not applicable.	Boiling point/Boiling range:	100 °C (212 °F)	
Decomposition temperature: Not applicable. Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Iower: Lower: Not applicable. Upper: Not applicable. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F) 1.00914 g/cm³ (8.42127 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Vapor density Not applicable. Vapor density Not applicable. Vsaporation rate Not applicable. Solubility in / Miscibility with Water: Water: Fully miscible. Viscosity: Dynamic: Dynamic: Not applicable. Solubent content: Water: Water: 97.9 % VOC content: 0.00 %	· Flash point:	Not applicable.	
Ignition temperature: Product is not selfigniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Iower: Not applicable. Upper: Not applicable. Not applicable. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F) 1.00914 g/cm³ (8.42127 lbs/gal) Relative density Not applicable. Vapor appressure at 20 °C (68 °F) 1.00914 g/cm³ (8.42127 lbs/gal) Relative density Not applicable. Vapor appression rate Not applicable. Vapor density Not applicable. Vapor appression rate Not applicable. Vapor density in / Miscibility with Water: Partition coefficient (n-octanol/water): Not applicable. Viscosity: Not applicable. Dynamic: Not applicable. Viscosity: Not applicable. Solubel. Not applicable. Voc content: 0.00 % VOC content: 0.00 %	· Flammability (solid, gaseous):	Not applicable.	
Danger of explosion: Product does not present an explosion hazard. Explosion limits: Iower: Not applicable. Upper: Not applicable. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F) 1.00914 g/cm³ (8.42127 lbs/gal) Relative density Not applicable. Vapor pressure at 20 °C (68 °F) 1.00914 g/cm³ (8.42127 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Vapor applicable. Not applicable. Vapor fressure Not applicable. Vapor fressity Not applicable. Vapor fressity Not applicable. Vapor density Not applicable. Vapor fressity: Fully miscible. Partition coefficient (n-octanol/water): Not applicable. Viscosity: Not applicable. Dynamic: Not applicable. Solvent content: Not applicable. Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 %	· Decomposition temperature:	Not applicable.	
Explosion limits: Image: Not applicable. Lower: Not applicable. Upper: Not applicable. Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg) Density at 20 °C (68 °F) 1.00914 g/cm³ (8.42127 lbs/gal) Relative density Not applicable. Vapor density Not applicable. Vapor density Not applicable. Vapor density Not applicable. Solubility in / Miscibility with Not applicable. Vater: Fully miscible. • Partition coefficient (n-octanol/water): Not applicable. • Viscosity: Dynamic: Dynamic: Not applicable. Kinematic: Not applicable. • Solvent content: Water: Water: 97.9 % VOC content: 0.00 %	· Ignition temperature:	Product is not selfigniting.	
Lower: Upper:Not applicable.Vapper:Not applicable.· Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)· Density at 20 °C (68 °F):1.00914 g/cm³ (8.42127 lbs/gal)· Relative densityNot applicable.· Vapor densityNot applicable.· Vapor densityNot applicable.· Vapor density in / Miscibility with Water:Fully miscible.· Partition coefficient (n-octanol/water):Not applicable.· Viscosity: Dynamic: Kinematic:Not applicable.· Solvent content: Water:Yot applicable.· Solvent content: Water:97.9 % 0.00 %· Solids content:0.1 %	• Danger of explosion:	Product does not present an explosion hazard.	
Upper:Not applicable.Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)Density at 20 °C (68 °F)1.00914 g/cm³ (8.42127 lbs/gal)Relative densityNot applicable.Vapor densityNot applicable.Vapor densityNot applicable.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not applicable.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water:97.9 % 0.00 %Solids content:0.1 %	· Explosion limits:		
Vapor pressure at 20 °C (68 °F):23 hPa (17.3 mm Hg)• Density at 20 °C (68 °F)1.00914 g/cm³ (8.42127 lbs/gal)• Relative densityNot applicable.• Vapor densityNot applicable.• Vapor densityNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity: Dynamic: Kinematic:Not applicable.• Solvent content: Water:Not applicable.• Solvent content: Water:97.9 % 0.00 %• Solids content:0.1 %	Lower:		
• Density at 20 °C (68 °F)1.00914 g/cm³ (8.42127 lbs/gal)• Relative densityNot applicable.• Vapor densityNot applicable.• Evaporation rateNot applicable.• Solubility in / Miscibility with Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity: Dynamic:Not applicable.• Solvent content: Water:Not applicable.• Solvent content: Water:97.9 % 0.00 %• Solids content:0.1 %	Upper:	Not applicable.	
Relative densityNot applicable.Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not applicable.Not applicable.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water:97.9 % 0.00 %Solids content:0.1 %	· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Vapor densityNot applicable.Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not applicable.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water:97.9 % 0.00 %Solids content:0.1 %			
Evaporation rateNot applicable.Solubility in / Miscibility with Water:Fully miscible.Partition coefficient (n-octanol/water): Not applicable.Viscosity: Dynamic: Kinematic:Not applicable.Solvent content: Water: VOC content:97.9 % 0.00 %Solids content:0.1 %	•		
· Solubility in / Miscibility with Water: Fully miscible. · Partition coefficient (n-octanol/water): Not applicable. · Viscosity: Dynamic: Not applicable. Solvent content: Not applicable. · Solvent content: 97.9 % VOC content: 0.00 % Solids content: 0.1 %			
Water:Fully miscible.• Partition coefficient (n-octanol/water): Not applicable.• Viscosity:Dynamic:Not applicable.Kinematic:Not applicable.• Solvent content:Water:97.9 %VOC content:0.00 %Solids content:0.1 %	· Evaporation rate	Not applicable.	
• Partition coefficient (n-octanol/water): Not applicable. • Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. • Solvent content: 97.9 % VOC content: 0.00 % Solids content: 0.1 %			
· Viscosity: Not applicable. Dynamic: Not applicable. Kinematic: Not applicable. · Solvent content: 97.9 % VOC content: 0.00 % Solids content: 0.1 %	Water:	Fully miscible.	
Dynamic: Not applicable. Kinematic: Not applicable. Solvent content: 97.9 % Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 %	· Partition coefficient (n-octanol/water): Not applicable.		
Kinematic:Not applicable.Solvent content:97.9 %Water:97.9 %VOC content:0.00 %Solids content:0.1 %			
Solvent content: 97.9 % Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 %			
Water: 97.9 % VOC content: 0.00 % Solids content: 0.1 %	Kinematic:	Not applicable.	
VOC content: 0.00 % Solids content: 0.1 %			
Solids content: 0.1 %			
	VOC content:	0.00 %	
	Solids content:	0.1 %	
• Other information No further relevant information available.	· Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- \cdot on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 4)

Product Name: 1000 µg/mL Zinc

Safety Data Sheet acc. to OSHA HCS

(Contd. of page 3)

Page 4/5

3

- US

Reviewed on 07/05/2024

· Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agend	y for Research on Cancer)
7647-01-0 hydrochloric ac	id

·NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- Waste treatment methods • Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information			
· UN-Number · DOT, ADR, IMDG, IATA	Not Regulated		
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated		
· Transport hazard class(es)			
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated		
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated		
· Environmental hazards:	Not applicable.		
· Special precautions for user	Not applicable.		
• Transport in bulk according to Annex II of MARPOL73	/78 and the IBC Code Not applicable.		
· UN "Model Regulation":	Not Regulated		

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

 Printing date 07/05/2024

Product Name: 1000 µg/mL Zinc

Page 5/5

US —

Reviewed	on	07/05/2024
----------	----	------------

	(Contd. of page 4
7647-01-0 hydrochloric acid	ACTIVE
· Hazardous Air Pollutants	
7647-01-0 hydrochloric acid	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
7440-66-6 zinc powder- zinc dust (pyrophoric)	1.
· TLV (Threshold Limit Value)	
7647-01-0 hydrochloric acid	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	·
None of the inpredients is listed	

None of the ingredients is listed.

· GHS label elements Not Regulated

· Hazard pictograms Not Regulated

· Signal word Not Regulated

· Hazard statements Not Regulated

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC. 1-732-549-7144

· Date of preparation / last revision 07/05/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

PDF: Persistent and very Bioaccumulative VPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit