

certiprep acc. to OSHA HCS

Printing date 07/15/2024

Reviewed on 07/15/2024

Safety Data Sheet

1 Identification

· Product identifier

· Product Name: Quality Control Standard 23

· Part Number: QC-23

- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- · Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Spex CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

732-549-7144

USMet-CRMSales@antylia.com

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Sensitization - Respiratory 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity 1A H350 May cause cancer.

Toxic to Reproduction 1A H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.



GHS07

Acute Toxicity - Inhalation 4 H332 Harmful if inhaled.

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

H202 GH2

· Signal word Danger

· Hazard-determining components of labeling:

nitric acid

cadmium

lead

cobalt

nickel

· Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

(Contd. of page 1)

· Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

7440-47-3 chromium

gallium

7440-66-6 zinc powder- zinc dust (pyrophoric)

7440-50-8 copper

7440-69-9 bismuth

7440-55-3

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

Description. Mixiate of the substances tisted below with horizing and our deathfolis.	
· Dangerous components:	
7697-37-2 nitric acid	10.0%
7439-92-1 lead	0.1%
7440-02-0 nickel	0.1%
7440-28-0 thallium	0.1%
7440-43-9 cadmium	0.1%
7440-48-4 cobalt	0.1%
Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	87.7%
7429-90-5 aluminium	0.1%
7439-89-6 iron	0.1%
7439-93-2 lithium	0.1%
7439-95-4 magnesium	0.1%
7439-96-5 manganese	0.1%
7440-09-7 potassium	0.1%
7440-22-4 silver	0.1%
7440-23-5 sodium	0.1%
7440-24-6 strontium	0.1%
7440-39-3 barium	0.1%
7440-42-8 Boron from Ammonium tetraborate tetrahydrate	0.1%
	I

(Contd. on page 3)

0.1%

0.1%

0.1%

0.1%

0.1%



Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

	(Contd. of page 2)
7440-70-2 calcium	0.1%
7440-74-6 indium	0.1%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:		
7697-37-2	nitric acid	0.16 ppm
7439-89-6	iron	3.2 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7439-93-2	lithium	3.3 mg/m ³
	magnesium	18 mg/m³
7439-96-5	manganese	3 mg/m³
7440-02-0	nickel	4.5 mg/m ³
7440-09-7	potassium	2.3 mg/m ³
7440-22-4	silver	0.3 mg/m ³
7440-23-5	sodium	13 mg/m³
7440-24-6	strontium	30 mg/m ³
7440-28-0	thallium	0.06 mg/m ³
7440-39-3	barium	1.5 mg/m ³
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	1.9 mg/m³
7440-43-9	cadmium	0.10 mg/m ³
7440-47-3	chromium	1.5 mg/m ³
7440-48-4	cobalt	0.18 mg/m ³
7440-50-8	copper	3 mg/m³

(Contd. on page 4)

Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

7440-55-3	allium	(Contd. of page 3 30 mg/m³
7440-55-5		15 mg/m³
7440-09-9		0.3 mg/m^{-1}
	Indian	0.3 mg/m
PAC-2:		124
7439-89-6	nitric acid	24 ppm
7439-89-6		35 mg/m^3
		120 mg/m³
7439-93-2		36 mg/m^3
	magnesium	200 mg/m³
7440-02-0	manganese	5 mg/m ³
		50 mg/m ³
7440-09-7 7440-22-4		25 mg/m³
		170 mg/m³
7440-23-5		140 mg/m³
7440-24-6		330 mg/m³
7440-28-0		3.3 mg/m^3
7440-39-3		180 mg/m³
	Boron from Ammonium tetraborate tetrahydrate	21 mg/m³
7440-43-9		0.76 mg/m
7440-47-3		17 mg/m^3
7440-48-4		2 mg/m³
7440-50-8		33 mg/m ³
7440-55-3		330 mg/m ³
7440-69-9		170 mg/m³
7440-74-6	indium	3.3 mg/m^3
· PAC-3:		
	nitric acid	92 ppm
7439-89-6		150 mg/m^3
7439-92-1		700 mg/m^3
7439-93-2		220 mg/m³
	magnesium	1,200 mg/m
7439-96-5	manganese	1,800 mg/m
7440-02-0		99 mg/m³
7440-09-7		150 mg/m^3
7440-22-4	silver	990 mg/m³
7440-23-5	sodium	870 mg/m³
7440-24-6		2,000 mg/m ⁻
7440-28-0		20 mg/m³
7440-39-3	barium	1,100 mg/m ⁻
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	130 mg/m^3
7440-43-9	cadmium	$4.7 mg/m^3$
7440-47-3	chromium	99 mg/m³
7440-48-4	cobalt	20 mg/m^3
7440-50-8	copper	200 mg/m³
7440-55-3	gallium	2,000 mg/m
7440-69-9		990 mg/m³

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.



Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

(Contd. of page 4)

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At th	At this time, the remaining constituent has no known exposure limits.			
7439	7439-92-1 lead			
PEL	Long-term value: 0.05* mg/m³			
	*see 29 CFR 1910.1025			
REL	Long-term value: 0.05* mg/m³ *8-hr TWA ;See PocketGuide App.C			
TLV	Long-term value: 0.05* mg/m³ *and inorganic compds., as Pb; BEI, A3			
7440	-02-0 nickel			
PEL	Long-term value: 1 mg/m³			
REL	Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A			
TLV	Long-term value: 1.5* mg/m ³			
	elemental, *inhalable fraction, A5, BEI			
7440	-28-0 thallium			
PEL	Long-term value: 0.1 mg/m³			
	as Tl; Skin			
REL	Long-term value: 0.1 mg/m ³			
	as Tl; Skin			
TLV	Long-term value: 0.02* mg/m³ as Tl; *inhalable fraction; Skin			
7110	-43-9 cadmium			
PEL	Long-term value: 0.005 mg/m³ as Cd; see 29 CFR 1910.1027			
REL	See Pocket Guide App. A			
TLV	Long-term value: 0.01 0.002* mg/m³ as Cd; A2; *respirable fraction; BEI			
7440	7440-48-4 cobalt			
PEL	Long-term value: 0.1* mg/m³ as Co; *for metal dust and fume			
REL	Long-term value: 0.05 mg/m³ as Co; metal dust & fume			
TIV	Long-term value: 0.005* mg/m ³			
ILV	*thoracic particulate matter, RSEN, A2			
	mercere per memore, memor, mem			

· Ingredients with biological limit values:

7439-92-1 lead

BEI 200 µg/L
Medium: blood
Time: not critical
Parameter: Lead

7440-02-0 nickel

BEI 5 μg/L

Medium: urine

Time: post-shift at end of workweek Parameter: Nickel (background)

30 μg/L Medium: urine

Time: post-shift at end of workweek Parameter: Nickel (background)

Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

(Contd. of page 5)

7440-43-9 cadmium

BEI 5 µg/g creatinine Medium: urine

> Time: not critical Parameter: Cadmium (background)

5 μg/L

Medium: blood Time: not critical

Parameter: Cadmium (background)

7440-48-4 cobalt

BEI 15 μg/L

Medium: urine

Time: end of shift at end of workweek Parameter: Cobalt (nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
 Odour Threshold: Not applicable.
 pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 83 °C (181.4 °F)

Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

(Contd. on page 7)

Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

(Contd. of page 6)

	(Contd. of page 6
· Decomposition temperature:	Not applicable.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density	Not applicable.
Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	er): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	87.7 %
VOC content:	0.00 %
Solids content:	2.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- $\cdot A cute \ toxicity:$
- · LD/LC50 values that are relevant for classification:

7697-37-2 nitric acid

Inhalative LC50/4 h 2.65 mg/l (ATE)

- Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

· Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

· Carcinogenic categories

· IARC (In	ternational Agency for Research on Cancer)	
7439-92-	lead	2B
7440-02-0	nickel	2B
7440-43-9	cadmium	1

(Contd. on page 8)



Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

	(Contd. of page 7)
7440-47-3 chromium	3
7440-48-4 cobalt	2 <i>B</i>
· NTP (National Toxicology Program)	
7439-92-1 lead	R
7440-02-0 nickel	R
7440-43-9 cadmium	K
7440-48-4 cobalt	R
· OSHA-Ca (Occupational Safety & Health Administration)	
7440-43-9 cadmium	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Danger to drinking water if even extremely small quantities leak into the ground.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- $\cdot \textbf{Recommended cleansing agent:} \ Water, \ if \ necessary \ with \ cleansing \ agents.$

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	UN2031
· UN proper shipping name · DOT	Nitric acid solution
· ADR	2031 NITRIC ACID solution
· IMDG, IATA	NITRIC ACID solution

- · Transport hazard class(es)
- $\cdot DOT$



· Class 8 Corrosive substances

· Label 8

 $\cdot \textit{ADR}, \textit{IMDG}, \textit{IATA}$



· Class 8 Corrosive substances

· Label



Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

(Contd. of page 8) · Packing group · DOT, ADR, IMDG, IATA II · Environmental hazards: Not applicable. Warning: Corrosive substances · Special precautions for user · Hazard identification number (Kemler code): (SGG1) Acids · Segregation groups · Stowage Category · Segregation Code SG6 Segregation as for class 5.1 SG16 Stow "separated from" class 4.1 SG17 Stow "separated from" class 5.1 SG19 Stow "separated from" class 7 SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · Transport/Additional information: · Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · IMDG · Limited quantities (LQ) 1L· Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 2031 NITRIC ACID SOLUTION, 8, II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 31.	3 (Specific toxic chemical listings):	
7697-37-2	nitric acid	
7429-90-5	aluminium	
7439-92-1	lead	
7439-93-2	lithium	
7439-96-5	manganese	
7440-02-0	nickel	
7440-22-4	silver	
7440-28-0	thallium	
7440-39-3	barium	
7440-43-9	cadmium	
7440-47-3	chromium	
7440-48-4	cobalt	
7440-50-8		
7440-66-6	zinc powder- zinc dust (pyrophoric)	
· TSCA (Tox	xic Substances Control Act):	
7732-18-5	water, distilled, conductivity or of similar purity	ACTIVE
7697-37-2	nitric acid	ACTIVE
7429-90-5	aluminium	ACTIVE
7439-89-6	iron	ACTIVE
7439-92-1	lead	ACTIVE
7439-93-2		ACTIVE
	magnesium	ACTIVE
7439-96-5	manganese	ACTIVE
7440-02-0		ACTIVE
7440-09-7	potassium	ACTIVE
7440-22-4	silver	ACTIVE
7440-23-5	sodium	ACTIVE
		(Contd. on page 10
		US -

Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

		(Contd. of page 9)	
7440-24-6	strontium	ACTIVE	
7440-28-0	thallium	ACTIVE	
7440-39-3	barium	ACTIVE	
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	ACTIVE	
7440-43-9	cadmium	ACTIVE	
7440-47-3	chromium	ACTIVE	
7440-48-4		ACTIVE	
7440-50-8		ACTIVE	
7440-55-3	gallium	ACTIVE	
7440-69-9	bismuth	ACTIVE	
7440-70-2	calcium	ACTIVE	
7440-74-6	indium	ACTIVE	
· Hazardous	Air Pollutants		
	7439-92-1 lead		
7439-96-5	7439-96-5 manganese		
7440-48-4	7440-48-4 cobalt		
· Proposition			
· Chemicals	known to cause cancer:		
7439-92-1	lead		
7440-02-0	nickel		
7440-43-9	cadmium		
7440-48-4	cobalt		
· Chemicals known to cause reproductive toxicity for females:			
None of the ingredients is listed.			
· Chemicals known to cause reproductive toxicity for males:			
7440-43-9	7440-43-9 cadmium		

· Carcinogenic categories

7439-93-2 lithium 7440-43-9 cadmium

· Chemicals known to cause developmental toxicity:

· EPA (Environmental Protection Agency)	
7439-92-1 lead	B2
7439-96-5 manganese	D
7440-22-4 silver	D
7440-39-3 barium	D, CBD(inh), NL(oral)
7440-42-8 Boron from Ammonium tetraborate tetrahydrate	I (oral)
7440-43-9 cadmium	B1
7440-50-8 copper	D
7440-66-6 zinc powder- zinc dust (pyrophoric)	II
· TLV (Threshold Limit Value)	
7429-90-5 aluminium	A4
7439-92-1 lead	A3
7440-02-0 nickel	A5
7440-39-3 barium	A4
7440-43-9 cadmium	A2
7440-48-4 cobalt	A3
NIOSH Ca (National Institute for Occupational Safety and Health)	<u> </u>

· NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0 nickel 7440-43-9 cadmium

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms







Printing date 07/15/2024 Reviewed on 07/15/2024

Product Name: Quality Control Standard 23

(Contd. of page 10)

· Signal word Danger

· Hazard-determining components of labeling:

nitric acid cadmium lead cobalt

nickel Hazard statements

H332 Harmful if inhaled.

H314 Causes severe skin burns and eye damage.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H360 May damage fertility or the unborn child.

Precautionary statements

P260 Do not breathe dusts or mists. P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P342+P311 If experiencing respiratory symptoms: Call a poison center/doctor.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. P501

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

· Contact:

Spex CertiPrep, LLC. 1-732-549-7144

· Date of preparation / last revision 07/15/2024

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent. Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Acute Toxicity - Inhalation 4: Acute toxicity - Category 4

Skin Corrosion 1B: Skin corrosion/irritation – Category 1B Eye Damage 1: Serious eye damage/eye irritation - Category I

Sensitization - Respiratory 1: Respiratory sensitisation – Category 1 Sensitization - Skin 1: Skin sensitisation – Category 1

Carcinogenicity 1A: Carcinogenicity - Category 1A

Toxic to Reproduction 1A: Reproductive toxicity - Category 1A