

Safety Data Sheet acc. to OSHA HCS

Page 1/9

1 Identification

· Product identifier

- · Product Name: AA/ICP Quality Control Standard 24
- · Part Name: QC-24
- · Application of the substance / the mixture For Laboratory Use Only
- · Uses advised against Not for Human or Animal Use
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 Spex CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA
 732-549-7144

USMet-CRMSales@antylia.com

- Information department: product safety department • Emergency telephone number:
- Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corrosion 1B H314 Causes severe skin burns and eye damage.

- Eye Damage 1 H318 Causes serious eye damage.
- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger


· Hazard-determining components of labeling:

nitric acid • Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

- P260 Do not breathe dusts or mists.
- P264 Wash thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P330+P331 If swallowed: Rinse mouth. Do NOT induce vomiting.
- P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a poison center/doctor.
- P321 Specific treatment (see on this label).
- *P363 Wash contaminated clothing before reuse.*
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Classification system:





· HMIS-ratings (scale 0 - 4)

HEALTH	3	Health = 3
FIRE	0	Fire = 0
REACTIVITY	0	Reactivity = 0

Safety Data Sheet acc. to OSHA HCS

certipren Printing date 11/15/2023

Product Name: AA/ICP Quality Control Standard 24

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7697-37-2 nitric acid	10.0%	
· Chemical identification of the substance/preparation		
7732-18-5 water, distilled, conductivity or of similar purity	89.978%	
7429-90-5 aluminium	0.001%	
7439-89-6 iron	0.001%	
7439-92-1 lead	0.001%	
7439-93-2 lithium	0.001%	
7439-95-4 magnesium	0.001%	
7439-96-5 manganese	0.001%	
7440-02-0 nickel	0.001%	
7440-09-7 potassium	0.001%	
7440-22-4 silver	0.001%	
7440-23-5 sodium	0.001%	
7440-28-0 thallium	0.001%	
7440-39-3 barium	0.001%	
7440-42-8 boron	0.001%	
7440-43-9 cadmium	0.001%	
7440-47-3 chromium	0.001%	
7440-48-4 cobalt	0.001%	
7440-50-8 copper	0.001%	
7440-55-3 gallium	0.001%	
7440-66-6 zinc	0.001%	
7440-69-9 bismuth	0.001%	
7440-70-2 calcium	0.001%	
7440-74-6 indium	0.001%	

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

(Contd. of page 1)

Reviewed on 11/15/2023

Safety Data Sheet acc. to OSHA HCS

Printing date 11/15/2023

· Environmental precautions: Dilute with plenty of water.

Product Name: AA/ICP Quality Control Standard 24

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information. Protective Action Criteria for Chemicals · PAC-1: 7697-37-2 nitric acid 0.16 ppm 3.2 mg/m³ 7439-89-6 iron 7439-92-1 lead 0.15 mg/m³ 7439-93-2 lithium 3.3 mg/m³ 7439-95-4 magnesium 18 mg/m³ 7439-96-5 manganese 3 mg/m³ 7440-02-0 nickel 4.5 mg/m^3 7440-09-7 potassium 2.3 mg/m³ 7440-22-4 silver $0.3 mg/m^3$ 7440-23-5 sodium 13 mg/m³ 7440-28-0 thallium 0.06 mg/m³ 7440-39-3 barium 1.5 mg/m³ 7440-42-8 boron 1.9 mg/m³ 7440-43-9 cadmium $0.10 \ mg/m^3$ 7440-47-3 chromium 1.5 mg/m³ 7440-48-4 cobalt 0.18 mg/m³ 7440-50-8 copper $3 mg/m^3$ 30 mg/m³ 7440-55-3 gallium 7440-66-6 zinc $6 mg/m^3$ 7440-69-9 bismuth 15 mg/m³ 7440-74-6 indium 0.3 mg/m³ · PAC-2: 7697-37-2 nitric acid 24 ppm 7439-89-6 iron 35 mg/m³ 7439-92-1 lead 120 mg/m3 7439-93-2 lithium 36 mg/m³ 7439-95-4 magnesium 200 mg/m³ 7439-96-5 manganese 5 mg/m³ 7440-02-0 nickel 50 mg/m³ 7440-09-7 potassium 25 mg/m³ 7440-22-4 silver 170 mg/m³ 7440-23-5 sodium 140 mg/m³ 3.3 mg/m³ 7440-28-0 thallium 7440-39-3 barium 180 mg/m³ 7440-42-8 boron $21 mg/m^3$ 7440-43-9 cadmium 0.76 mg/m³ 17 mg/m³ 7440-47-3 chromium 7440-48-4 cobalt $2 mg/m^3$ 7440-50-8 copper 33 mg/m³ 7440-55-3 gallium 330 mg/m³ 7440-66-6 zinc 21 mg/m³ 7440-69-9 bismuth 170 mg/m³ 7440-74-6 indium 3.3 mg/m³ · PAC-3: 7697-37-2 nitric acid 92 ppm (Contd. on page 4)



(Contd. of page 2)

Reviewed on 11/15/2023

Page 4/9

Product Name: AA/ICP Quality Control Standard 24

		(Contd. of page 3)
7439-89-6	iron	150 mg/m ³
7439-92-1	lead	700 mg/m ³
7439-93-2	lithium	220 mg/m ³
	magnesium	1,200 mg/m ³
7439-96-5	manganese	1,800 mg/m ³
7440-02-0	nickel	99 mg/m ³
7440-09-7	potassium	150 mg/m ³
7440-22-4	silver	990 mg/m ³
7440-23-5	sodium	870 mg/m ³
7440-28-0	thallium	20 mg/m ³
7440-39-3	barium	1,100 mg/m ³
7440-42-8	boron	130 mg/m ³
7440-43-9	cadmium	4.7 mg/m ³
7440-47-3	chromium	99 mg/m ³
7440-48-4	cobalt	20 mg/m ³
7440-50-8	copper	200 mg/m ³
7440-55-3	gallium	2,000 mg/m ³
7440-66-6	zinc	120 mg/m ³
7440-69-9	bismuth	990 mg/m ³
7440-74-6	indium	20 mg/m ³

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)

certiprepPrinting date 11/15/2023

Product Name: AA/ICP Quality Control Standard 24

(Contd. of page 4)

Reviewed on 11/15/2023

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection:



9 Physical and chemical properties

· Information on basic physical and chemical properties		
• General Information • Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odour Threshold:	Not applicable.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not applicable.	
· Ignition temperature:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density	Not applicable.	
· Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	90.0 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Product Name: AA/ICP Quality Control Standard 24

Page 6/9

(Contd. of page 5)

· Information on toxicological effects	
· Acute toxicity:	
· LD/LC50 values that are relevant for classification:	
7697-37-2 nitric acid	
Inhalative LC50/4 h 2.65 mg/l (ATE)	
 Primary irritant effect: on the skin: Caustic effect on skin and mucous membranes. on the eye: Strong caustic effect. Strong irritant with the danger of severe eye injury. Sensitization: No sensitizing effects known. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparation Corrosive Irritant Carcinogenic categories 	15:
· IARC (International Agency for Research on Cancer)	
· IARC (International Agency for Research on Cancer) 7439-92-1 lead	28
	2B 2B
7439-92-1 lead	
7439-92-1 lead 7440-02-0 nickel	28
7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium	2B 1
7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium 7440-47-3 chromium 7440-48-4 cobalt	2B 1 3
7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium 7440-47-3 chromium	2B 1 3
7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium 7440-47-3 chromium 7440-48-4 cobalt • NTP (National Toxicology Program)	2B 1 3 2B
7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium 7440-47-3 chromium 7440-48-4 cobalt • NTP (National Toxicology Program) 7439-92-1 lead	2B 1 3 2B
7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium 7440-47-3 chromium 7440-48-4 cobalt • NTP (National Toxicology Program) 7439-92-1 lead 7440-02-0 nickel	2B 1 3 2B R R K
7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium 7440-47-3 chromium 7440-48-4 cobalt • NTP (National Toxicology Program) 7439-92-1 lead 7440-02-0 nickel 7440-43-9 cadmium	2B 1 3 2B 2B R R

Safety Data Sheet

acc. to OSHA HCS

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. on page 7)

Product Name: AA/ICP Quality Control Standard 24

Reviewed on 11/15/2023

(Contd. of page 6)

Page 7/9

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN2031
· UN proper shipping name · DOT · ADR · IMDG, IATA	Nitric acid solution 2031 NITRIC ACID solution NITRIC ACID solution
· Transport hazard class(es)	
- DOT	
· Class · Label	8 Corrosive substances 8
· ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards:	Not applicable.
 Special precautions for user Hazard identification number (Kemler code): EMS Number: Segregation groups Stowage Category Segregation Code 	Warning: Corrosive substances 80 F-A,S-B (SGG1a) Strong acids D SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Cod	e Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 2031 NITRIC ACID SOLUTION, 8, II

Safety Data Sheet acc. to OSHA HCS

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. • Sara

Sura			
	13 (Specific toxic chemical listings):		
7697-37-2	nitric acid		
7429-90-5	aluminium		
7439-92-1	lead		
7439-93-2	lithium		
	manganese		
7440-02-0	nickel		
7440-22-4	t silver		
		0 1	0

Reviewed on 11/15/2023

certiprep
Printing date 11/15/2023

Product Name: AA/ICP Quality Control Standard 24

	(Contd. of page 7)
7440-28-0 thallium	
7440-39-3 barium	
7440-43-9 cadmium	
7440-47-3 chromium	
7440-48-4 cobalt	
7440-50-8 copper	
7440-66-6 zinc	
· TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
· Hazardous Air Pollutants	
7439-92-1 lead	
7439-96-5 manganese	
7440-48-4 cobalt	
· Proposition 65	
· Chemicals known to cause cancer:	
7439-92-1 lead	
7440-02-0 nickel	
7440-43-9 cadmium	
7440-48-4 cobalt	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
7440-43-9 cadmium	
· Chemicals known to cause developmental toxicity:	
7439-93-2 lithium	
7440-43-9 cadmium	

· Carcinogenic categories

7439-96-5 manganese	
	D
7440-22-4 silver	D
7440-39-3 barium	D, CBD(inh), NL(oral)
7440-42-8 boron	I (oral)
7440-43-9 cadmium	B1
7440-50-8 copper	D
7440-66-6 zinc	D, I, II
TLV (Threshold Limit Value)	
7429-90-5 aluminium	A4
7439-92-1 lead	A3
7440-02-0 nickel	A5
7440-39-3 barium	A4
7440-43-9 cadmium	A2
7440-48-4 cobalt	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	L. L.
7440-02-0 nickel	

7440-43-9 cadmium

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

• Hazard-determining components of labeling: nitric acid Printing date 11/15/2023

Product Name: AA/ICP Quality Control Standard 24

		(Com
Hazard statements		
H314 Causes severe	e skin burns and eye damage.	
Precautionary state	ements	
P260	Do not breathe dusts or mists.	
P264	Wash thoroughly after handling.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.	
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsin	ng.
P310	Immediately call a poison center/doctor.	-
P321	Specific treatment (see on this label).	
P363	Wash contaminated clothing before reuse.	
P405	Store locked up.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
Chemical safety as	sessment: A Chemical Safety Assessment has not been carried out.	

Safety Data Sheet

acc. to OSHA HCS

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- Spex CertiPrep, LLC.
- 1-732-549-7144
- · Date of preparation / last revision 11/15/2023
- · Abbreviations and acronyms:
- ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
- DOT: US Department of Transportation
- IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)
- VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

- PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health TLV: Threshold Limit Value
- PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
- Skin Corrosion 1B: Skin corrosion/irritation Category 1B
- Eye Damage 1: Serious eye damage/eye irritation Category 1

us —

Reviewed on 11/15/2023

(Contd. of page 8)