# 1 Identification

- · Product identifier
- · Product Name: <u>a-Terpineol</u>
- · Part Number: S-3356-AC
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
   Manufacturer/Supplier:
   SPEX CertiPrep, LLC.
   203 Norcross Ave, Metuchen,
   NJ 08840 USA
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

## 2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).



· Signal word Danger

- · Hazard-determining components of labeling:
- acetone
- Hazard statements H225 Highly flammable liquid and vapor.
- H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

- · Precautionary statements
- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 3 Reactivity = 0 Reviewed on 12/11/2018

US

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2018

#### Product Name: a-Terpineol

(Contd. of page 1)

99.9%

0.1%

Reviewed on 12/11/2018

#### · HMIS-ratings (scale 0 - 4)

HEALTH	2	Health = 2
FIRE	3	Fire = 3
REACTIVITY	0	Reactivity = 0

#### · Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### **3** Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- 67-64-1 acetone
- · Chemical identification of the substance/preparation

10482-56-1 p-Menth-1-en-8-ol (S)

#### **4 First-aid measures**

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

• PAC-1:	
67-64-1 acetone	200 ppm
10482-56-1 p-Menth-1-en-8-ol (S)	59 mg/m <sup>3</sup>
• PAC-2:	
67-64-1 acetone	3200* ppm
10482-56-1 p-Menth-1-en-8-ol (S)	650 mg/m <sup>3</sup>
	(Contd. on page 3)
	I

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2018

Reviewed on 12/11/2018

#### Product Name: a-Terpineol

	(Contd. of page 2)
· PAC-3:	
67-64-1 acetone	5700* ppm
10482-56-1 p-Menth-1-en-8-ol (S)	1,000 mg/m <sup>3</sup>

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

# · Components with limit values that require monitoring at the workplace:

#### 67-64-1 acetone

PEL Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 590 mg/m<sup>3</sup>, 250 ppm

TLV Short-term value: 1187 mg/m<sup>3</sup>, 500 ppm Long-term value: 594 mg/m<sup>3</sup>, 250 ppm BEI

#### · Ingredients with biological limit values:

67-64-1 acetone

BEI 50 mg/L

- Medium: urine
- *Time: end of shift Parameter: Acetone (nonspecific)*
- Turumerer. Accione (nonspecific
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

- Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
- Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

US

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2018

#### Product Name: a-Terpineol

 $\cdot$  Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

<ul> <li>Information on basic physical and cl</li> <li>General Information</li> <li>Appearance:</li> <li>Form:</li> </ul>	hemical properties Liquid
Color:	According to product specification
• Odor: • Odour Threshold:	Characteristic Not applicable.
· pH-value:	Not applicable.
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 55.8-56.6 °C (132.4-133.9 °F)
· Flash point:	< 0 °C (<32 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	465 °C (869 °F)
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits: Lower: Upper:	2.6 Vol % 13 Vol %
· Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
• Density at 20 °C (68 °F) • Relative density • Vapor density • Evaporation rate	0.79014 g/cm <sup>3</sup> (6.59372 lbs/gal) Not applicable. Not applicable. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water	r): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Organic solvents: VOC content:	99.9 % 0.00 %
Solids content: • Other information	0.0 % No further relevant information available.

# **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 5) US

(Contd. of page 3)

Reviewed on 12/11/2018

Safety Data Sheet acc. to OSHA HCS

*Printing date 12/11/2018* 

#### Product Name: a-Terpineol

· Hazardous decomposition products: No dangerous decomposition products known.

Reviewed on 12/11/2018

(Contd. of page 4)

#### **11 Toxicological information**

#### · Information on toxicological effects

· Acute toxicity:

· LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5,800 mg/kg (rat)

Dermal LD50 20,000 mg/kg (rabbit)

- · Primary irritant effect:
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Irritant
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- $\cdot \textit{Persistence and degradability} \textit{ No further relevant information available}.$
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	UN1090	
· UN proper shipping name		
· DOT	Acetone	
· ADR	1090 Acetone	
· IMDG, IATA	ACETONE	
		(Contd. on page 6)

(Contd. on page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/11/2018

Product Name: a-Terpineol

	(Contd. of page 3
· Transport hazard class(es)	
·DOT	
· Class	3 Flammable liquids
· Label	3
· ADR, IMDG, IATA	
· Class	3 Flammable liquids
·Label	3
· Packing group	
· DOT, ADR, IMDG, IATA	11
· Environmental hazards:	Not applicable.
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler):	33
· EMS Number:	F-E,S-D E
· Stowage Category	
Transport in bulk according to Annex II of MARPOL7     Code	73/78 and the IBC Not applicable.
	Not applicable.
• Transport/Additional information:	
ADR	
· Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· IMDG · Limited quantities (LQ)	1L
• Excepted quantities (EQ)	Code: E2
(2 <u>x</u> )	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1090 ACETONE, 3, II

# **15 Regulatory information**

· Sara	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
	(Contd. on page 7)

US

Printing date 12/11/2018

# Product Name: a-Terpineol

Reviewed on 12/11/2018

Product Name: a-Terpineol
(Contd. of page 6)
· Carcinogenic categories
· EPA (Environmental Protection Agency)
67-64-1 acetone I
• TLV (Threshold Limit Value established by ACGIH)
67-64-1 acetone A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
· Hazard pictograms
GHS02 GHS07
· Signal word Danger
· Hazard-determining components of labeling:
acetone • Hazard statements
H225 Highly flammable liquid and vapor.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.
• <b>Precautionary statements</b> If medical advice is needed, have product container or label at hand.
If meancan davice is needed, have product container or laber at nana. Keep out of reach of children.
Read label before use.
Keep away from heat/sparks/open flames/hot surfaces No smoking.
Use explosion-proof electrical/ventilating/lighting/equipment.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If in eyes. Kinse countously with water for several minutes. Remove contact tenses, if present and easy to do. Continue rinsing. Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.
16 Other information
This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not
establish a legally valid contractual relationship.
Department issuing SDS: product safety department     Contact:
SPEX CertiPrep, LLC.
1-732-549-7144
· Date of preparation / last revision 12/11/2018 / -
• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health TLV: Threshold Limit Value
PEL: Permissible Exposure Limit REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Flam. Liq. 2: Flammable liquids – Category 2 Exe. Irrit. 2A: Serious exe. damage/exe. irritation – Category 2A

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3