# 1 Identification

- · Product identifier
- · Product Name: <u>Bifenthrin</u>
- Part Number: S-494
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
  Manufacturer/Supplier: SPEX CertiPrep, LLC.
  203 Norcross Ave, Metuchen, NJ 08840 USA
- Information department: product safety department • Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300)
- Outside US: 703-527-3887

## 2 Hazard(s) identification

· Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.



GHS08 Health hazard



H351 Suspected of causing cancer.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger

- · Hazard-determining components of labeling:
- acetone
- Hazard statements

H225 Highly flammable liquid and vapor.

- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H336 May cause drowsiness or dizziness.
- · Precautionary statements

If medical advice is needed, have product container or label at hand.

- Keep out of reach of children.
- Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Reviewed on 01/04/2019

(Contd. on page 2)

99.9%

0.1%

Safety Data Sheet acc. to OSHA HCS

Printing date 01/04/2019

Reviewed on 01/04/2019

Product Name: Bifenthrin	
· Classification system: · NFPA ratings (scale 0 - 4)	(Contd. of page 1)
$\begin{array}{c} \textbf{Health} = 2\\ Fire = 3\\ Reactivity = 0 \end{array}$	
HMIS-ratings (scale 0 - 4)	
HEALTH2FIRE3Fire = 3REACTIVITY $0$	
• Other hazards • Results of PBT and vPvB assessment • PBT: Not applicable. • vPvB: Not applicable.	
3 Composition/information on ingredients	

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

67-64-1 acetone

82657-04-3 Bifenthrin (ISO)

### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- Protective Action Criteria for Chemicals
- Froiecuve Action Cruer

## · PAC-1:

#### 67-64-1 acetone

(Contd. on page 3)

Printing date 01/04/2019

#### Product Name: Bifenthrin

	(Contd. of page 2)
• PAC-2:	
67-64-1 acetone	3200* ppm
• PAC-3:	
67-64-1 acetone	5700* ppm

## 7 Handling and storage

- · Handling:
- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols.
- · Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- $\cdot$  Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

#### · Control parameters

• Components with limit values that require monitoring at the workplace: The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the remaining constituent has no known exposure limits.

## 67-64-1 acetone

PEL Long-term value: 2400 mg/m<sup>3</sup>, 1000 ppm

REL Long-term value: 590 mg/m<sup>3</sup>, 250 ppm

TLV Short-term value: 1187 mg/m<sup>3</sup>, 500 ppm Long-term value: 594 mg/m<sup>3</sup>, 250 ppm

#### BEI

· Ingredients with biological limit values:

67-64-1 acetone BEI 50 mg/L Medium: urine

*Time: end of shift Parameter: Acetone (nonspecific)* 

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

Printing date 01/04/2019

#### Product Name: Bifenthrin

(Contd. of page 3)

Reviewed on 01/04/2019

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

## · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

> 1 nystear and enemiear properties	
• Information on basic physical and cl • General Information • Appearance:	hemical properties
Form:	Liquid
Color:	According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
• Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 55.8-56.6 °C (132.4-133.9 °F)
· Flash point:	$< 0 \circ C (<32 \circ F)$
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	465 °C (869 °F)
• Decomposition temperature:	Not applicable.
• Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
· Explosion limits:	
Lower:	2.6 Vol %
Upper:	13 Vol %
· Vapor pressure at 20 °C (68 °F):	233 hPa (174.8 mm Hg)
· Density	Not applicable.
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water	r): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	99,9 %
VOC content:	0.00 %
Solids content:	0.0 %
· Other information	No further relevant information available.
Shiel hybritanon	

#### **10 Stability and reactivity**

· Reactivity No further relevant information available.

(Contd. on page 5)

Printing date 01/04/2019

#### Product Name: Bifenthrin

Reviewed on 01/04/2019

(Contd. of page 4)

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

#### 67-64-1 acetone

- *Oral LD50 5,800 mg/kg (rat)*
- Dermal LD50 20,000 mg/kg (rabbit)
- · Primary irritant effect:
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

- None of the ingredients is listed.
- · OSHA-Ca (Occupational Safety & Health Administration)
- None of the ingredients is listed.

# **12 Ecological information**

· Toxicity

Irritant

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN1090
· UN proper shipping name · DOT	Acetone
· ADR	1090 Acetone, ENVIRONMENTALLY HAZARDOUS

US

ACETONE

ACETONE, MARINE POLLUTANT

Printing date 01/04/2019

# Reviewed on 01/04/2019

(Contd. of page 5)

#### n

US

(Contd. on page 7)

· Section 313 (Specific toxic chemical listings):

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture

15 Regulatory information

82657-04-3 Bifenthrin (ISO)

· Sara

Product	Name:	Bifentl	hrin
---------	-------	---------	------

· IMDG

 $\cdot IATA$ 

· Transport hazard class(es)	
·DOT	
P AMARF I GIR	
· Class	3 Flammable liquids
·Label	3
· ADR, IMDG	
· Class · Label	3 Flammable liquids 3
· IATA	
· Class · Label	3 Flammable liquids 3
· Packing group · DOT, ADR, IMDG, IATA	II
· Environmental hazards: · Marine pollutant: · Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
· Special precautions for user	Warning: Flammable liquids
· Danger code (Kemler): · EMS Number:	33 F-E,S-D
· Stowage Category	E 2,0 2
• Transport in bulk according to Annex II of MARPOL	
Code	Not applicable.
• Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	IL
· Limited quantities (LQ) · Excepted quantities (EQ)	IL Code: E2
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Ι

A4

Printing date 01/04/2019

Product Name: Bifenthrin

Reviewed on 01/04/2019

	(Contd. of page 6)
· TSCA new (21st Century Act) (Substances not listed)	
82657-04-3 Bifenthrin (ISO)	
Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	

67-64-1 acetone

· TLV (Threshold Limit Value established by ACGIH)

67-64-1 acetone

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

## None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

acetone

- · Hazard statements
- H225 Highly flammable liquid and vapor.
- H319 Causes serious eye irritation.
- H351 Suspected of causing cancer.
- H336 May cause drowsiness or dizziness.

#### · Precautionary statements

- If medical advice is needed, have product container or label at hand.
- Keep out of reach of children.
- Read label before use.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Use explosion-proof electrical/ventilating/lighting/equipment.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Store locked up.

- Dispose of contents/container in accordance with local/regional/national/international regulations.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

# **16** Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- SPEX CertiPrep, LLC. 1-732-549-7144
- · Date of preparation / last revision 01/04/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

- DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- NFPA: National Fire Protection Association (USA)

Printing date 01/04/2019

## Product Name: Bifenthrin

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent DD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Carc. 2: Carcinogenicity – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Reviewed on 01/04/2019

(Contd. of page 7)