Page 1/8

1 Identification

- · Product identifier
- Product Name: <u>21-ELEMENT OIL STANDARD</u>
- · Part Number:
- S21-300Y
- S21-300Z
- · Application of the substance / the mixture Certified Reference Material
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier:
 SPEX CertiPrep, LLC.
 203 Norcross Ave, Metuchen,
 NJ 08840 USA
- · Information department: product safety department
- · Emergency telephone number:
- Emergency Phone Number (24 hours)
- CHEMTREC (800-424-9300)
- Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture The product is not classified according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Not Regulated
- · Hazard pictograms Not Regulated
- · Signal word Not Regulated
- · Hazard statements Not Regulated
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 $\begin{array}{c} 0 \\ Health = 0 \\ \hline 0 \\ Fire = 0 \\ Reactivity = 0 \end{array}$

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components: Not Regulated	
· Chemical id	lentification of the substance/preparation	
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	99.37%
7440-22-4	silver	0.03%
7440-39-3	Barium from Barium carbonate	0.03%
7439-95-4	magnesium	0.03%
7439-98-7	molybdenum	0.03%
7440-31-5	tin	0.03%
7440-70-2	Calcium from Calcium carbonate	0.03%
7439-89-6	iron	0.03%
7440-62-2	Vanadium from Ammonium trioxovanadate	0.03%
7440-21-3	alkali fluorosilicates (NH4)	0.03%
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate	0.03%
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	0.03%
7440-43-9	cadmium (non-pyrophoric)	0.03%
<u> </u>		(Contd. on page 2)

Printing date 10/27/2016

Product Name: 21-ELEMENT OIL STANDARD

		(Contd. of page 1)
7440-50-8		0.03%
7439-96-5	manganese	0.03%
7440-02-0	nickel	0.03%
7439-92-1	Lead from Lead Oxide	0.03%
7440-66-6	zinc powder -zinc dust (stabilized)	0.03%
7440-32-6	titanium	0.03%
7429-90-5	aluminium	0.03%
	Chromium from Chromium(III) nitrate nonahydrate	0.03%
7440-23-5	Sodium from Sodium carbonate	0.03%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- \cdot Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- No special measures required.
- $\label{eq:Ensuregood} \textit{Ensure good ventilation/exhaustion at the workplace}.$
- Prevent formation of aerosols.
- Follow good laboratory practices.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- \cdot Specific end use(s) No further relevant information available.

(Contd. on page 3)

Product Name: 21-ELEMENT OIL STANDARD

Reviewed on 10/27/2016

(Contd. of page 2)

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Immediately remove all soiled and contaminated clothing.
- · Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Goggles recommended during refilling.

9 Physical and chemical properties

chemical properties
T · · · I
Liquid
According to product specification
Characteristic Not applicable.
Not applicable.
Undetermined.
Undetermined.
Not applicable.
Not applicable.
Not applicable.
Product is not selfigniting.
Product does not present an explosion hazard.
Not applicable.
Not applicable.
Not determined.
Not applicable.
Not applicable.
Not applicable.
Not applicable.
Not miscible or difficult to mix.

(Contd. on page 4)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 10/27/2016

Reviewed on 10/27/2016

Product Name: 21-ELEMENT OIL STANDARD

		(Contd. of page 3)
· Partition coefficient (n-octan	ol/water): Not applicable.	
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.	
 Solvent content: Organic solvents: Other information 	0.0 % No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- \cdot Conditions to avoid No further relevant information available.
- Incompatible materials: No further relevant information available.
 Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- \cdot Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations:
- The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Irritant

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7440-43-9	cadmium (non-pyrophoric)	1
7440-02-0		2B
	Lead from Lead Oxide	2B
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	3
	onal Toxicology Program)	
7440-43-9	cadmium (non-pyrophoric)	K
7440-02-0	nickel	R
7439-92-1	Lead from Lead Oxide	R
	(Occupational Safety & Health Administration)	
7440-43-9	cadmium (non-pyrophoric)	

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- $\cdot \textit{Bioaccumulative potential No further relevant information available}.$
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 5)

Safety Data Sheet acc. to OSHA HCS

Printing date 10/27/2016

Product Name: 21-ELEMENT OIL STANDARD

 $\cdot \textit{Other adverse effects}$ No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, ADN, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of MARPO Code	DL73/78 and the IBC Not applicable.	
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

Section 355 (extremely hazardous substances):	
7723-14-0 Phosphorus from Ammonium dihydrogenorthophosphate	
Section 313 (Specific toxic chemical listings):	
7440-22-4 silver	
7440-39-3 Barium from Barium carbonate	
7440-62-2 Vanadium from Ammonium trioxovanadate	
7723-14-0 Phosphorus from Ammonium dihydrogenorthophosphate	
7440-43-9 cadmium (non-pyrophoric)	
7440-50-8 copper	
7439-96-5 manganese	
7440-02-0 nickel	
7439-92-1 Lead from Lead Oxide	
7440-66-6 zinc powder -zinc dust (stabilized)	
7429-90-5 aluminium	
7440-47-3 Chromium from Chromium(III) nitrate nonahydrate	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
7440-43-9 cadmium (non-pyrophoric)	
7440-02-0 nickel	
7439-92-1 Lead from Lead Oxide	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	

Reviewed on 10/27/2016

(Contd. of page 4)

Printing date 10/27/2016

Reviewed on 10/27/2016

Product Name: 21-ELEMENT OIL STANDARD

Chemicals k	nown to cause reproductive toxicity for males:	
	admium (non-pyrophoric)	
	nown to cause developmental toxicity:	
	admium (non-pyrophoric)	
	c categories	
	onmental Protection Agency)	D
7440-22-4 s		D D, CBD(inh), NL(or
	Barium from Barium carbonate Boron from Ammonium tetraborate tetrahydrate	I (oral)
	admium (non-pyrophoric)	B1
7440-50-8 c		D
7439-96-5 n		D
	Lead from Lead Oxide	B B2
	inc powder -zinc dust (stabilized)	D, I, II
	hold Limit Value established by ACGIH)	2, ,,
	Barium from Barium carbonate	
	nolybdenum	
	admium (non-pyrophoric)	
7440-02-0 n		
	Lead from Lead Oxide	
7429-90-5 a	0	
	(National Institute for Occupational Safety and Health)	
	radmium (non-pyrophoric)	
7440-02-0 n		
	ction Criteria for Chemicals	
PAC-1:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	140 mg/r
7440-22-4		0.3 mg/m
7440-39-3	Barium from Barium carbonate	1.5 mg/m
	magnesium	18 mg/m
7439-98-7	molybdenum	30 mg/m
7440-31-5	tin	6 mg/m3
7439-89-6	iron	3.2 mg/n
7440-62-2	Vanadium from Ammonium trioxovanadate	3 mg/m3
7440-21-3	alkali fluorosilicates (NH4)	45 mg/m
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate	0.27 mg/
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	1.9 mg/m
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/
7440-50-8		3 mg/m3
7439-96-5	manganese	3 mg/m3
7440-02-0		4.5 mg/n
	Lead from Lead Oxide	0.15 mg/
	zinc powder -zinc dust (stabilized)	6 mg/m3
7440-32-6		30 mg/m
	Chromium from Chromium(III) nitrate nonahydrate	1.5 mg/m
7440-23-5	Sodium from Sodium carbonate	13 mg/m
PAC-2:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	1,500 mg/
7440-22-4		170 mg/m
	Barium from Barium carbonate	180 mg/m
	magnesium	200 mg/m
	molybdenum	330 mg/m
7439-98-7		
7439-98-7 7440-31-5		67 mg/m3
7439-98-7 7440-31-5 7439-89-6		67 mg/m3 35 mg/m3 5.8 mg/m.

Printing date 10/27/2016

Product Name: 21-ELEMENT OIL STANDARD

7440-21-3	alkali fluorosilicates (NH4)	(Contd. of page 100 mg/m3
	Phosphorus from Ammonium dihydrogenorthophosphate	3 mg/m3
	Boron from Ammonium tetraborate tetrahydrate	21 mg/m3
7440-43-9	cadmium (non-pyrophoric)	0.76 mg/m3
7440-50-8	copper	33 mg/m3
7439-96-5	manganese	5 mg/m3
7440-02-0		50 mg/m3
7439-92-1	Lead from Lead Oxide	120 mg/m3
7440-66-6	zinc powder -zinc dust (stabilized)	21 mg/m3
7440-32-6	titanium	330 mg/m3
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	17 mg/m3
7440-23-5	Sodium from Sodium carbonate	140 mg/m3
PAC-3:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	8,900 mg/n
7440-22-4		990 mg/m3
7440-39-3	Barium from Barium carbonate	1,100 mg/n
	magnesium	1,200 mg/n
	molybdenum	2,000 mg/m
7440-31-5	tin	400 mg/m3
7439-89-6	iron	150 mg/m3
7440-62-2	Vanadium from Ammonium trioxovanadate	35 mg/m3
7440-21-3	alkali fluorosilicates (NH4)	630 mg/m3
7723-14-0	Phosphorus from Ammonium dihydrogenorthophosphate	18 mg/m3
7440-42-8	Boron from Ammonium tetraborate tetrahydrate	130 mg/m3
7440-43-9	cadmium (non-pyrophoric)	4.7 mg/m3
7440-50-8	copper	200 mg/m3
7439-96-5	manganese	1,800 mg/n
7440-02-0		99 mg/m3
7439-92-1	Lead from Lead Oxide	700 mg/m3
7440-66-6	zinc powder -zinc dust (stabilized)	120 mg/m3
7440-32-6	titanium	2,000 mg/n
7440-47-3	Chromium from Chromium(III) nitrate nonahydrate	99 mg/m3
5 4 4 0 0 0 5	Sodium from Sodium carbonate	870 mg/m3

· Signal word Not Regulated

· Hazard statements Not Regulated

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: product safety department

- · Contact:
- SPEX CertiPrep, LLC.
- 1-732-549-7144

· Date of preparation / last revision 10/27/2016 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic

PDT: Persistent, Bioaccumulative and FOAC vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value

(Contd. on page 8)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 10/27/2016

Product Name: 21-ELEMENT OIL STANDARD

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit (Contd. of page 7)

Reviewed on 10/27/2016

US –