

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/01/2021

Reviewed on 06/01/2021

1 Identification

- **Product identifier**
- **Product Name:** 23-ELEMENT OIL STANDARD
- **Part Name:**
S23-300Y
S23-300Z
- **Application of the substance / the mixture** *Certified Reference Material*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
SPEX CertiPrep, LLC.
203 Norcross Ave, Metuchen,
NJ 08840 USA
- **Information department:** *product safety department*
- **Emergency telephone number:**
Emergency Phone Number (24 hours)
CHEMTREC (800-424-9300)
Outside US: 703-527-3887

2 Hazard(s) identification

- **Classification of the substance or mixture** *The product is not classified, according to the Globally Harmonized System (GHS).*

- **Label elements**
- **GHS label elements** *Not Regulated*
- **Hazard pictograms** *Not Regulated*
- **Signal word** *Not Regulated*
- **Hazard statements** *Not Regulated*
- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** *Not applicable.*
- **vPvB:** *Not applicable.*

3 Composition/information on ingredients

- **Chemical characterization:** *Mixtures*
- **Description:** *Mixture of the substances listed below with nonhazardous additions.*
- **Dangerous components:** *Not Regulated*

Chemical identification of the substance/preparation

64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	99.31%
7429-90-5	aluminium	0.03%
7439-89-6	iron	0.03%
7439-92-1	lead	0.03%
7439-95-4	magnesium	0.03%
7439-96-5	manganese	0.03%
7439-98-7	molybdenum	0.03%
7440-02-0	nickel	0.03%
7440-09-7	potassium	0.03%
7440-21-3	silicon	0.03%
7440-22-4	silver	0.03%
7440-23-5	sodium	0.03%
7440-31-5	tin	0.03%

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/01/2021

Reviewed on 06/01/2021

Product Name: 23-ELEMENT OIL STANDARD

(Contd. of page 1)

7440-32-6	titanium	0.03%
7440-36-0	antimony	0.03%
7440-39-3	barium	0.03%
7440-42-8	boron	0.03%
7440-43-9	cadmium	0.03%
7440-47-3	chromium	0.03%
7440-50-8	copper	0.03%
7440-62-2	vanadium	0.03%
7440-66-6	zinc powder- zinc dust (pyrophoric)	0.03%
7440-70-2	calcium	0.03%
7723-14-0	phosphorus	0.03%

4 First-aid measures

- **Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Do not give anything to eat or drink - Do not induce vomiting
- **Information for Doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· PAC-I:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	140 mg/m ³
7439-89-6	iron	3.2 mg/m ³
7439-92-1	lead	0.15 mg/m ³
7439-95-4	magnesium	18 mg/m ³
7439-96-5	manganese	3 mg/m ³
7439-98-7	molybdenum	30 mg/m ³
7440-02-0	nickel	4.5 mg/m ³
7440-09-7	potassium	2.3 mg/m ³
7440-21-3	silicon	45 mg/m ³
7440-22-4	silver	0.3 mg/m ³
7440-23-5	sodium	13 mg/m ³
7440-31-5	tin	6 mg/m ³
7440-32-6	titanium	30 mg/m ³
7440-36-0	antimony	1.5 mg/m ³
7440-39-3	barium	1.5 mg/m ³

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/01/2021

Reviewed on 06/01/2021

Product Name: 23-ELEMENT OIL STANDARD

(Contd. of page 2)

7440-42-8	boron	1.9 mg/m ³
7440-43-9	cadmium	0.10 mg/m ³
7440-47-3	chromium	1.5 mg/m ³
7440-50-8	copper	3 mg/m ³
7440-62-2	vanadium	3 mg/m ³
7723-14-0	phosphorus	0.27 mg/m ³
· PAC-2:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	1,500 mg/m ³
7439-89-6	iron	35 mg/m ³
7439-92-1	lead	120 mg/m ³
7439-95-4	magnesium	200 mg/m ³
7439-96-5	manganese	5 mg/m ³
7439-98-7	molybdenum	330 mg/m ³
7440-02-0	nickel	50 mg/m ³
7440-09-7	potassium	25 mg/m ³
7440-21-3	silicon	100 mg/m ³
7440-22-4	silver	170 mg/m ³
7440-23-5	sodium	140 mg/m ³
7440-31-5	tin	67 mg/m ³
7440-32-6	titanium	330 mg/m ³
7440-36-0	antimony	13 mg/m ³
7440-39-3	barium	180 mg/m ³
7440-42-8	boron	21 mg/m ³
7440-43-9	cadmium	0.76 mg/m ³
7440-47-3	chromium	17 mg/m ³
7440-50-8	copper	33 mg/m ³
7440-62-2	vanadium	5.8 mg/m ³
7723-14-0	phosphorus	3 mg/m ³
· PAC-3:		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	8,900 mg/m ³
7439-89-6	iron	150 mg/m ³
7439-92-1	lead	700 mg/m ³
7439-95-4	magnesium	1,200 mg/m ³
7439-96-5	manganese	1,800 mg/m ³
7439-98-7	molybdenum	2,000 mg/m ³
7440-02-0	nickel	99 mg/m ³
7440-09-7	potassium	150 mg/m ³
7440-21-3	silicon	630 mg/m ³
7440-22-4	silver	990 mg/m ³
7440-23-5	sodium	870 mg/m ³
7440-31-5	tin	400 mg/m ³
7440-32-6	titanium	2,000 mg/m ³
7440-36-0	antimony	80 mg/m ³
7440-39-3	barium	1,100 mg/m ³
7440-42-8	boron	130 mg/m ³
7440-43-9	cadmium	4.7 mg/m ³
7440-47-3	chromium	99 mg/m ³
7440-50-8	copper	200 mg/m ³
7440-62-2	vanadium	35 mg/m ³
7723-14-0	phosphorus	18 mg/m ³

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
No special measures required.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/01/2021

Reviewed on 06/01/2021

Product Name: 23-ELEMENT OIL STANDARD

(Contd. of page 3)

- Follow good laboratory practices.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** The usual precautionary measures for handling chemicals should be followed.
- **Respiratory protection:** Not required.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**
- **Form:** Liquid
- **Color:** According to product specification
- **Odor:** Characteristic
- **Odour Threshold:** Not applicable.
- **pH-value:** Not applicable.
- **Change in condition**
- **Melting point/Melting range:** Undetermined.
- **Boiling point/Boiling range:** Undetermined.
- **Flash point:** Not applicable.
- **Flammability (solid, gaseous):** Not applicable.
- **Decomposition temperature:** Not applicable.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
- **Lower:** Not applicable.
- **Upper:** Not applicable.
- **Vapor pressure:** Not determined.
- **Density** Not applicable.
- **Relative density** Not applicable.
- **Vapor density** Not applicable.
- **Evaporation rate** Not applicable.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/01/2021

Reviewed on 06/01/2021

Product Name: 23-ELEMENT OIL STANDARD

(Contd. of page 4)

· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/water):	Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
VOC content:	0.00 %
Solids content:	0.6 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- on the skin:** No irritant effect.
- on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
7439-92-1	lead	2B
7440-02-0	nickel	2B
7440-43-9	cadmium	1
7440-47-3	chromium	3
· NTP (National Toxicology Program)		
7439-92-1	lead	R
7440-02-0	nickel	R
7440-43-9	cadmium	K
· OSHA-Ca (Occupational Safety & Health Administration)		
7440-43-9	cadmium	

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/01/2021

Reviewed on 06/01/2021

Product Name: 23-ELEMENT OIL STANDARD

(Contd. of page 5)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** Smaller quantities can be disposed of with household waste.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

· UN-Number	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
· UN proper shipping name	
· DOT, ADR, ADN, IMDG, IATA	Not Regulated
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA	
· Class	Not Regulated
· Packing group	
· DOT, ADR, IMDG, IATA	Not Regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	Not Regulated

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.
- **Sara**

· Section 313 (Specific toxic chemical listings):		
7429-90-5	aluminium	
7439-92-1	lead	
7439-96-5	manganese	
7440-02-0	nickel	
7440-22-4	silver	
7440-36-0	antimony	
7440-39-3	barium	
7440-43-9	cadmium	
7440-47-3	chromium	
7440-50-8	copper	
7440-62-2	vanadium	
7440-66-6	zinc powder- zinc dust (pyrophoric)	
7723-14-0	phosphorus	
· TSCA (Toxic Substances Control Act):		
64742-65-0	Distillates (petroleum), solvent-dewaxed heavy paraffinic	ACTIVE
7429-90-5	aluminium	ACTIVE
7439-89-6	iron	ACTIVE
7439-92-1	lead	ACTIVE
7439-95-4	magnesium	ACTIVE
7439-96-5	manganese	ACTIVE
7439-98-7	molybdenum	ACTIVE

(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/01/2021

Reviewed on 06/01/2021

Product Name: 23-ELEMENT OIL STANDARD

(Contd. of page 6)

7440-02-0	nickel	ACTIVE
7440-09-7	potassium	ACTIVE
7440-21-3	silicon	ACTIVE
7440-22-4	silver	ACTIVE
7440-23-5	sodium	ACTIVE
7440-31-5	tin	ACTIVE
7440-32-6	titanium	ACTIVE
7440-36-0	antimony	ACTIVE
7440-39-3	barium	ACTIVE
7440-42-8	boron	ACTIVE
7440-43-9	cadmium	ACTIVE
7440-47-3	chromium	ACTIVE
7440-50-8	copper	ACTIVE
7440-62-2	vanadium	ACTIVE
7440-70-2	calcium	ACTIVE
7723-14-0	phosphorus	ACTIVE

· Hazardous Air Pollutants

7439-92-1	lead
7439-96-5	manganese
7723-14-0	phosphorus

· Proposition 65**· Chemicals known to cause cancer:**

7439-92-1	lead
7440-02-0	nickel
7440-43-9	cadmium

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

7440-43-9	cadmium
-----------	---------

· Chemicals known to cause developmental toxicity:

7440-43-9	cadmium
-----------	---------

· Carcinogenic categories**· EPA (Environmental Protection Agency)**

7439-92-1	lead	B2
7439-96-5	manganese	D
7440-22-4	silver	D
7440-39-3	barium	D, CBD(inh), NL(oral)
7440-42-8	boron	I (oral)
7440-43-9	cadmium	B1
7440-50-8	copper	D
7440-66-6	zinc powder- zinc dust (pyrophoric)	II

· TLV (Threshold Limit Value)

7429-90-5	aluminium	A4
7439-92-1	lead	A3
7439-98-7	molybdenum	A3
7440-02-0	nickel	A5
7440-39-3	barium	A4
7440-43-9	cadmium	A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-02-0	nickel
7440-43-9	cadmium

- **GHS label elements** Not Regulated
- **Hazard pictograms** Not Regulated
- **Signal word** Not Regulated
- **Hazard statements** Not Regulated

(Contd. on page 8)

Safety Data Sheet
acc. to OSHA HCS

Printing date 06/01/2021

Reviewed on 06/01/2021

Product Name: 23-ELEMENT OIL STANDARD

(Contd. of page 7)

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** product safety department

· **Contact:**

SPEX CertiPrep, LLC.

1-732-549-7144

· **Date of preparation / last revision** 06/01/2021 / -

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US