Page 1/6


1 Identification

· Product identifier

- · Product Name: Sulfur Oil Standard in 2 Diesel Fuel
- · Part Number: SDFS-300-Y
- $\cdot \textit{Application of the substance / the mixture Certified Reference Material}$
- · Details of the supplier of the safety data sheet · Manufacturer/Supplier: SPEX CertiPrep, LLC. 203 Norcross Ave, Metuchen, NJ 08840 USA
- · Information department: product safety department · Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2



Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Warning

- · Hazard-determining components of labeling:
- Fuels, diesel, No 2
- Hazard statements
- Combustible liquid.

Causes skin irritation.

Causes serious eye irritation.

- Suspected of causing cancer.
- · Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 2Reactivity = 0

> (Contd. on page 2) US

99.97%

0.03%

Printing date 03/31/2016

Product Name: Sulfur Oil Standard in <u>2 Diesel Fuel</u>

= 0

(Contd. of page 1)

Reviewed on 03/31/2016

· HMIS-ratings ((scale 0 - 4)
------------------	---------------

HEALTH	*2	Health = *2
FIRE	2	Fire = 2
REACTIVITY	0	Reactivity =

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:
- 68476-34-6 Fuels, diesel, No 2
- · Chemical identification of the substance/preparation

544-40-1 dibutyl sulphide

4 First-aid measures

- · Description of first aid measures
- General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. • After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

(Contd. on page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/31/2016

Product Name: Sulfur Oil Standard in <u>2 Diesel Fuel</u>

Reviewed on 03/31/2016

	(Contd. of page 2)
Prevent formation of aerosols.	
	st explosions and fires: Keep respiratory protective device available.
• Conditions for safe storage, includit • Storage:	ig any incompatibilities
	ms and receptacles: No special requirements.
 Information about storage in one construction Further information about storage 	ommon storage facility: Not required. conditions: Keep receptacle tightly sealed.
• Specific end use(s) No further relevant	
8 Exposure controls/personal prot	ection
• Additional information about design	n of technical systems: No further data; see item 7.
· Control parameters	
• Components with limit values that r	equire monitoring at the workplace:
68476-34-6 Fuels, diesel, No 2	
TLV Long-term value: 100* mg/m ³	
as total hydrocarbons;Skin;*in	<i>at were valid during the creation were used as basis.</i>
• Exposure controls	u were valia autility the creation were used as basis.
· Personal protective equipment:	
• General protective and hygienic me Keep away from foodstuffs, beverage	
Immediately remove all soiled and c	
Wash hands before breaks and at the	end of work.
Store protective clothing separately. • Breathing equipment:	
In case of brief exposure or low pol independent of circulating air.	lution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is
• Protection of hands:	
μ.	
M7 Protective gloves	
The glove material has to be imperm	eable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommenda	tion to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on co • Material of gloves	nsideration of the penetration times, rates of diffusion and the degradation
The selection of the suitable glove	s does not only depend on the material, but also on further marks of quality and varies from manufacturer to
manufacturer. As the product is a periode the theory of the checked prior to the checked prio	preparation of several substances, the resistance of the glove material can not be calculated in advance and has
· Penetration time of glove material	
The exact break through time has to • Eye protection:	be found out by the manufacturer of the protective gloves and has to be observed.
Tightly sealed goggles	
Tignily scaled goggles	
9 Physical and chemical propertie	s
· Information on basic physical and a	hemical properties
· General Information	
· Appearance: Form:	Liquid
Color:	According to product specification
• Odor: • Odour Threshold:	Characteristic Not applicable.
· pH-value:	Not applicable.
· Change in condition	
Melting point/Melting range:	Undetermined.
	(Contd. on page 4)

Printing date 03/31/2016

Reviewed on 03/31/2016

Product Name: Sulfur Oil Standard in <u>2 Diesel Fuel</u>

	(Contd. of page 3
Boiling point/Boiling range:	204 °C (399 °F)
· Flash point:	69 °C (156 °F)
· Flammability (solid, gaseous):	Not applicable.
· Ignition temperature:	
Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Not determined.
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Vapor pressure:	Not determined.
· Density · Relative density · Vapor density · Evaporation rate	Not applicable. Not applicable. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wat	t er): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Organic solvents: · Other information	0.0 % No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
68476-34-6 Fuels, diesel, No 2	2B
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

(Contd. on page 5)

Carcinogenic.

Printing date 03/31/2016

Product Name: Sulfur Oil Standard in <u>2 Diesel Fuel</u>

(Contd. of page 4)

Reviewed on 03/31/2016

12 Ecological information

- \cdot Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil No further relevant information available.
- Additional ecological information:
- \cdot General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not Regulated	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not Regulated	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not Regulated	
· Packing group · DOT, ADR, IMDG, IATA	Not Regulated	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
• Transport in bulk according to Annex II of MARI Code	POL73/78 and the IBC Not applicable.	
· UN "Model Regulation":	Not Regulated	

15 Regulatory information

\cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara	
· Section 355 (extremely hazardous substances):	
None of the ingredients is listed.	
· Section 313 (Specific toxic chemical listings):	
None of the ingredients is listed.	
· TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
	(Contd. on page 6)

US

Printing date 03/31/2016

Product Name: Sulfur Oil Standard in 2 Diesel Fuel

Reviewed on 03/31/2016

Touter Nume. Sulfur Ou Sundard in <u>2 Dieser Fuer</u>	
	(Contd. of page 5)
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
• TLV (Threshold Limit Value established by ACGIH)	
68476-34-6 Fuels, diesel, No 2	A3
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	
· Hazard pictograms	
GHS07 GHS08 • Signal word Warning	
· Hazard-determining components of labeling:	
Fuels, diesel, No 2 • Hazard statements	
Combustible liquid.	
Causes skin irritation.	
Causes serious eye irritation.	
Suspected of causing cancer.	
· Precautionary statements	
Keep away from flames and hot surfaces. – No smoking. Wear protective gloves / eye protection / face protection.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
Specific treatment (see on this label).	
Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· National regulations:	
· Information about limitation of use:	
Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made	le by the authorities
in certain cases.	

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:
- SPEX CertiPrep, LLC.
- 1-732-549-7144
- · Date of preparation / last revision 03/31/2016 / -
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

- ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)
- HMIS: Hazardous Materials Identification System (USA) PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety
- OSHA: Occupational Safety & Health
- TLV: Threshold Limit Value PEL: Permissible Exposure Limit
- REL: Recommended Exposure Limit Flam. Liq. 4: Flammable liquids, Hazard Category 4
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A Carc. 2: Carcinogenicity, Hazard Category 2