Safety Data Sheet
acc. to OSHA HCS

Date of issue: 10/20/2026 *Reviewed on 10/20/2026*

1 Identification

· **Product identifier**

· **Product Name: Environmental Spike Mix**
· **Other means of identification**

· **Part Number:** SPX5183-4687
· **Application of the substance / the mixture** For Laboratory Use Only
· **Uses advised against** Not for Human or Animal Use

· **Details of the supplier of the safety data sheet**
· **Manufacturer/Supplier:**
Spex CertiPrep, LLC.
203 Norcross Ave, Metuchen,
NJ 08840 USA
732-549-7144
USMet-CRMSales@antylia.com

· **Information department:** product safety department
· **Emergency telephone number:**
Emergency Phone Number (24 hours)
CHEMTREC (800-424-9300)
Outside US: 703-527-3887

2 Hazard(s) identification

· **Classification of the substance or mixture**



GHS05 Corrosion

Skin corrosion 1B H314 Causes severe skin burns and eye damage.
Eye damage 1 H318 Causes serious eye damage.
· **Additional information:** The full text of the classification and labeling elements mentioned is given in Section 16.

· **Label elements**
· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**
nitric acid
· **Hazard statements**
H314 Causes severe skin burns and eye damage.
· **Precautionary statements**

P260	Do not breathe dusts or mists.
P264	Wash thoroughly after handling.
P280	Wear eye protection / face protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Information pertaining to particular dangers for man and environment:**
· **Classification system:**
· **NFPA ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)

· **HMIS-ratings (scale 0 - 4)**



Health = 3
Fire = 0
Reactivity = 0

· **Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Classification according to (d)(1)(ii) of § 1910.1200**
The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.
· **Hazards not otherwise classified**
There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

3 Composition/information on ingredients

· **Chemical characterization: Mixtures**
· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**		
7697-37-2	nitric acid	5.0%
7664-39-3	hydrofluoric acid	0.1%

· **Chemical identification of the substance/preparation**		
7732-18-5	water, distilled, conductivity or of similar purity	94.01%
87-69-4	(+)-tartaric acid	0.2%
7439-89-6	iron	0.1%
7439-95-4	magnesium	0.1%
7440-09-7	potassium	0.1%
7440-23-5	sodium	0.1%
7440-70-2	calcium	0.1%
7429-90-5	aluminium	0.01%
7439-92-1	lead	0.01%
7439-96-5	manganese	0.01%
7439-98-7	molybdenum	0.01%
7440-02-0	nickel	0.01%
7440-22-4	silver	0.01%
7440-28-0	thallium	0.01%
7440-36-0	antimony	0.01%
7440-38-2	arsenic	0.01%
7440-39-3	barium	0.01%
7440-41-7	Beryllium from Beryllium Acetate	0.01%
7440-43-9	cadmium	0.01%
7440-47-3	chromium	0.01%
7440-48-4	cobalt	0.01%
7440-50-8	copper	0.01%
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate	0.01%
7440-62-2	vanadium	0.01%
7440-66-6	zinc	0.01%
7782-49-2	selenium	0.01%

4 First-aid measures

· **Description of first aid measures**
· **General information:** Immediately remove any clothing soiled by the product.
· **After inhalation:** Supply fresh air; consult doctor in case of complaints.
· **After skin contact:** Immediately rinse with water.
· **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
· **After swallowing:** Do not give anything to eat or drink - Do not induce vomitting
· **Most important symptoms and effects, both acute and delayed** No further relevant information available.
· **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

(Contd. on page 3)

(Contd. of page 2)

5 Fire-fighting measures

· **Extinguishing media**
· **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
· **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.
· **Advice for firefighters**
· **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

· **Personal precautions, protective equipment and emergency procedures**
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
· **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
· **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose contaminated material as waste according to section 13.
Ensure adequate ventilation.
· **Protective Action Criteria for Chemicals**

· **PAC-1:**		
7697-37-2	nitric acid	0.16 ppm
87-69-4	(+)-tartaric acid	4.0 mg/m3
7439-89-6	iron	1.8 mg/m3
7439-95-4	magnesium	12 mg/m3
7440-09-7	potassium	1.2 mg/m3
7440-23-5	sodium	0.50 mg/m3
7664-39-3	hydrofluoric acid	1.0 ppm
7439-92-1	lead	0.032 mg/m3
7439-96-5	manganese	3.0 mg/m3
7439-98-7	molybdenum	30 mg/m3
7440-02-0	nickel	0.24 mg/m3
7440-22-4	silver	0.30 mg/m3
7440-28-0	thallium	0.06 mg/m3
7440-36-0	antimony	1.5 mg/m3
7440-38-2	arsenic	0.030 mg/m3
7440-39-3	barium	1.5 mg/m3
7440-41-7	Beryllium from Beryllium Acetate	0.00015 mg/m3
7440-43-9	cadmium	0.10 mg/m3
7440-47-3	chromium	1.5 mg/m3
7440-48-4	cobalt	0.060 mg/m3
7440-50-8	copper	3.0 mg/m3
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate	0.60 mg/m3
7440-62-2	vanadium	0.045 mg/m3
7440-66-6	zinc	0.3 mg/m3
7782-49-2	selenium	0.60 mg/m3

· **PAC-2:**		
7697-37-2	nitric acid	24 ppm
87-69-4	(+)-tartaric acid	460 mg/m3
7439-89-6	iron	20 mg/m3
7439-95-4	magnesium	130 mg/m3
7440-09-7	potassium	13 mg/m3
7440-23-5	sodium	5.0 mg/m3
7664-39-3	hydrofluoric acid	24 ppm
7439-92-1	lead	120 mg/m3
7439-96-5	manganese	5.0 mg/m3
7439-98-7	molybdenum	330 mg/m3
7440-02-0	nickel	50 mg/m3
7440-22-4	silver	3.3 mg/m3
7440-28-0	thallium	3.3 mg/m3

(Contd. on page 4)

US

(Contd. of page 3)

7440-36-0	antimony	13 mg/m3
7440-38-2	arsenic	17 mg/m3
7440-39-3	barium	42 mg/m3
7440-41-7	Beryllium from Beryllium Acetate	0.025 mg/m3
7440-43-9	cadmium	0.76 mg/m3
7440-47-3	chromium	83 mg/m3
7440-48-4	cobalt	2.0 mg/m3
7440-50-8	copper	33 mg/m3
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate	5.0 mg/m3
7440-62-2	vanadium	0.50 mg/m3
7440-66-6	zinc	40 mg/m3
7782-49-2	selenium	17 mg/m3

· **PAC-3:**		
7697-37-2	nitric acid	92 ppm
87-69-4	(+)-tartaric acid	2700 mg/m3
7439-89-6	iron	120 mg/m3
7439-95-4	magnesium	790 mg/m3
7440-09-7	potassium	79 mg/m3
7440-23-5	sodium	50 mg/m3
7664-39-3	hydrofluoric acid	44 ppm
7439-92-1	lead	700 mg/m3
7439-96-5	manganese	500 mg/m3
7439-98-7	molybdenum	2000 mg/m3
7440-02-0	nickel	99 mg/m3
7440-22-4	silver	20 mg/m3
7440-28-0	thallium	20 mg/m3
7440-36-0	antimony	80 mg/m3
7440-38-2	arsenic	100 mg/m3
7440-39-3	barium	250 mg/m3
7440-41-7	Beryllium from Beryllium Acetate	0.1 mg/m3
7440-43-9	cadmium	4.7 mg/m3
7440-47-3	chromium	500 mg/m3
7440-48-4	cobalt	20 mg/m3
7440-50-8	copper	200 mg/m3
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate	30 mg/m3
7440-62-2	vanadium	35 mg/m3
7440-66-6	zinc	240 mg/m3
7782-49-2	selenium	100 mg/m3

· **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

· **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Prevent formation of aerosols.
· **Information about protection against explosions and fires:** Keep respiratory protective device available.

· **Conditions for safe storage, including any incompatibilities**
· **Storage:**
· **Requirements to be met by storerooms and receptacles:** No special requirements.
· **Information about storage in one common storage facility:** Not required
· **Further information about storage conditions:** Keep receptacle tightly sealed.
· **Specific end use(s)** No further relevant information available.

(Contd. on page 5)

(Contd. of page 4)

8 Exposure controls/personal protection

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**	
7697-37-2 nitric acid	
PEL	Long-term value: 5 mg/m³, 2 ppm
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: (4) ppm Long-term value: (2) ppm
7664-39-3 hydrofluoric acid	
PEL	Long-term value: 1* mg/m³, 3 ppm as F, *sulfuric acid
REL	Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F
TLV	Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI

· **Ingredients with biological limit values:**	
7664-39-3 hydrofluoric acid	
BEI	2 mg/L Medium: urine Time: prior to shift Parameter: Fluorides (background, non-specific) 3 mg/L Medium: urine Time: end of shift Parameter: Fluorides (background, non-specific)

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**
· **Appropriate engineering controls** No further data; see section 7.
· **Personal protective equipment:**
· **General protective and hygienic measures:**
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Avoid contact with the eyes.
Avoid contact with the eyes and skin.
· **Respiratory protection:**
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
· **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
· **Eye protection:**



Tightly sealed goggles

(Contd. on page 6)

(Contd. of page 5)

9 Physical and chemical properties

· **Information on basic physical and chemical properties**	
· **General Information**	
· **Physical state**	Liquid
· **Color:**	According to product specification
· **Odor:**	Characteristic
· **Odour Threshold:**	Not applicable.
· **Melting point/Melting range:**	Undetermined
· **Boiling point/Boiling range:**	83 °C (181.4 °F)
· **Flammability:**	Not applicable
· **Explosion limits:**	
· **Lower:**	Not applicable.
· **Upper:**	Not applicable.
· **Flash point:**	Not applicable
· **Decomposition temperature:**	Not applicable.
· **pH-value:**	Not applicable.
· **Viscosity:**	
· **Kinematic:**	Not applicable.
· **Dynamic:**	Not applicable.
· **Solubility in / Miscibility with**	
· **Water:**	Fully miscible.
· **Partition coefficient (n-octanol/water):**	Not applicable.
· **Vapor pressure at 20 °C (68 °F):**	23 hPa (17.3 mm Hg)
· **Vapor pressure:**	
· **Density**	Not applicable.
· **Relative density**	Not applicable.
· **Vapor density**	Not applicable.
· **Particle characteristics**	Not applicable

· **Other information**	
· **Appearance:**	
· **Form:**	Liquid
· **Important information on protection of health and environment, and on safety.**	
· **Ignition temperature:**	Product is not selfigniting.
· **Danger of explosion:**	Product does not present an explosion hazard.
· **Solvent content:**	
· **Water:**	94.0 %
· **VOC content:**	0.00 %
· **Solids content:**	0.9 %
· **Change in condition**	
· **Evaporation rate**	Not applicable.

10 Stability and reactivity

· **Reactivity** No further relevant information available.
· **Chemical stability**
· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
· **Possibility of hazardous reactions** No dangerous reactions known.
· **Conditions to avoid** No further relevant information available.
· **Incompatible materials:** No further relevant information available.
· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on toxicological effects**
· **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**		
7697-37-2 nitric acid		
Inhalative	LC50/4 h	2.65 mg/l (ATE)

· **Primary irritant effect:**
· **on the skin:** Caustic effect on skin and mucous membranes.
· **on the eye:**
Strong caustic effect.
Strong irritant with the danger of severe eye injury.
· **Sensitization:** No sensitizing effects known.
· **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
Corrosive
Irritant

(Contd. on page 7)

(Contd. of page 6)

· **Interactive effects** No interactive effects between components are known.

· **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)		
7439-92-1	lead	2B
7440-02-0	nickel	2B
7440-38-2	arsenic	1
7440-41-7	Beryllium from Beryllium Acetate	1
7440-43-9	cadmium	1
7440-47-3	chromium	3
7440-48-4	cobalt	2A
7782-49-2	selenium	3

· NTP (National Toxicology Program)		
7439-92-1	lead	R
7440-02-0	nickel	R
7440-38-2	arsenic	K
7440-41-7	Beryllium from Beryllium Acetate	K
7440-43-9	cadmium	K
7440-48-4	cobalt	R

· OSHA-Ca (Occupational Safety & Health Administration)	
7440-38-2	arsenic
7440-43-9	cadmium

· **Alternative sources for toxicological information** No non-standard sources for toxicological information where used.

12 Ecological information

· **Toxicity**
· **Aquatic toxicity:** No further relevant information available.
· **Persistence and degradability** No further relevant information available.
· **Bioaccumulative potential** No further relevant information available.
· **Mobility in soil** No further relevant information available.
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable
· **vPvB:** Not applicable
· **Other adverse effects**
· **Additional ecological information:**
· **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
Must not reach bodies of water or drainage ditch undiluted or unneutralized.

13 Disposal considerations

· **Waste treatment methods**
· **Recommendation:** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**
· **Recommendation:** Disposal must be made according to official regulations.
· **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

· **Transport hazard class(es)**

· **DOT**



· **Class** 8 Corrosive substances

(Contd. on page 8)

(Contd. of page 7)

· **Label**	8
· **ADR, IMDG, IATA**	
	
· **Class**	8 Corrosive substances
· **Label**	8
· **Packing group**	
· **DOT, ADR, IMDG, IATA**	III
· **Environmental hazards:**	Not applicable
· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**	Not applicable
· **Transport/Additional information:**	
· **ADR**	
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **IMDG**	
· **Limited quantities (LQ)**	5L
· **Excepted quantities (EQ)**	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· **Special precautions for user**	Warning: Corrosive substances
· **Hazard identification number (Kemler code):**	80
· **EMS Number:**	F-A,S-B
· **Segregation groups**	(SGG1) Acids
· **Stowage Category**	A
· **Stowage Code**	SW2 Clear of living quarters.
· **Segregation Code**	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· **UN "Model Regulation":**	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**
· **Sara**

· **Section 313 (Specific toxic chemical listings):**	
7697-37-2	nitric acid
7664-39-3	hydrofluoric acid
7429-90-5	aluminium
7439-92-1	lead
7439-96-5	manganese
7440-02-0	nickel
7440-22-4	silver
7440-28-0	thallium
7440-36-0	antimony
7440-38-2	arsenic
7440-39-3	barium
7440-41-7	Beryllium from Beryllium Acetate
7440-43-9	cadmium
7440-47-3	chromium
7440-48-4	cobalt
7440-50-8	copper
7440-62-2	vanadium
7440-66-6	zinc
7782-49-2	selenium

· **TSCA (Toxic Substances Control Act):**
All components have the value ACTIVE.

(Contd. on page 9)

(Contd. of page 8)

· Hazardous Air Pollutants	
7664-39-3	hydrofluoric acid
7439-92-1	lead
7439-96-5	manganese
7440-48-4	cobalt

· **Proposition 65**

· Chemicals known to cause cancer:	
7439-92-1	lead
7440-02-0	nickel
7440-38-2	arsenic
7440-41-7	Beryllium from Beryllium Acetate
7440-43-9	cadmium
7440-48-4	cobalt

· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:	
7440-43-9	cadmium

· Chemicals known to cause developmental toxicity:	
7440-43-9	cadmium

· **Carcinogenic categories**

· EPA (Environmental Protection Agency)		
7439-92-1	lead	B2
7439-96-5	manganese	D
7440-22-4	silver	D
7440-38-2	arsenic	A
7440-39-3	barium	D, CBD(inh), NL(oral)
7440-41-7	Beryllium from Beryllium Acetate	B1, K/L(inh), CBD(oral)
7440-43-9	cadmium	B1
7440-50-8	copper	D
7440-66-6	zinc	D, I, II
7782-49-2	selenium	D

· TLV (Threshold Limit Value)		
7429-90-5	aluminium	A4
7439-92-1	lead	A3
7439-98-7	molybdenum	A3
7440-02-0	nickel	A5
7440-38-2	arsenic	A1
7440-39-3	barium	A4
7440-43-9	cadmium	A2
7440-48-4	cobalt	A3
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate	A1

· NIOSH-Ca (National Institute for Occupational Safety and Health)	
7440-02-0	nickel
7440-38-2	arsenic
7440-43-9	cadmium
7440-61-1	Uranium from Uranyl Nitrate Hexahydrate

· **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labeling:**
nitric acid
· **Hazard statements**
H314 Causes severe skin burns and eye damage.
· **Precautionary statements**
P260 Do not breathe dusts or mists.

(Contd. on page 10)
US

Safety Data Sheet
acc. to OSHA HCS

(Contd. of page 9)

P264	Wash thoroughly after handling.
P280	Wear eye protection / face protection.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	If swallowed: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a poison center/doctor.
P321	Specific treatment (see on this label).
P363	Wash contaminated clothing before reuse.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** product safety department
· **Contact:**
Spex CertiPrep, LLC.
1-732-549-7144
· **Date of preparation** 10/20/2026
· **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
BEI: Biological Exposure Limit
Skin corrosion 1B: Skin corrosion/irritation – Category 1B
Eye damage 1: Serious eye damage/eye irritation – Category 1