03/27/2019	Kit Components		
Product code	Description		
SPXHM-KIT	Heavy Metals Testing Kit for ICP-MS		
Components:			
CLHG4-2M	1000 μg/mL Mercury		
CLCD2-2M	1000 μg/mL Cadmium		
CLCR2-2M	1000 μg/mL Chromium		
CLAS2-2M	1000 μg/mL Arsenic		

1000 μg/mL Lead

Nitric Acid Blank

CLPB2-2M

CLBLK-HNO3M

## 1 Identification

- · Product identifier
- · Product Name: 1000 μg/mL Mercury
- · Part Number: CLHG4-2M
- $\cdot \textbf{\textit{Application of the substance / the mixture } \textit{Certified Reference Material} \\$
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Repr. 1B H360 May damage fertility or the unborn child.



GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

mercury

· Hazard statements

H314 Causes severe skin burns and eye damage.

H360 May damage fertility or the unborn child.

· Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

 $Dispose\ of\ contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$ 

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3

Fire = 0

Reactivity = 0

(Contd. of page 1)

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: 1000 µg/mL Mercury

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
7697-37-2 nitric acid	10.0%		
7439-97-6 mercury	0.1%		
· Chemical identification of the substance/preparation			
7732-18-5 water, distilled, conductivity or of similar purity	89.9%		

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

## 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

 $\cdot \textit{Methods and material for containment and cleaning up:} \\$ 

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

 $See\ Section\ 13\ for\ disposal\ information.$ 

Protective Action Criteria for Chemicals

· Protective Action Criteria for Chemicals	
· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-97-6 mercury	$0.15 \text{ mg/m}^3$
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-97-6 mercury	1.7 mg/m³
· PAC-3:	
7697-37-2 nitric acid	92 ppm
	Contd. on page 3

Product Name: 1000 µg/mL Mercury

7439-97-6 mercury

(Contd. of page 2) 8.9 mg/m<sup>3</sup>

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5.2 mg/m³, 2 ppm

#### 7439-97-6 mercury

PEL Long-term value: 0.1 mg/m<sup>3</sup>

as Hg; see OSHA standard interpretation memo

REL Long-term value: 0.05\* mg/m<sup>3</sup>

Ceiling limit value: 0.1 mg/m³

as Hg; \*Vapor; Skin

TLV Long-term value: 0.025 mg/m<sup>3</sup>

as Hg; Skin; BEI

# · Ingredients with biological limit values:

# 7439-97-6 mercury

BEI 35 µg/g creatinine

Medium: urine Time: prior to shift

Parameter: Total inorganic mercury (background

15 μg/L

Medium: blood

Time: end of shift at end of workweek

Parameter: Total inorganic mercury (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- $\cdot \textit{General protective and hygienic measures:} \\$

 ${\it Keep \ away \ from \ foodstuffs, \ beverages \ and \ feed.}$ 

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

Product Name: 1000 µg/mL Mercury

· Protection of hands:





Protective gloves

 $The \ glove \ material \ has \ to \ be \ impermeable \ and \ resistant \ to \ the \ product/\ the \ substance/\ the \ preparation.$ 

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical propertie	rs
· Information on basic physical and o	chemical properties
· General Information	
· Appearance:	read.
Form: Color:	Liquid According to product specification
· Odor:	Characteristic
· Odour Threshold:	Not applicable.
· pH-value:	Not applicable.
*	The same of the sa
· Change in condition  Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	83 °C (181.4 °F)
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not applicable.
• ( ) (	
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not applicable.
Upper:	Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density at 20 °C (68 °F)	1.06284 g/cm³ (8.8694 lbs/gal)
· Relative density	Not applicable.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Water:	89.9 %
VOC content:	0.00 %
Solids content:	0.0 %
	(Contd on moon S)

(Contd. on page 5)

Product Name: 1000 µg/mL Mercury

(Contd. of page 4)

· Other information

No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7439-97-6 mercury

3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- $\cdot \textit{Mobility in soil No further relevant information available}.$
- $\cdot \textit{Additional ecological information:}$
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- $\cdot \textit{Recommendation:} \ \textit{Disposal must be made according to official regulations.}$

(Contd. on page 6)

Product Name: 1000 µg/mL Mercury

 $\cdot \textbf{Recommended cleansing agent:} \ Water, if necessary with cleansing agents.$ 

(Contd. of page 5)

4 Transport information		
4 Transport information		
· UN-Number	TD10001	
· DOT, ADR, IMDG, IATA	UN2031	
· UN proper shipping name	Mark the Late	
· DOT	Nitric acid solution	
· ADR · IMDG, IATA	2031 NITRIC ACID solution NITRIC ACID solution	
*	NITRIC ACID Solution	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA		
· Class	8 Corrosive substances	
· Label	8	
· Packing group		
DOT, ADR, IMDG, IATA	II	
Environmental hazards:	Not applicable.	
· Special precautions for user	Warning: Corrosive substances	
· Danger code (Kemler):	80	
· EMS Number:	F- $A$ , $S$ - $B$	
· Segregation groups	Acids	
· Stowage Category	D	
$\cdot \textit{Transport in bulk according to Annex II of MARPOL73/78}$		
Code	Not applicable.	
· Transport/Additional information:		
$\cdot ADR$		
· Excepted quantities (EQ)	Code: E2	
	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
·IMDG		
· Limited quantities (LQ)	IL	
· Excepted quantities (EQ)	Code: E2	
· · · · · · · · · · · · · · · · · ·	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
· UN "Model Regulation":	UN 2031 NITRIC ACID SOLUTION, 8, II	

# 15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$
- · Sara

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7439-97-6 mercury

- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 7)

Product Name: 1000 µg/mL Mercury

(Contd. of page 6)

· Chemicals known to cause developmental toxicity:

7439-97-6 mercury

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7439-97-6 mercury

D

· TLV (Threshold Limit Value established by ACGIH)

7439-97-6 mercury

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

mercury

· Hazard statements

H314 Causes severe skin burns and eye damage.

H360 May damage fertility or the unborn child.

· Precautionary statements

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

SPEX CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 03/27/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation Repr. 1B: Reproductive toxicity – Category 1B

## 1 Identification

- · Product identifier
- · Product Name: 1000 µg/mL Cadmium
- · Part Number: CLCD2-2M
- $\cdot \textbf{\textit{Application of the substance / the mixture } \textit{Certified Reference Material} \\$
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1B H350 May cause cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

cadmium (non-pyrophoric)

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

 $\cdot \textit{Precautionary statements}$ 

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: 1000 µg/mL Cadmium

· HMIS-ratings (scale 0 - 4)

HEALTH 2 Health = \*2FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions

Description. Instance of the substances tisted below with normal database daditions.	
· Dangerous components:	
7697-37-2 nitric acid	2.0%
7440-43-9 cadmium (non-pyrophoric)	0.1%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	97.9%

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- $\cdot \textbf{\it Suitable extinguishing agents:} \ \textit{\it Use fire fighting measures that suit the environment.}$
- $\cdot \textit{Special hazards arising from the substance or \textit{mixture} \ \textit{No further relevant information available}.$
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· Protective Action Criteria for Chemicals	
· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7440-43-9 cadmium (non-pyrophoric)	$0.10 \text{ mg/m}^3$
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7440-43-9 cadmium (non-pyrophoric)	$0.76 \text{ mg/m}^3$
	(Contd. on page 3)

Product Name: 1000 µg/mL Cadmium

 (Contd. of page 2)

 • PAC-3:

 7697-37-2 nitric acid
 92 ppm

 7440-43-9 cadmium (non-pyrophoric)
 4.7 mg/m³

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm
REL Short-term value: 10 mg/m³, 4 ppm
Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

# 7440-43-9 cadmium (non-pyrophoric)

PEL Long-term value: 0.005 mg/m<sup>3</sup> as Cd; see 29 CFR 1910.1027

REL See Pocket Guide App. A

TLV Long-term value: 0.01 0.002\* mg/m³ as Cd; \*respirable fraction; BEI

#### · Ingredients with biological limit values:

# 7440-43-9 cadmium (non-pyrophoric)

BEI 5 μg/g creatinine

Medium: urine Time: not critical

Parameter: Cadmium (background)

5 μg/L

Medium: blood Time: not critical

Parameter: Cadmium (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 4)

Product Name: 1000 µg/mL Cadmium

· Protection of hands:

(Contd. of page 3)



Protective gloves

The glove material has to be impermeable and resistant to the product/the substance/the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical propertie	s			
	· Information on basic physical and chemical properties			
General Information	nemica properties			
· Appearance:				
Form:	Liquid			
Color:	According to product specification			
· Odor:	Characteristic			
· Odour Threshold:	Not applicable.			
· pH-value:	Not applicable.			
· Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	100 °C (212 °F)			
· Flash point:	Not applicable.			
· Flammability (solid, gaseous):	Not applicable.			
· Decomposition temperature:	Not applicable.			
· Auto igniting:	Product is not selfigniting.			
· Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	Not applicable.			
Upper:	Not applicable.			
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)			
· Density at 20 °C (68 °F)	1.0177 g/cm³ (8.49271 lbs/gal)			
· Relative density	Not applicable.			
· Vapor density	Not applicable.			
· Evaporation rate	Not applicable.			
· Solubility in / Miscibility with				
Water:	Fully miscible.			
· Partition coefficient (n-octanol/wate	· Partition coefficient (n-octanol/water): Not applicable.			
· Viscosity:				
Dynamic:	Not applicable.			
Kinematic:	Not applicable.			
· Solvent content:				
Water:	97.9 %			
VOC content:	0.00 %			
Solids content:	0.1 %			

(Contd. on page 5)

Product Name: 1000 µg/mL Cadmium

(Contd. of page 4)

· Other information

No further relevant information available.

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7440-43-9 cadmium (non-pyrophoric)

Oral LD50 225 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

· Carcinogenic categories

# · IARC (International Agency for Research on Cancer)

7440-43-9 cadmium (non-pyrophoric)

---

· NTP (National Toxicology Program)

7440-43-9 cadmium (non-pyrophoric)

K

· OSHA-Ca (Occupational Safety & Health Administration)

7440-43-9 cadmium (non-pyrophoric)

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- $\cdot Additional\ ecological\ information:$
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- $\cdot \textit{Recommendation:} \ \textit{Disposal must be made according to official regulations}.$

(Contd. on page 6)

Product Name: 1000 µg/mL Cadmium

· Recommended cleansing agent: Water, if necessary with cleansing agents.

(Contd. of page 5)

4 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACIE SOLUTION)
· Transport hazard class(es)	
· DOT, ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	III
· Environmental hazards:	Not applicable.
Special precautions for user Danger code (Kemler): EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances 80 F-A,S-B Acids A SW2 Clear of living quarters.
· Transport in bulk according to Annex II of MARP Code	
· Transport/Additional information:	пот аррисали.
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION), 8, III

# 15 Regulatory information

- $\cdot \textit{Safety, health and environmental regulations/legislation specific for the substance or \textit{mixture}}$
- · Sara

· Section	313	(Specific	toxic	chemical	listings):

7697-37-2 nitric acid

7440-43-9 cadmium (non-pyrophoric)

- · TSCA (Toxic Substances Control Act):
- All ingredients are listed.
- · Proposition 65
- · Chemicals known to cause cancer:

7440-43-9 cadmium (non-pyrophoric)

(Contd. on page 7)

Product Name: 1000 µg/mL Cadmium

(Contd. of page 6)

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

7440-43-9 cadmium (non-pyrophoric)

· Chemicals known to cause developmental toxicity:

7440-43-9 cadmium (non-pyrophoric)

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7440-43-9 cadmium (non-pyrophoric)

*B1* 

· TLV (Threshold Limit Value established by ACGIH)

7440-43-9 cadmium (non-pyrophoric)

A2

· NIOSH-Ca (National Institute for Occupational Safety and Health)

7440-43-9 cadmium (non-pyrophoric)

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

cadmium (non-pyrophoric)

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

SPEX CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 03/27/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

(Contd. of page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/27/2019 Reviewed on 03/27/2019

## Product Name: 1000 µg/mL Cadmium

NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REI: Recommended Exposure Limit
BEI: Biological Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
Carc. 1B: Carcinogenicity – Category 1B
Repr. 2: Reproductive toxicity – Category 2

## 1 Identification

- · Product identifier
- · Product Name: 1000 μg/mL Chromium
- · Part Number: CLCR2-2M
- $\cdot \textbf{\textit{Application of the substance / the mixture } \textit{Certified Reference Material} \\$
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

 ${\it Take~off~contaminated~clothing~and~wash~it~before~reuse}.$ 

- If eye irritation persists: Get medical advice/attention.
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2 Fire = 0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

Product Name: 1000 µg/mL Chromium

(Contd. of page 1)

# 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7697-37-2 nitric acid	2.0%
· Chemical identification of the substance/preparation	
7440-47-3 Chromium from Chromium(III) nitrate nonahydrate	0.1%
7732-18-5 water, distilled, conductivity or of similar purity	97.9%

# 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- $\cdot \textit{Environmental precautions:} \ \textit{Dilute with plenty of water.}$
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7440-47-3 Chromium from Chromium(III) nitrate nonahydrate	$1.5 \text{ mg/m}^3$
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7440-47-3 Chromium from Chromium(III) nitrate nonahydrate	17 mg/m³
· PAC-3:	
7697-37-2 nitric acid	92 ppm
7440-47-3 Chromium from Chromium(III) nitrate nonahydrate	99 mg/m³

# 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 3)

Product Name: 1000 µg/mL Chromium

· Specific end use(s) No further relevant information available.

(Contd. of page 2)

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm Short-term value: 10 mg/m³, 4 ppm

- Long-term value: 5.2 mg/m³, 2 ppm Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

#### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Liquid Form:

Color: According to product specification

· Odor: Characteristic · Odour Threshold: Not applicable.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined. 100 °C (212 °F) Boiling point/Boiling range: · Flash point: Not applicable. · Flammability (solid, gaseous): Not applicable.

(Contd. on page 4)

Product Name: 1000 µg/mL Chromium

	(Contd. of page 3
· Decomposition temperature:	Not applicable.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits: Lower: Upper:	Not applicable. Not applicable.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
· Density · Relative density · Vapor density · Evaporation rate	Not applicable. Not applicable. Not applicable. Not applicable.
· Solubility in / Miscibility with Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not applicable.
· Viscosity: Dynamic: Kinematic:	Not applicable. Not applicable.
· Solvent content: Water: VOC content:	97.9 % 0.00 %
Solids content: · Other information	0.0 % No further relevant information available.

## 10 Stability and reactivity

- $\cdot \textit{Reactivity} \ \textit{No further relevant information available}.$
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7440-47-3 Chromium from Chromium(III) nitrate nonahydrate 3

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.

(Contd. on page 5)

Product Name: 1000 µg/mL Chromium

(Contd. of page 4)

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA  UN proper shipping name DOT ADR SOLUTION, IMDG, IATA  SOLUTION CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC SOLUTION)  Transport hazard class(es) DOT, ADR, IMDG, IATA  Class Cla	Transport information	
IN proper shipping name DOT ADR SOLUTION) ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC SOLUTION) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC SOLUTION) Transport hazard class(es)  DOT, ADR, IMDG, IATA  Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA  III  Environmental hazards: Not applicable. Special precautions for user Danger code (Kemler): Segregation groups Acids Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport Additional information:  ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (EQ) Scople: Excepted quantities (EQ) Limited quantities (EQ) Code: E1 Excepted quantities (EQ) Code: E1		
DOT Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC SOLUTION)  IMDG, IATA SOLUTION  Transport hazard class(es)  DOT, ADR, IMDG, IATA  Class Label 8 Corrosive substances Label 8  Packing group DOT, ADR, IMDG, IATA  III  Environmental hazards: Not applicable.  Special precautions for user Danger code (Kemler): 80  Segregation groups Acids Segregation groups Acids Stowage Category A Code: E1  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport In bulk according to Annex II of MARPOL73/78 and the IBC Code  Excepted quantities (EQ)  Limited quantities (EQ)  Excepted Quantities (EQ)  Excepte	· DOT, ADR, IMDG, IATA	UN3264
ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC SOLUTION)  Transport hazard class(es)  DOT, ADR, IMDG, IATA  **Class** Label** **Packing group - Packing group - POT, ADR, IMDG, IATA  **III  Environmental hazards: Not applicable.  **Special precautions for user Danger code (Kemler): BASS Nowage Category ACIDIS SUVER LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACIDIC)  **Special precautions for user Danger code (Kemler): **Special precautions for user Danger code (Kemler): **Special precautions for user Danger code (Kemler): **Suvage Code** **Suvage Code** **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport Additional information:  **ADR** -**Excepted quantities (EQ)  **Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  **IMDG** **Limited quantities (LQ)  **Excepted quantities (EQ)  **Code: E1		
SOLUTION)  Transport hazard class(es)  DOT, ADR, IMDG, IATA  Class  Class  According group  DOT, ADR, IMDG, IATA  III  Environmental hazards: Not applicable. Special precautions for user Danger code (Kemler): EMS Number: Stowage Code EMS Number: F-A,S-B Segregation groups Acids Stowage Code Stowage Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Sulpha Code: E1 Excepted quantities (EQ)  Code: E1 Excepted quantities (EQ)  Code: E1		
Transport hazard class(es)  DOT, ADR, IMDG, IATA  Class Class Label Class Packing group DOT, ADR, IMDG, IATA  III  Environmental hazards: Not applicable Seguation groups Acids Segveration groups Acids Segveration groups Acids Stowage Cadegory A Not applicable Stowage Code Stowage Code Transport in bulk according to Annex III of MARPOL73/78 and the IBC Code Transport Additional information: ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Maximum net quantity per outer packaging: 1000 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Excepted quantities (EQ) Code: E1	· ADK	~
Transport hazard class(es)  DOT, ADR, IMDG, IATA  Class  Class  Label  Packing group  DOT, ADR, IMDG, IATA  ### Province of the province of th	· IMDG_IATA	
Class 8 Corrosive substances Label 8 Packing group DOT, ADR, IMDG, IATA III  Environmental hazards: Not applicable.  Special precautions for user Danger code (Kemler): 80 EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Category A Stowage Code Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information:  ADR Excepted quantities (EQ)  Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  EMDG Limited quantities (LQ) Excepted quantities (EQ)  Code: E1 Limited quantities (EQ) Code: E1 Limited quantities (EQ) Code: E1		
Class 8 Corrosive substances Label 8  Packing group DOT, ADR, IMDG, IATA III  Environmental hazards: Not applicable.  Special precautions for user Warning: Corrosive substances BMS Number: 80 EMS Number: F-A,S-B Segregation groups Acids Slowage Category A Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code II Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) Excepted quantities (LQ) Excepted quantities (LQ) Code: E1	Transport hazard class(es)	
Packing group   DOT, ADR, IMDG, IATA	· DOT, ADR, IMDG, IATA	
- Label 8 - Packing group - DOT, ADR, IMDG, IATA III - Environmental hazards: Not applicable Special precautions for user Warning: Corrosive substances - Danger code (Kemler): 80 - EMS Number: F-A,S-B - Segregation groups Acids - Stowage Category A - Stowage Cade SW2 Clear of living quarters Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable Transport/Additional information: - ADR - Excepted quantities (EQ) Code: E1 - Maximum net quantity per inner packaging: 30 ml - Maximum net quantity per outer packaging: 1000 ml - IMDG - Limited quantities (LQ) - Excepted quantities (EQ) - SL - Code: E1		
Packing group DOT, ADR, IMDG, IATA  III  Environmental hazards: Not applicable.  Special precautions for user Danger code (Kemler): Segregation groups Acids Stowage Category AStowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information:  ADR Excepted quantities (EQ) Code Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  Limited quantities (LQ) Excepted quantities (EQ) SL Code: E1		
DOT, ADR, MDG, IATA  Environmental hazards:  Not applicable.  Warning: Corrosive substances  Boanger code (Kemler):  80  EMS Number:  F-A,S-B  Segregation groups  Acids  Stowage Category  AS Stowage Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  ADR  Excepted quantities (EQ)  Code: E1  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 1000 ml  IMDG  Limited quantities (LQ)  Excepted quantities (LQ)  Excepted quantities (LQ)  Code: E1	·Label	8
Environmental hazards:  Special precautions for user  Danger code (Kemler):  EMS Number:  Segregation groups  Stowage Category  A Stowage Code  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code  Transport/Additional information:  ADR  Excepted quantities (EQ)  Code: E1  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 1000 ml  IMDG  Limited quantities (LQ)  Excepted quantities (LQ)  Surrows  Surrows  Acids  Acids  Acids  Acids  Sw2 Clear of living quarters.  Not applicable.  Code: E1  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 1000 ml  Surrows  Code: E1		
Special precautions for user Danger code (Kemler): Seminated Sumber: Segregation groups Segregation groups Stowage Category As Stowage Code Sward Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) Limited quantities (EQ) State Code: E1	· DOT, ADR, IMDG, IATA	III
Danger code (Kemler): EMS Number: F-A,S-B Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1	Environmental hazards:	Not applicable.
EMS Number: Segregation groups Acids Stowage Category A Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Limited quantities (EQ)  Code: E1 Code: E1 Code: E1 Code: E1		
Segregation groups Stowage Category Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information: ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1 Code: E1		
Stowage Category Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information: ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1		
Stowage Code SW2 Clear of living quarters.  Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) SL Excepted quantities (EQ) Code: E1		
Code Not applicable.  Transport/Additional information:  ADR Excepted quantities (EQ)  Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ)  SL Code: E1		
Code Not applicable.  Transport/Additional information:  ADR  Excepted quantities (EQ) Code: E1  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 1000 ml  IMDG  Limited quantities (LQ) SL  Excepted quantities (EQ) Code: E1	Transport in bulk according to Annex II of MARPO	PLT3/78 and the IBC
· ADR · Excepted quantities (EQ)  Code: E1  Maximum net quantity per inner packaging: 30 ml  Maximum net quantity per outer packaging: 1000 ml  · IMDG · Limited quantities (LQ) · Excepted quantities (EQ)  Code: E1	Code	Not applicable.
Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Code: E1  Code: E1	· Transport/Additional information:	
Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ)  Code: E1		
Maximum net quantity per outer packaging: 1000 ml  IMDG Limited quantities (LQ) Excepted quantities (EQ)  SL Code: E1	Excepted quantities (EQ)	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)  Code: E1		
· Limited quantities (LQ) · Excepted quantities (EQ)  Code: E1		Maximum net quantity per outer packaging: 1000 ml
Excepted quantities (EQ)  Code: E1		67
Maximum net quantity per inner packaging: 50 ml	· Exceptea quantities (EQ)	
Maximum net quantity per outer packaging: 1000 ml		

Product Name: 1000 µg/mL Chromium

(Contd. of page 5)

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION), 8, III

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7440-47-3 Chromium from Chromium(III) nitrate nonahydrate

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

 ${\it Take~off~contaminated~clothing~and~wash~it~before~reuse.}$ 

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

SPEX CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 03/27/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

(Contd. on page 7)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/27/2019 Reviewed on 03/27/2019

## Product Name: 1000 µg/mL Chromium

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

(Contd. of page 6)

## 1 Identification

- · Product identifier
- · Product Name: 1000 µg/mL Arsenic
- · Part Number: CLAS2-2M
- $\cdot \textbf{\textit{Application of the substance / the mixture } \textit{Certified Reference Material} \\$
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

arsenic

Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H350 May cause cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

 ${\it If skin irritation occurs: Get medical advice/attention.}$ 

Store locked up.

 $Dispose\ of\ contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$ 

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0

Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = \*2

Fire = 0

Reactivity = 0

(Contd. of page 1)

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: 1000 µg/mL Arsenic

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
7697-37-2 nitric acid	2.0%	
7440-38-2 arsenic	0.1%	
· Chemical identification of the substance/preparation		
7732-18-5 water, distilled, conductivity or of similar purity	97.9%	

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- $\cdot \textit{Advice for firefighters}$
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· Trotective Action Crueria for Chemicals	
· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7440-38-2 arsenic	1.5 mg/m³
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7440-38-2 arsenic	17 mg/m³
· PAC-3:	
7697-37-2 nitric acid	92 ppm
7440-38-2 arsenic	100 mg/m³
	•

(Contd. on page 3)

Product Name: 1000 µg/mL Arsenic

(Contd. of page 2)

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

- PEL Long-term value: 5 mg/m³, 2 ppm
- REL Short-term value: 10 mg/m³, 4 ppm
  - Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: 10 mg/m³, 4 ppm
- Long-term value: 5.2 mg/m³, 2 ppm

#### 7440-38-2 arsenic

- PEL Long-term value: 0.5\* 0.01\*\* mg/m³
  - as As; \*organic\*\*inorg. compds.; 29 CFR 1910.1018
- REL Ceiling limit value: 0.002 mg/m<sup>3</sup>
  - as As; 15min; See Pocket Guide App. A
- TLV Long-term value: 0.01 mg/m<sup>3</sup>
  - as As: BEI

## · Ingredients with biological limit values:

#### 7440-38-2 arsenic

BEI 35 μg As/L

Medium: urine

Time: end of workweek

Parameter: Inorganic arsenic plus methylated metabolites (background)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

## · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)

Product Name: 1000 µg/mL Arsenic

(Contd. of page 3)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic · Odour Threshold: Not applicable. · pH-value: Not applicable.

· Change in condition

Melting point/Melting range: Undetermined. 100 °C (212 °F) Boiling point/Boiling range: · Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable. · Decomposition temperature: Not applicable.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

Fully miscible.

· Explosion limits:

Lower: Not applicable. Upper: Not applicable. · Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

1.01479 g/cm³ (8.46842 lbs/gal) · Density at 20 °C (68 °F)

· Relative density Not applicable. Not applicable. · Vapor density · Evaporation rate Not applicable.

· Solubility in / Miscibility with

· Partition coefficient (n-octanol/water): Not applicable.

· Viscosity:

Dynamic:

Water:

Not applicable. Kinematic: Not applicable.

· Solvent content:

97.9 % Water: **VOC** content: 0.00 % Solids content: 0.1 %

No further relevant information available. · Other information

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Product Name: 1000 µg/mL Arsenic

(Contd. of page 4)

# 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

Curcinogena caregories	
· IARC (International Agency for Research on Cancer)	
7440-38-2 arsenic	1
· NTP (National Toxicology Program)	
7440-38-2 arsenic	K
· OSHA-Ca (Occupational Safety & Health Administration)	
7440-38-2 arsenic	

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- $\cdot \textit{Additional ecological information:}$
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14	Transport	inj	format	ion

- · UN-Number
- · DOT, ADR, IMDG, IATA UN3264
- · UN proper shipping name
- DOT Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution)

· ADR 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)

· IMDG, IATA CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)

- · Transport hazard class(es)
- · DOT, ADR, IMDG, IATA



Class 8 Corrosive substances

(Contd. on page 6)

Product Name: 1000 µg/mL Arsenic

	(Contd. of page
Label	8
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F- $A$ , $S$ - $B$
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Code Transport/Additional information:	Not applicable.
ADR	
	Code: E1
Excepted quantities (EQ)	*****
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml
Excepted quantities (EQ)	* * * * * * * * * * * * * * * * * * *
	Maximum net quantity per inner packaging: 30 ml
IMDG	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 5L
IMDG Limited quantities (LQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 5L Code: E1
Excepted quantities (EQ)  IMDG  Limited quantities (LQ)  Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 5L Code: E1 Maximum net quantity per inner packaging: 30 ml
IMDG Limited quantities (LQ)	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml 5L Code: E1

Regulatory information	
Safety, health and environmental regulations/legislation specific for the substance or mixtu. Sara	re
Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7440-38-2 arsenic	
TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
7440-38-2 arsenic	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
7440-38-2   arsenic	
TLV (Threshold Limit Value established by ACGIH)	
7440-38-2 arsenic	

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. of page 6)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: 1000 µg/mL Arsenic

· Hazard pictograms



- · Signal word Danger
- · Hazard-determining components of labeling:

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H350 May cause cancer.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

SPEX CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 03/27/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 1A: Carcinogenicity - Category 1A

## 1 Identification

- · Product identifier
- · Product Name: 1000 µg/mL Lead
- · Part Number: CLPB2-2M
- $\cdot \textbf{\textit{Application of the substance / the mixture } \textit{Certified Reference Material} \\$
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 2 H351 Suspected of causing cancer.

Repr. 1A H360 May damage fertility or the unborn child.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- $\cdot \textbf{\textit{Signal word }} Danger$
- · Hazard-determining components of labeling:

Lead from Lead Oxide

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2 Fire = 0Reactivity = 0

(Contd. on page 2)

(Contd. of page 1)

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: 1000 µg/mL Lead

· HMIS-ratings (scale 0 - 4)

HEALTH2FIRE0REACTIVITY0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7697-37-2 nitric acid	2.0%
7439-92-1 Lead from Lead Oxide	0.1%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	97.9%

## 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- $\cdot \textit{Information for Doctor:}$
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- $\cdot \textbf{\textit{Suitable extinguishing agents:}} \ \textit{Use fire fighting measures that suit the environment.}$
- $\cdot \textit{Special hazards arising from the substance or \textit{mixture} \ \textit{No further relevant information available}.$
- · Advice for firefighters
- · Protective equipment: No special measures required.

## 6 Accidental release measures

- $\cdot \textit{Personal precautions, protective equipment and emergency procedures} \ \textit{Not required}.$
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

Troccure neuon cruciu jor chemicus	
· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-92-1 Lead from Lead Oxide	$0.15 \text{ mg/m}^3$
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-92-1 Lead from Lead Oxide	120 mg/m³
· PAC-3:	
7697-37-2 nitric acid	92 ppm
	(Contd. on page 3)

Product Name: 1000 µg/mL Lead

7439-92-1 Lead from Lead Oxide

(Contd. of page 2)

700 mg/m<sup>3</sup>

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

#### 7439-92-1 Lead from Lead Oxide

PEL Long-term value: 0.05\* mg/m<sup>3</sup>

\*see 29 CFR 1910.1025

Long-term value: 0.05\* mg/m³ \*8-hr TWA ;See PocketGuide App.C TLV Long-term value: 0.05\* mg/m<sup>3</sup>

\*and inorganic compounds, as Pb; BEI

## · Ingredients with biological limit values:

## 7439-92-1 Lead from Lead Oxide

BEI 30 μg/100 ml

Medium: blood Time: not critical Parameter: Lead

10 μg/100 ml Medium: blood Time: not critical

Parameter: Lead (women of child bearing potential)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

(Contd. on page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: 1000 µg/mL Lead

(Contd. of page 3)

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Liquid

Color: According to product specification

· Odor: Characteristic · Odour Threshold: Not applicable.

· pH-value: Not applicable.

· Change in condition

Melting point/Melting range:Undetermined.Boiling point/Boiling range:100 °C (212 °F)

Flash point: Not applicable.
 Flammability (solid, gaseous): Not applicable.

· Decomposition temperature: Not applicable.

· Auto igniting: Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not applicable.Upper:Not applicable.

· Vapor pressure at 20 °C (68 °F): 23 hPa (17.3 mm Hg)

Density at 20 °C (68 °F)
 Relative density
 1.01859 g/cm³ (8.50013 lbs/gal)
 Not applicable.

Vapor density
 Evaporation rate
 Not applicable.
 Not applicable.

 $\cdot \ Solubility \ in \ / \ Miscibility \ with$ 

Water: Fully miscible.

· Partition coefficient (n-octanol/water): Not applicable.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

· Solvent content:

 Water:
 97.9 %

 VOC content:
 0.00 %

 Solids content:
 0.1 %

· Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 5)

Product Name: 1000 µg/mL Lead

(Contd. of page 4)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

Product is suspected to cause damage to fertility.

Product is suspected to cause birth defects.

· Carcinogenic categories

# · IARC (International Agency for Research on Cancer) 7439-92-1 | Lead from Lead Oxide | 2B

· NTP (National Toxicology Program)

7439-92-1 Lead from Lead Oxide

R

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

# 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) 3264 CORROSIVE LIOUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID
· IMDG, IATA	SOLUTION) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION)

(Contd. on page 6)

Product Name: 1000 µg/mL Lead

(Contd. of page 5) · Transport hazard class(es) · DOT, ADR, IMDG, IATA · Class 8 Corrosive substances · Label · Packing group · DOT, ADR, IMDG, IATA III · Environmental hazards: Not applicable. · Special precautions for user Warning: Corrosive substances · Danger code (Kemler): F-A,S-B· EMS Number: · Segregation groups Acids · Stowage Category · Stowage Code SW2 Clear of living quarters. · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Not applicable.  $\cdot \textit{Transport/Additional information:}$  $\cdot ADR$ · Excepted quantities (EQ) Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml  $\cdot$  IMDG 5L · Limited quantities (LQ) · Excepted quantities (EQ)Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID SOLUTION), 8, III

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara
· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7439-92-1 Lead from Lead Oxide

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

7439-92-1 Lead from Lead Oxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7439-92-1 Lead from Lead Oxide

B2

· TLV (Threshold Limit Value established by ACGIH)

7439-92-1 Lead from Lead Oxide

A3

Product Name: 1000 µg/mL Lead

(Contd. of page 6)

## · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS07

GHS08

- · Signal word Danger
- · Hazard-determining components of labeling:

Lead from Lead Oxide

· Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H351 Suspected of causing cancer.

H360 May damage fertility or the unborn child.

· Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF exposed or concerned: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- Contact:

SPEX CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 03/27/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit BEI: Biological Exposure Limit

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Carc. 2: Carcinogenicity - Category 2

Repr. 1A: Reproductive toxicity - Category 1A

## 1 Identification

- · Product identifier
- · Product Name: Nitric Acid Blank
- · Part Number: CLBLK-HNO3M
- · Application of the substance / the mixture Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, LLC.

203 Norcross Ave, Metuchen,

NJ 08840 USA

- · Information department: product safety department
- · Emergency telephone number:

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

# 2 Hazard(s) identification

· Classification of the substance or mixture



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

 $We ar \ protective \ gloves \ / \ eye \ protection \ / \ face \ protection.$ 

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

- If eye irritation persists: Get medical advice/attention.
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

Product Name: Nitric Acid Blank

(Contd. of page 1)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

7697-37-2 nitric acid

2.0%

· Chemical identification of the substance/preparation

7732-18-5 water, distilled, conductivity or of similar purity

98.0%

#### 4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Do not give anything to eat or drink Do not induce vomitting
- · Information for Doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

- $\cdot \textit{Reference to other sections}$
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

PA	C-	1	•

7697-37-2 nitric acid

0.16 ppm

· PAC-2:

7697-37-2 nitric acid

24 ppm

· PAC-3:

7697-37-2 nitric acid

92 ppm

#### 7 Handling and storage

- · Handling.
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

US

Product Name: Nitric Acid Blank

(Contd. of page 2)

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm
Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
 Odour Threshold: Not applicable.
 pH-value: Not applicable.

· Change in condition

Melting point/Melting range:

Boiling point/Boiling range:

100 °C (212 °F)

• Flash point: Not applicable.

Flammability (solid, gaseous): Not applicable.
 Decomposition temperature: Not applicable.

· Auto igniting: Product is not selfigniting.

(Contd. on page 4)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: Nitric Acid Blank

		(Contd. of page 3)
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not applicable.	
Upper:	Not applicable.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F)	1.01006 g/cm³ (8.42895 lbs/gal)	
Relative density	Not applicable.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r); Not applicable.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Water:	98.0 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
· Other information	No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot \textit{Conditions to avoid No further relevant information available}.$
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- $\cdot \textit{Additional toxicological information:}$

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 5)

(Contd. of page 4)

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: Nitric Acid Blank

 $\cdot \textit{Additional ecological information:}$ 

- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

Transport information	
· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid solution) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACI. SOLUTION) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACI.
1,120, 1111	SOLUTION)
Transport hazard class(es)	
· DOT, ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances 8
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
· Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups · Stowage Category · Stowage Code	Warning: Corrosive substances 80 F-A,S-B Acids A SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL. Code	73/78 and the IBC Not applicable.
· Transport/Additional information:	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI ACID SOLUTION), 8, III

Product Name: Nitric Acid Blank

(Contd. of page 5)

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: product safety department
- · Contact:

SPEX CertiPrep, LLC.

1-732-549-7144

- · Date of preparation / last revision 03/27/2019 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

# Safety Data Sheet acc. to OSHA HCS

Printing date 03/27/2019 Reviewed on 03/27/2019

Product Name: Nitric Acid Blank

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

(Contd. of page 6)