

# SAFETY DATA SHEET

Revision Date 10-Jan-2022 Version 0 **Issue Date** 10-Jan-2022

## 1. IDENTIFICATION

Product identifier

**Product Name TCLP Pest** 

Other means of identification

**Product Code** SPEO-015-Pest, SQCO-015-Pest & SQCO-015-Pest-B

UN/ID no. **Synonyms** None

Recommended use of the chemical and restrictions on use **Recommended Use** For Laboratory Use Only. Uses advised against No information available

Details of the supplier of the safety data sheet

**Supplier Address Manufacturer Address** NSI Lab Solutions, Inc. NSI Lab Solutions, Inc. 7212 ACC Blvd. 7212 ACC Blvd. Raleigh, NC 27617 Raleigh, NC 27617

Emergency telephone number

**Company Phone Number** 800-234-7837 919-789-3019 FAX

Website www.nsilabsolutions.com E-mail address nsi@nsilabsolutions.com

**Emergency Telephone** 919-349-7322

## 2. HAZARDS IDENTIFICATION

## Classification

## **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Serious eye damage/eye irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Flammable liquids	Category 2

## Label elements

#### **Emergency Overview**

## Danger

#### Hazard statements

H319: Causes serious eye irritation May cause respiratory irritation. May cause drowsiness or dizziness

H225: Highly flammable liquid and vapor



Appearance Clear, colorless liquid Physical state Liquid Odor No information available

#### **Precautionary Statements - Prevention**

Wash face, hands and any exposed skin thoroughly after handling

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/eye protection/face protection

Keep cool

## **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

Call a POISON CENTER or doctor if you feel unwell

In case of fire: Use CO2, dry chemical, or foam to extinguish

#### **Precautionary Statements - Storage**

Store in a well-ventilated place. Keep container tightly closed Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking.

## Other Information

May be harmful if inhaled

Unknown acute toxicity 100 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No.	Weight-%
Acetone	67-64-1	99

Refer to Certificate of Analysis for exact percentage concentration.

## 4. FIRST AID MEASURES

#### **Description of first aid measures**

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water and drink afterwards plenty of water. Consult a physician, if necessary.

#### Most important symptoms and effects, both acute and delayed

Symptoms The most important known symptoms and effects are described in Section 2 and/or Section

11.

## Indication of any immediate medical attention and special treatment needed

**Note to physicians** Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media No information available.

#### Specific hazards arising from the chemical

Carbon oxides.

## Explosion data

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge May be ignited by heat, sparks or flames.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

## Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See Section 12 for additional Ecological Information.

## Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice. For precautions,

see Section 2.

## Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible materials No information available. Bases, oxidizing agents, reducing agents, Acetone reacts violently

with phosphorous oxychloride.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Acetone	STEL: 500 ppm	TWA: 1000 ppm	IDLH: 2500 ppm
67-64-1	TWA: 250 ppm	TWA: 2400 mg/m <sup>3</sup>	TWA: 250 ppm
		(vacated) TWA: 750 ppm	TWA: 590 mg/m <sup>3</sup>
		(vacated) TWA: 1800 mg/m <sup>3</sup>	· ·
		(vacated) STEL: 2400 mg/m <sup>3</sup>	
		The acetone STEL does not apply	
		to the cellulose acetate fiber	
		industry. It is in effect for all other	
		sectors.	
		(vacated) STEL: 1000 ppm	

## **Appropriate engineering controls**

**Engineering Controls** Ensure adequate ventilation, especially in confined areas.

## Individual protection measures, such as personal protective equipment

Eye/face protection Avoid contact with eyes.

Skin and body protection Wear protective gloves and protective clothing.

Respiratory protection No protective equipment is needed under normal use conditions. If exposure limits are

exceeded or irritation is experienced, ventilation and evacuation may be required.

**General Hygiene Considerations** Handle in accordance with good industrial hygiene and safety practice.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

**Physical state** Liquid

**Appearance** Clear, colorless liquid Odor No information available Color Colorless **Odor threshold** No information available

**Property** Values Remarks • Method

Melting point / freezing point

No information available -94 °C -137 °F

Boiling point / boiling range 56 °C 133 °F (at 760 mm Hg) Flash point

-16.99 °C 1.42 °F Closed Cup

**Evaporation rate** No information available No information available Flammability (solid, gas) No information available No information available

Flammability Limit in Air

**Upper flammability limit:** 13% (V) Lower flammability limit: 2% (V)

Vapor pressure No information available No information available Vapor density No information available No information available

**Relative density** No information available No information available

Water solubility

Solubility in other solvents

Partition coefficient

Autoignition temperature

No information available

No information available

465.0 °C 869.0 °F

No information available

Decomposition temperatureNo information availableNo information availableKinematic viscosityNo information availableNo information availableDynamic viscosityNo information availableNo information availableExplosive propertiesNo information availableOxidizing propertiesNo information available

**Other Information** 

Softening point
Molecular weight
VOC Content (%)
Density
No information available

## 10. STABILITY AND REACTIVITY

#### Reactivity

No information available

#### **Chemical stability**

Stable under recommended storage conditions.

## Possibility of Hazardous Reactions

None under normal processing.

## **Conditions to avoid**

Heat, flames and sparks.

## **Incompatible materials**

No information available. Bases, oxidizing agents, reducing agents, Acetone reacts violently with phosphorous oxychloride.

## **Hazardous Decomposition Products**

No information available.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin contact** No data available.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Acetone	= 5800 mg/kg (Rat)	> 15700 mg/kg (Rabbit)	= 50100 mg/m <sup>3</sup> (Rat) 8 h
67-64-1			

## Information on toxicological effects

**Symptoms** No information available.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.

## Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document ...

ATEmix (oral) 5,858.60 ATEmix (dermal) 15,874.40 ATEmix (inhalation-dust/mist) 101.20

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

1 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Acetone	-	4.74 - 6.33: 96 h Oncorhynchus	10294 - 17704: 48 h Daphnia
67-64-1		mykiss mL/L LC50 8300: 96 h	magna mg/L EC50 Static 12600 -
		Lepomis macrochirus mg/L LC50	12700: 48 h Daphnia magna mg/L
		6210 - 8120: 96 h Pimephales	EC50
		promelas mg/L LC50 static	

## Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Other adverse effects No information available

## 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

**Disposal of wastes**Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated packaging** Do not reuse container.

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Acetone	-	Included in waste stream:	-	U002
67-64-1		F039		

Chemical Name	California Hazardous Waste Status
Acetone	Ignitable
67-64-1	

# 14. TRANSPORT INFORMATION

DOT Not regulated

UN/ID no. 1090 Proper shipping name Acetone **Hazard Class** 3 **Packing Group** Ш 5000 lbs Reportable Quantity (RQ)

IATA

UN/ID no. 1090 Proper shipping name Acetone **Hazard Class Packing Group** Ш

**IMDG** 

UN/ID no. 1090 Proper shipping name Acetone **Hazard Class Packing Group** Ш

EmS-No. F-E, S-D

## 15. REGULATORY INFORMATION

International Inventories

**TSCA** Complies **DSL/NDSL** Complies **EINECS/ELINCS** Complies **ENCS** Complies **IECSC** Complies **KECL** Complies Complies **PICCS** Complies **AICS** 

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances
IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

## US Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

## SARA 311/312 Hazard Categories

Acute health hazard Yes **Chronic Health Hazard** Yes Fire hazard Yes Sudden release of pressure hazard No **Reactive Hazard** No

#### **CWA (Clean Water Act)**

This product, as supplied, does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

## **US State Regulations**

## **California Proposition 65**

This product does not contain any Proposition 65 chemicals

Chemical Name	California Proposition 65
Acetone - 67-64-1	-

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Acetone	X	X	X
67-64-1			

#### **U.S. EPA Label Information**

**EPA Pesticide Registration Number** Not applicable

## 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 2 Flammability 3 Instability 0 Physical and Chemical

Properties -

HMIS Health hazards 2 Flammability 3 Physical hazards 0 Personal protection X

Chronic Hazard Star Legend \*= Chronic Health Hazard

Issue Date10-JAN-2019Revision Date10-JAN-2019

**Revision Note** 

No information available

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**