| 05/15/2013   | Kit Components         |  |
|--------------|------------------------|--|
| Product code | Description            |  |
| TM-SET       | Multi-Element Solution |  |
| Components:  |                        |  |
| MN-6         | Trace Metals III       |  |
| WP-15        | Trace Metals I         |  |

Trace Metals II

10 mg/L Mercury

WP-3

PLHG2-1AY

Printing date 05/15/2013 Reviewed on 05/15/2013

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Trace Metals III
- · Article number: MN-6 / MN-6-500
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, Inc - 203 Norcross Ave, Metuchen, NJ 08840

- · Information department: product safety department
- · Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300)

Outside US: 703-527-3887

#### 2 Hazards identification

· Classification of the substance or mixture



GHS07

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Irritant

Irritating to eyes and skin.

Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

 ${\it If skin irritation occurs: Get medical advice/attention.}$ 

If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 1 Fire = 0Reactivity = 0

(Contd. on page 2)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals III

· HMIS-ratings (scale 0 - 4)

(Contd. of page 1)





- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:                                       |                      |        |
|---|----------------------|--------|
| 7697-37-2 nitric acid   | ♠ H272; ♦ H314       | 2.0%   |
| · Chemical identification of the substance/preparation        |                      |        |
| 7440-39-3 Barium from Barium carbonate                        | <b>♦</b> <i>H302</i> | 0.05%  |
| 7440-70-2 Calcium from Calcium carbonate                      | < Н318; 🗘 Н315; Н335 | 0.05%  |
| 7439-98-7 molybdenum  |                      | 0.05%  |
| 7440-23-5 Sodium from Sodium carbonate                        | <b>♦</b> <i>H319</i> | 0.05%  |
| 7439-95-4 magnesium   | ♠ H250; H260         | 0.01%  |
| 7440-09-7 Potassium from Potassium nitrate                    | H303                 | 0.01%  |
| 7732-18-5 water, distilled, conductivity or of similar purity |                      | 97.78% |

## 4 First aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

(Contd. on page 3)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals III

(Contd. of page 2)

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL  $5 \text{ mg/m}^3$ , 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

### 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Color: According to product specification

Odor: Characteristic
 Odour threshold: Not determined.

· pH-value: Not determined.

(Contd. on page 4)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals III

|   |  | (Contd. of page 3 |
|---|--|-------------------|
| · Change in condition<br>Melting point/Melting range:<br>Boiling point/Boiling range: | Undetermined.<br>100°C (212 °F)  |                   |
| · Flash point:  | Not applicable.  |                   |
| · Flammability (solid, gaseous):  | Not applicable.  |                   |
| · Ignition temperature:   |  |                   |
| Decomposition temperature:  | Not determined.  |                   |
| · Auto igniting:  | Product is not selfigniting.   |                   |
| · Danger of explosion:  | Product does not present an explosion hazard.  |                   |
| · Explosion limits:<br>Lower:<br>Upper:   | Not determined.<br>Not determined.   |                   |
| · Vapor pressure at 20°C (68 °F):   | 23 hPa (17 mm Hg)  |                   |
| Density at 20°C (68 °F):     Relative density     Vapour density     Evaporation rate | 1.01812 g/cm³ (8.496 lbs/gal)<br>Not determined.<br>Not determined.<br>Not determined. |                   |
| · Solubility in / Miscibility with<br>Water:  | Not miscible or difficult to mix.  |                   |
| · Segregation coefficient (n-octonol/wa   | ter): Not determined.  |                   |
| · Viscosity:<br>Dynamic:<br>Kinematic:  | Not determined.<br>Not determined.   |                   |
| · Solvent content:<br>Organic solvents:<br>Water:                                     | 0.0 %<br>97.8 %  |                   |
| Solids content:  Other information  | 0.2 %<br>No further relevant information available.                                    |                   |

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

## 12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 5)

(Contd. of page 4)

## Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals III

· Mobility in soil No further relevant information available.

- $\cdot \textit{Additional ecological information:}$
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

|  |  | orma |  |
|--|--|------|--|
|  |  |      |  |

· UN-Number

 $\cdot ADR$ 

· DOT, ADR, IMDG, IATA

UN3264

· UN proper shipping name

 $\cdot$  DOT, IMDG, IATA

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

- · Transport hazard class(es)
- · DOT, IMDG, IATA



8 Corrosive substances. · Class

· Label

 $\cdot ADR$ 



· Class 8 Corrosive substances

· Label

· Packing group

· DOT, ADR, IMDG, IATA

· Special precautions for user Warning: Corrosive substances

· Danger code (Kemler):

80 F-A,S-B

III

· EMS Number: · Segregation groups

Acids

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Not applicable.

· UN "Model Regulation": UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC

ACID), 8, III

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

(Contd. on page 6)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals III

(Contd. of page 5) · TSCA (Toxic Substances Control Act): All ingredients are listed. Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: None of the ingredients is listed. · Carcinogenic categories · EPA (Environmental Protection Agency) 7440-39-3 Barium from Barium carbonate CBD· IARC (International Agency for Research on Cancer) None of the ingredients is listed. · NTP (National Toxicology Program) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) 7440-39-3 Barium from Barium carbonate A47439-98-7 molybdenum A3· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

• GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidizer.

H314 Causes severe skin burns and eye damage.

- · Department issuing MSDS: product safety department
- · Contact:

SPEX CertiPrep Inc.

732-549-7144

Printing date 05/15/2013 Reviewed on 05/15/2013

### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Trace Metals I
- · Article number: WP-15/15N/500/500N
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, Inc - 203 Norcross Ave, Metuchen, NJ 08840

- · Information department: product safety department
- · Emergency telephone number: Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300) Outside US: 703-527-3887

#### 2 Hazards identification

· Classification of the substance or mixture



GHS05 Corrosion

H314 Causes severe skin burns and eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Causes burns.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

- · Label element:
- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard statements

Causes severe skin burns and eye damage.

 $\cdot \textit{Precautionary statements}$ 

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0Reactivity = 0

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals I

(Contd. of page 1)

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| Dangerous comp                    |  |                |        |
|-----------------------------------|--|----------------|--------|
| 7697-37-2 nitric                  | acid   | 🊸 H272; 🔷 H314 | 5.09   |
| Chemical identif                  | ication of the substance/preparation                               |                |        |
| 7429-90-5 alumi                   | nium   |                | 0.05%  |
|                                   | lium from Ammonium trioxovanadate<br>301; か H315; H319; H335       |                | 0.0259 |
|                                   | lium from Beryllium Acetate<br>800; H310; H330; 🚯 H350             |                | 0.01%  |
| 7440-48-4 cobal<br><b>&amp;</b> H | 9<br>834; <u>(</u>   |                | 0.01%  |
|                                   | nium from Chromium(III) nitrate nonahydrate<br>715; H319           |                | 0.01%  |
| 7440-38-2 arsen                   | ic<br>801; H331; 🎨 H400; H410                                      |                | 0.019  |
| 7439-89-6 iron<br>🐵 H.            | 700  |                | 0.019  |
| 7440-50-8 сорре                   | r  |                | 0.019  |
|                                   | from Lead Oxide<br>860; H373; 🅎 H400; H410; 🐧 H302; H332           |                | 0.019  |
| 7440-02-0 nicke                   |  |                | 0.019  |
| 7439-96-5 mang                    | anese  |                | 0.019  |
|                                   | owder -zinc dust (pyrophoric)<br>250; H260; 🌜 H400; H410           |                | 0.019  |
| 7440-43-9 cadm                    | um (non-pyrophoric)<br>330; 🗞 H341; H350; H361; H372; 🍫 H400; H410 |                | 0.003  |
| 7782-49-2 selen                   | um<br>801; H331; 🗞 H373; H413                                      |                | 0.003  |
|                                   | , distilled, conductivity or of similar purity                     |                | 94.82  |

### 4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals I

(Contd. of page 2)

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- $\cdot \textit{Personal protective equipment:}$
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 4)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals I

 $\cdot \textit{Eye protection:}$ 

(Contd. of page 3)



Tightly sealed goggles

| Physical and chemical properties                            |   |
|---|---|
| Information on basic physical and cl<br>General Information |   |
| Appearance:   |   |
| Form:   | Fluid   |
| Color:  | According to product specification            |
| Odor:   | Characteristic                                |
| Odour threshold:  | Not determined.                               |
| pH-value:   | Not determined.                               |
| Change in condition   |   |
| Melting point/Melting range:                                | Undetermined.                                 |
| Boiling point/Boiling range:                                | 83°C (181 °F)                                 |
| Flash point:  | Not applicable.                               |
| Flammability (solid, gaseous):                              | Not applicable.                               |
| Ignition temperature:                                       |   |
| Decomposition temperature:                                  | Not determined.                               |
| Auto igniting:  | Product is not selfigniting.                  |
| Danger of explosion:  | Product does not present an explosion hazard. |
| Explosion limits:   |   |
| Lower:  | Not determined.                               |
| Upper:  | Not determined.                               |
| Vapor pressure at 20°C (68 °F):                             | 23 hPa (17 mm Hg)                             |
| Density at 20°C (68 °F):                                    | 1.0341 g/cm³ (8.63 lbs/gal)                   |
| Relative density  | Not determined.                               |
| Vapour density  | Not determined.                               |
| Evaporation rate  | Not determined.                               |
| Solubility in / Miscibility with                            |   |
| Water:  | Not miscible or difficult to mix.             |
| Segregation coefficient (n-octonol/we                       | ater): Not determined.                        |
| Viscosity:  |   |
| Dynamic:  | Not determined.                               |
| Kinematic:  | Not determined.                               |
| Solvent content:  |   |
| Organic solvents:   | 0.0 %   |
| Water:  | 94.8 %  |
| Solids content:   | 0.2 %   |
| Other information   | No further relevant information available.    |

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals I

(Contd. of page 4)

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### 12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

|  | port in |  |
|--|---------|--|
|  |         |  |

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN3264

- · UN proper shipping name
- · DOT, IMDG, IATA
- $\cdot ADR$

 $CORROSIVE\ LIQUID,\ ACIDIC,\ INORGANIC,\ N.O.S.\ (NITRIC\ ACID)$ 

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

- · Transport hazard class(es)
- · DOT, IMDG, IATA



- · Class
- · Label

- 8 Corrosive substances.
- 8

 $\cdot ADR$ 



- · Class 8 Corrosive substances
- · Label
- · Packing group
- · DOT, ADR, IMDG, IATA

III

(Contd. on page 6)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals I

Contd. of page 5)

Special precautions for user
Danger code (Kemler):
EMS Number:
Segregation groups
Acids

Transport in bulk according to Annex II of MARPOL73/78 and the IBC
Code
Not applicable.

UN''Model Regulation'':
UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

| Pogulatory                | information  |
|---------------------------|--|
|                           |  |
| · Safety, healt<br>· Sara | th and environmental regulations/legislation specific for the substance or mixture |
|                           | (extremely hazardous substances):  |
| 7697-37-2 n               |  |
|                           | (Specific toxic chemical listings):  |
| 7697-37-2 n               |  |
| 7429-90-5 d               |  |
|                           | Vanadium from Ammonium trioxovanadate  |
| 7440-48-4                 | ·  |
| 7440-38-2 d               | ursenic  |
| 7440-50-8 c               |  |
| 7440-02-0 n               |  |
| 7439-96-5 n               |  |
|                           | ;inc powder -zinc dust (pyrophoric)  |
|                           | cadmium (non-pyrophoric)   |
| 7782-49-2 s               |  |
|                           | c Substances Control Act):   |
| 7697-37-2 n               |  |
| 7429-90-5                 |  |
|                           | Vanadium from Ammonium trioxovanadate  |
| 7440-48-4                 |  |
| 7440-38-2                 |  |
| 7439-89-6 i               |  |
| 7440-50-8                 |  |
|                           | Lead from Lead Oxide   |
| 7440-02-0 r               |  |
| 7439-96-5 n               |  |
|                           | zinc powder -zinc dust (pyrophoric)  |
|                           | cadmium (non-pyrophoric)   |
| 7782-49-2 s               |  |
|                           | water, distilled, conductivity or of similar purity                                |
| · Proposition             |  |
| -                         | nown to cause cancer:  |
| 7440-48-4 c               |  |
| 7439-92-1 1               | Lead from Lead Oxide   |
| 7440-02-0 n               |  |
| 7440-43-9 c               | cadmium (non-pyrophoric)   |
|                           | nown to cause reproductive toxicity for females:                                   |
|                           | ingredients is listed.   |
|                           | nown to cause reproductive toxicity for males:                                     |
|                           | cadmium (non-pyrophoric)   |
|                           | nown to cause developmental toxicity:  |
|                           | cadmium (non-pyrophoric)   |

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals I

|  | (Contd. of pag |
|--|----------------|
| Carcinogenic categories  |                |
| EPA (Environmental Protection Agency)                            |                |
| 7440-38-2 arsenic  | 4              |
| 7440-50-8 copper   | ,              |
| 7439-92-1 Lead from Lead Oxide                                   |                |
| 7439-96-5 manganese  | ,              |
| 7440-66-6 zinc powder -zinc dust (pyrophoric)                    | ,              |
| 7440-43-9 cadmium (non-pyrophoric)                               | ,              |
| 7782-49-2 selenium   | J              |
| IARC (International Agency for Research on Cancer)               |                |
| 7440-48-4 cobalt   | 2B, 2          |
| 7440-38-2 arsenic  | 1              |
| 7439-92-1 Lead from Lead Oxide                                   | 2A             |
| 7440-02-0 nickel   | 2B             |
| 7440-43-9 cadmium (non-pyrophoric)                               | 1              |
| 7782-49-2 selenium   | 3              |
| NTP (National Toxicology Program)                                |                |
| 7440-38-2 arsenic  |                |
| 7439-92-1 Lead from Lead Oxide                                   |                |
| 7440-02-0 nickel   |                |
| 7440-43-9 cadmium (non-pyrophoric)                               |                |
| 7782-49-2 selenium   |                |
| TLV (Threshold Limit Value established by ACGIH)                 |                |
| 7429-90-5 aluminium  | ,              |
| 7440-48-4 cobalt   | ,              |
| 7440-38-2 arsenic  | ,              |
| 7439-92-1 Lead from Lead Oxide                                   |                |
| 7440-02-0 nickel   | ,              |
| 7440-43-9 cadmium (non-pyrophoric)                               | ,              |
| NIOSH-Ca (National Institute for Occupational Safety and Health) |                |
| 7440-38-2 arsenic  |                |
| 7440-02-0 nickel   |                |
| 7440-43-9 cadmium (non-pyrophoric)                               |                |
| OSHA-Ca (Occupational Safety & Health Administration)            |                |
| 7440-38-2 arsenic  |                |
| 7440-43-9 cadmium (non-pyrophoric)                               |                |

- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

· Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 8)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals I

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 7)

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidizer.

H314 Causes severe skin burns and eye damage.

- · Department issuing MSDS: product safety department
- · Contact:

 $SPEX\ CertiPrep\ Inc.$ 

732-549-7144

USA

Printing date 05/15/2013 Reviewed on 05/15/2013

## 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: Trace Metals II
- · Article number: WP-3 / 500
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, Inc - 203 Norcross Ave, Metuchen, NJ 08840

- · Information department: product safety department
- Emergency telephone number: Emergency Phone Number (24 hours) CHEMTREC (800-424-9300) Outside US: 703-527-3887

### 2 Hazards identification

· Classification of the substance or mixture



H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Irritant

Irritating to eyes and skin.

- Information concerning particular hazards for human and environment:
- The product has to be labelled due to the calculation procedure of international guidelines.
- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

 ${\it If skin irritation occurs: Get medical advice/attention.}$ 

If eye irritation persists: Get medical advice/attention.

- $\cdot {\it Classification \ system:}$
- · NFPA ratings (scale 0 4)



(Contd. on page 2)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals II

· HMIS-ratings (scale 0 - 4)

(Contd. of page 1)



- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:                                       |                              |         |
|---|------------------------------|---------|
| 7697-37-2 nitric acid   | ♠ H272; ♠ H314               | 2.0%    |
| · Chemical identification of the substance/preparation        |                              |         |
| 7440-28-0 Thallium from Thallium nitrate                      | ♠ H300; H330; ♠ H373; ♠ H411 | 0.002%  |
| 7440-36-0 antimony  |                              | 0.002%  |
| 7440-22-4 silver  |                              | 0.001%  |
| 7732-18-5 water, distilled, conductivity or of similar purity |                              | 97.995% |

### 4 First aid measures

- · Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · Reference to other sections

 $See\ Section\ 7\ for\ information\ on\ safe\ handling.$ 

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: No special measures required.

(Contd. on page 3)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals II

(Contd. of page 2)

- · Conditions for safe storage, including any incompatibilities
- · Storage.
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL 5 mg/m<sup>3</sup>, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information

· Appearance:

Form: Fluid

Color: According to product specification

• Odor: Characteristic
• Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

(Contd. on page 4)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals II

|   |   | (Contd. of page 3 |
|---|---|-------------------|
| Boiling point/Boiling range:            | 100°C (212 °F)                                |                   |
| · Flash point:                          | Not applicable.                               |                   |
| · Flammability (solid, gaseous):        | Not applicable.                               |                   |
| · Ignition temperature:                 |   |                   |
| Decomposition temperature:              | Not determined.                               |                   |
| · Auto igniting:                        | Product is not selfigniting.                  |                   |
| · Danger of explosion:                  | Product does not present an explosion hazard. |                   |
| · Explosion limits:                     |   |                   |
| Lower:                                  | Not determined.                               |                   |
| Upper:                                  | Not determined.                               |                   |
| · Vapor pressure at 20°C (68 °F):       | 23 hPa (17 mm Hg)                             |                   |
| · Density at 20°C (68 °F):              | 1.01049 g/cm³ (8.433 lbs/gal)                 |                   |
| · Relative density                      | Not determined.                               |                   |
| · Vapour density                        | Not determined.                               |                   |
| · Evaporation rate                      | Not determined.                               |                   |
| · Solubility in / Miscibility with      |   |                   |
| Water:                                  | Not miscible or difficult to mix.             |                   |
| · Segregation coefficient (n-octonol/wa | tter): Not determined.                        |                   |
| · Viscosity:                            |   |                   |
| Dynamic:                                | Not determined.                               |                   |
| Kinematic:                              | Not determined.                               |                   |
| · Solvent content:                      |   |                   |
| Organic solvents:                       | 0.0 %   |                   |
| Water:                                  | 98.0 %  |                   |
| · Other information                     | No further relevant information available.    |                   |

## 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- · on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

## 12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.

(Contd. on page 5)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals II

· Results of PBT and vPvB assessment

(Contd. of page 4)

- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

| 1 4 70  |           | C         |  |
|---------|-----------|-----------|--|
| 14 1 ra | nsport in | formation |  |

| TIAI | Number |
|------|--------|
|      |        |

· DOT, ADR, IMDG, IATA

UN3264

· UN proper shipping name

· DOT, IMDG, IATA

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

 $\cdot ADR$ 

3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

- · Transport hazard class(es)
- · DOT, IMDG, IATA



· Class

8 Corrosive substances.

S

 $\cdot ADR$ 



· Class · Label 8 Corrosive substances

8

· Packing group

· DOT, ADR, IMDG, IATA

Ш

 $\cdot \textit{Special precautions for user}$ 

Warning: Corrosive substances

· Danger code (Kemler):

80

· EMS Number:

F-A,S-B

· Segregation groups

Acids

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Code

Not applicable.

· UN "Model Regulation":

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC

ACID), 8, III

## 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara

| · Section 355 | (extremely | hazardous | substances): |
|---------------|------------|-----------|--------------|
|---------------|------------|-----------|--------------|

7697-37-2 nitric acid

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7440-28-0 Thallium from Thallium nitrate

7440-36-0 antimony

7440-22-4 silver

(Contd. on page 6)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: Trace Metals II

(Contd. of page 5)

#### · TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

#### · Chemicals known to cause cancer:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### · Carcinogenic categories

#### · EPA (Environmental Protection Agency)

7440-22-4 silver

D

#### · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

### · NTP (National Toxicology Program)

None of the ingredients is listed.

## · TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

- GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard statements

Causes skin irritation.

Causes serious eye irritation.

#### · Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Wear protective gloves/protective clothing/eye protection/face protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see on this label).

Take off contaminated clothing and wash before reuse.

 ${\it If skin irritation occurs: Get medical advice/attention.}$ 

If eye irritation persists: Get medical advice/attention.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H272 May intensify fire; oxidizer.

H314 Causes severe skin burns and eye damage.

- $\cdot \textbf{\textit{Department issuing MSDS:}} \ product \ safety \ department$
- · Contact:

SPEX CertiPrep Inc.

732-549-7144

Printing date 05/15/2013 Reviewed on 05/15/2013

### 1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: 10 mg/L Mercury
- · Article number: PLHG2-1AX/1AY
- · Relevant identified uses of the substance or mixture and uses advised against
- · Application of the substance / the preparation Certified Reference Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

SPEX CertiPrep, Inc - 203 Norcross Ave, Metuchen, NJ 08840

- · Information department: product safety department
- $\cdot \textit{Emergency telephone number:}$

Emergency Phone Number (24 hours)

CHEMTREC (800-424-9300)

Outside US: 703-527-3887

#### 2 Hazards identification

· Classification of the substance or mixture



GHS05 Corrosion

H314 Causes severe skin burns and eye damage.

· Classification according to Directive 67/548/EEC or Directive 1999/45/EC



Causes burns.

· Information concerning particular hazards for human and environment:

The product has to be labelled due to the calculation procedure of international guidelines.

- · Label elements
- · GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard statements

Causes severe skin burns and eye damage.

 $\cdot \textit{Precautionary statements}$ 

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3Fire = 0

Reactivity = 0

(Contd. of page 1)

## Material Safety Data Sheet acc. to ISO/DIS 11014

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: 10 mg/L Mercury

· Other hazards

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:                                       |                              |         |
|---|------------------------------|---------|
| 7697-37-2 nitric acid   | 🊸 H272; 🥎 H314               | 5.0%    |
| · Chemical identification of the substance/preparation        |                              |         |
| 7439-97-6 mercury   | ♦ H331; ♦ H373; ♦ H400; H410 | 0.001%  |
| 7732-18-5 water, distilled, conductivity or of similar purity |                              | 94.999% |

## 4 First aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Use neutralizing agent.

 $Dispose\ contaminated\ material\ as\ waste\ according\ to\ item\ 13.$ 

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 3)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: 10 mg/L Mercury

(Contd. of page 2)

· Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL 5 mg/m<sup>3</sup>, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- · Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Color: According to product specification

Odor: Characteristic
 Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.
Boiling point/Boiling range: 83°C (181°F)

Flash point: Not applicable.

• Flammability (solid, gaseous): Not applicable.

(Contd. on page 4)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: 10 mg/L Mercury

|   |   | (Contd. of page 3 |  |
|---|---|-------------------|--|
| · Ignition temperature:                 |   |                   |  |
| Decomposition temperature:              | Not determined.                               |                   |  |
| · Auto igniting:                        | Product is not selfigniting.                  |                   |  |
| · Danger of explosion:                  | Product does not present an explosion hazard. |                   |  |
| · Explosion limits:                     |   |                   |  |
| Lower:                                  | Not determined.                               |                   |  |
| Upper:                                  | Not determined.                               |                   |  |
| · Vapor pressure at 20°C (68 °F):       | 23 hPa (17 mm Hg)                             |                   |  |
| · Density at 20°C (68 °F):              | 1.02528 g/cm³ (8.556 lbs/gal)                 |                   |  |
| · Relative density                      | Not determined.                               |                   |  |
| · Vapour density                        | Not determined.                               |                   |  |
| · Evaporation rate                      | Not determined.                               |                   |  |
| · Solubility in / Miscibility with      |   |                   |  |
| Water:                                  | Fully miscible.                               |                   |  |
| · Segregation coefficient (n-octonol/wo | ater): Not determined.                        |                   |  |
| · Viscosity:                            |   |                   |  |
| Dynamic:                                | Not determined.                               |                   |  |
| Kinematic:                              | Not determined.                               |                   |  |
| · Solvent content:                      |   |                   |  |
| Organic solvents:                       | 0.0 %   |                   |  |
| Water:                                  | 95.0 %  |                   |  |
| · Other information                     | No further relevant information available.    |                   |  |

### 10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- $\cdot \textit{Conditions to avoid No further relevant information available}.$
- $\cdot \textbf{Incompatible materials:} \ No \ further \ relevant \ information \ available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Caustic effect on skin and mucous membranes.
- · on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

### 12 Ecological information

- · Toxicity
- · Acquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- $\cdot \textit{vPvB:} \textit{Not applicable}.$

(Contd. on page 5)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: 10 mg/L Mercury

· Other adverse effects No further relevant information available.

(Contd. of page 4)

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

## 14 Transport information

|   | IIλ    | JΛ      | Jum      | hor |
|---|--------|---------|----------|-----|
| • | • // 1 | V = / \ | <i> </i> | ner |

· DOT, ADR, IMDG, IATA

UN3264

· UN proper shipping name

· DOT, IMDG, IATA

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

 $\cdot ADR$ · Transport hazard class(es)

· DOT, IMDG, IATA



· Class 8 Corrosive substances.

· Label

 $\cdot ADR$ 

· Label



· Class 8 Corrosive substances

· Packing group

· DOT, ADR, IMDG, IATA

III

· Special precautions for user

Warning: Corrosive substances 80

· Danger code (Kemler):

F-A.S-B

· EMS Number: · Segregation groups

Acids

· Transport in bulk according to Annex II of MARPOL73/78 and the IBC

Not applicable.

· UN "Model Regulation":

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC

ACID), 8, III

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7439-97-6 mercury

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

(Contd. on page 6)

Printing date 05/15/2013 Reviewed on 05/15/2013

Trade name: 10 mg/L Mercury

(Contd. of page 5) · Proposition 65 · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: 7439-97-6 mercury · Carcinogenic categories · EPA (Environmental Protection Agency) 7439-97-6 mercury D · IARC (International Agency for Research on Cancer) 7439-97-6 mercury 3 · NTP (National Toxicology Program) None of the ingredients is listed. · TLV (Threshold Limit Value established by ACGIH) 7439-97-6 mercury A4· NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed. · OSHA-Ca (Occupational Safety & Health Administration)

- GHS label elements The product is classified and labelled according to the Globally Harmonized System (GHS).
- · Hazard pictograms

None of the ingredients is listed.



GHS05

- · Signal word Danger
- · Hazard statements

Causes severe skin burns and eye damage.

· Precautionary statements

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

Do not breathe dust/fume/gas/mist/vapours/spray.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Store locked up.

 $Dispose\ of\ contents/container\ in\ accordance\ with\ local/regional/national/international\ regulations.$ 

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H272 May intensify fire; oxidizer.

H314 Causes severe skin burns and eye damage.

- · Department issuing MSDS: product safety department
- · Contact:

SPEX CertiPrep Inc.

732-549-7144