

## Safety Data Sheet acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

### 1 Identification

- **Product identifier**
- **Trade name:** WL-371
- **Other means of identification**
- **Application of the substance / the mixture** For Laboratory Use Only
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
NSI Lab Solutions  
7212 ACC Blvd.,  
Raleigh, NC 27617  
USA
- **Information department:** Product safety department
- **Emergency telephone number:** During normal opening times: +1 (919) 789-3000

### \* 2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Flammable liquids 2

H225 Highly flammable liquid and vapor.



GHS06 Skull and crossbones

Acute toxicity - inhalation 3

H331 Toxic if inhaled.



GHS08 Health hazard

Specific target organ toxicity (single exposure) 1 H370 Causes damage to the central nervous system and the visual organs.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS06



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
methanol

(Contd. on page 2)

# Safety Data Sheet

## acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 1)

- **Hazard statements**

Highly flammable liquid and vapor.

Toxic if inhaled.

Causes damage to the central nervous system and the visual organs.

- **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground / bond container and receiving equipment.

Use explosion-proof [electrical/ventilating/lighting] equipment.

Use non-sparking tools.

Take action to prevent static discharge.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

If inhaled: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Call a poison center/doctor.

Specific treatment (see on this label).

In case of fire: Use CO<sub>2</sub>, powder or water spray to extinguish.

Store in a well-ventilated place. Keep container tightly closed.

Store in a well-ventilated place. Keep cool.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Information pertaining to particular dangers for man and environment:**

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**



- **Other hazards**

- **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

- **Classification according to (d)(1)(ii) of § 1910.1200**

The SDS issuer does not object to the classifications provided by importers or manufacturers of precursor products.

- **Hazards not otherwise classified**

There are no adverse physical or health effects known that are not covered by the hazard classes of the Hazard Communications Standard.

## \* 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

— US —

# Safety Data Sheet

## acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 2)

|                                   |                                                                     |         |
|-----------------------------------|---------------------------------------------------------------------|---------|
| · <b>Dangerous components:</b>    |                                                                     |         |
| 67-56-1                           | methanol                                                            | 80–100% |
| · <b>Non-hazardous components</b> |                                                                     |         |
| 118-79-6                          | 2,4,6-tribromophenol                                                | <0.1%   |
| 367-12-4                          | 2-fluorophenol                                                      | ≤0.1%   |
| 4165-62-2                         | Phenol-D5                                                           | ≤0.1%   |
| 321-60-8                          | 2-fluorobiphenyl                                                    | ≤0.1%   |
| 1718-51-0                         | 1,1':4',1''-terphenyl-2,2',2'',3,3',3'',4,4'',5,5',5'',6,6',6''-d14 | ≤0.1%   |
| 4165-60-0                         | Nitrobenzene-d5                                                     | <0.1%   |

### 4 First-aid measures

- **Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Remove breathing apparatus only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

- **After inhalation:**

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.

- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

- **After swallowing:** If symptoms persist consult doctor.

- **Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **Special hazards arising from the substance or mixture** During heating or in case of fire poisonous gases are produced.

- **Advice for firefighters**

- **Protective equipment:** Mouth respiratory protective device.

### \* 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 3)

## · Protective Action Criteria for Chemicals

|                 |          |          |
|-----------------|----------|----------|
| · <b>PAC-1:</b> |          |          |
| 67-56-1         | methanol | 530 ppm  |
| · <b>PAC-2:</b> |          |          |
| 67-56-1         | methanol | 2100 ppm |
| · <b>PAC-3:</b> |          |          |
| 67-56-1         | methanol | 7200 ppm |

## · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Keep respiratory protective device available.

### · Conditions for safe storage, including any incompatibilities

#### · Storage:

· **Requirements to be met by storerooms and receptacles:** Store in a cool location.· **Information about storage in one common storage facility:** Not required.· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· **Specific end use(s)** No further relevant information available.

## \* 8 Exposure controls/personal protection

### · Control parameters

|                                                                                 |                                                   |
|---------------------------------------------------------------------------------|---------------------------------------------------|
| · <b>Components with limit values that require monitoring at the workplace:</b> |                                                   |
| <b>67-56-1 methanol</b>                                                         |                                                   |
| PEL                                                                             | Long-term value: 260 mg/m <sup>3</sup> , 200 ppm  |
| REL                                                                             | Short-term value: 325 mg/m <sup>3</sup> , 250 ppm |
|                                                                                 | Long-term value: 260 mg/m <sup>3</sup> , 200 ppm  |
|                                                                                 | Skin                                              |
| TLV                                                                             | Short-term value: 328 mg/m <sup>3</sup> , 250 ppm |
|                                                                                 | Long-term value: 262 mg/m <sup>3</sup> , 200 ppm  |
|                                                                                 | Skin; BEI                                         |
| · <b>Ingredients with biological limit values:</b>                              |                                                   |
| <b>67-56-1 methanol</b>                                                         |                                                   |
| BEI                                                                             | 15 mg/L                                           |
|                                                                                 | Medium: urine                                     |
|                                                                                 | Time: end of shift                                |
|                                                                                 | Parameter: Methanol (background, nonspecific)     |

(Contd. on page 5)

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 4)

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

- **Body protection:** Protective work clothing

## \* 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Physical state** Liquid
- **Color:** Colorless
- **Odor:** Alcohol-like
- **Odor threshold:** Not determined.
- **Melting point/Melting range:** -98 °C (-144.4 °F)
- **Boiling point/Boiling range:** 64.7 °C (148.5 °F)
- **Flammability:** Highly flammable.
- **Explosion limits:**
- **Lower:** 5.5 Vol %
- **Upper:** 44 Vol %
- **Flash point:** 11 °C (51.8 °F)
- **Auto igniting:** 455 °C (851 °F)
- **Decomposition temperature:** Not determined.

(Contd. on page 6)

US

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 5)

|                                                                                        |                                                                                            |
|----------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| · <b>pH-value:</b>                                                                     | Not determined.                                                                            |
| · <b>Viscosity:</b>                                                                    |                                                                                            |
| · <b>Kinematic:</b>                                                                    | Not determined.                                                                            |
| · <b>Dynamic:</b>                                                                      | Not determined.                                                                            |
| · <b>Solubility in / Miscibility with</b>                                              |                                                                                            |
| · <b>Water:</b>                                                                        | Fully miscible.                                                                            |
| · <b>Partition coefficient (n-octanol/water):</b>                                      | Not determined.                                                                            |
| · <b>Vapor pressure at 20 °C (68 °F):</b>                                              | 128 hPa (96 mm Hg)                                                                         |
| · <b>Vapor pressure:</b>                                                               |                                                                                            |
| · <b>Density at 20 °C (68 °F):</b>                                                     | 0.79 g/cm <sup>3</sup> (6.59255 lbs/gal)                                                   |
| · <b>Relative density</b>                                                              | Not determined.                                                                            |
| · <b>Vapor density</b>                                                                 | Not determined.                                                                            |
| · <b>Particle characteristics</b>                                                      | Not applicable.                                                                            |
| · <b>Other information</b>                                                             |                                                                                            |
| · <b>Appearance:</b>                                                                   |                                                                                            |
| · <b>Form:</b>                                                                         | Fluid                                                                                      |
| · <b>Important information on protection of health and environment, and on safety.</b> |                                                                                            |
| · <b>Ignition temperature:</b>                                                         | Product is not selfigniting.                                                               |
| · <b>Danger of explosion:</b>                                                          | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. |
| · <b>Solvent content:</b>                                                              |                                                                                            |
| · <b>Organic solvents:</b>                                                             | 99.9 %                                                                                     |
| · <b>VOC content:</b>                                                                  | 99.91 %                                                                                    |
|                                                                                        | 999.1 g/l / 8.34 lb/gal                                                                    |
| · <b>Solids content:</b>                                                               | 0.0 %                                                                                      |
| · <b>Change in condition</b>                                                           |                                                                                            |
| · <b>Evaporation rate</b>                                                              | Not determined.                                                                            |

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## \*11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

|                                                               |          |                       |
|---------------------------------------------------------------|----------|-----------------------|
| · <b>LD/LC50 values that are relevant for classification:</b> |          |                       |
| <b>ATE (Acute Toxicity Estimate)</b>                          |          |                       |
| Inhalative                                                    | LC50/4 h | 3 mg/l                |
| <b>67-56-1 methanol</b>                                       |          |                       |
| Oral                                                          | LD50     | 5,628 mg/kg (rat)     |
| Dermal                                                        | LD50     | 15,800 mg/kg (rabbit) |

(Contd. on page 7)

— US —

# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 6)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Toxic
- **Interactive effects** No interactive effects between components are known.
- **Carcinogenic categories**

|                                                             |
|-------------------------------------------------------------|
| · <b>IARC (International Agency for Research on Cancer)</b> |
|-------------------------------------------------------------|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

|                                            |
|--------------------------------------------|
| · <b>NTP (National Toxicology Program)</b> |
|--------------------------------------------|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

|                                                                    |
|--------------------------------------------------------------------|
| · <b>OSHA-Ca (Occupational Safety &amp; Health Administration)</b> |
|--------------------------------------------------------------------|

|                                    |
|------------------------------------|
| None of the ingredients is listed. |
|------------------------------------|

- **Alternative sources for toxicological information** No non-standard sources for toxicological information where used.

## 12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 2 (Self-assessment): hazardous for water  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.

## 13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

- |                          |        |
|--------------------------|--------|
| · <b>UN-Number</b>       |        |
| · <b>DOT, IMDG, IATA</b> | UN1992 |

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 7)

|                                                                                                                                                                                                                        |                                                                                                                                                        |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>DOT</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul>                                                                 | <p>Flammable liquids, toxic, n.o.s. (Methanol)</p> <p>FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL)</p> <p>Flammable liquid, toxic, n.o.s. (METHANOL)</p> |
| <ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>DOT</b></li> </ul> <div> </div> <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>      | <p>3 Flammable liquids</p> <p>3, 6.1</p>                                                                                                               |
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> </ul> <div> </div> <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>                                                  | <p>3 Flammable liquids</p> <p>3/6.1</p>                                                                                                                |
| <ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul> <div> </div> <ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>                                                  | <p>3 Flammable liquids</p> <p>3 (6.1)</p>                                                                                                              |
| <ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>DOT, IMDG, IATA</b></li> </ul>                                                                                                             | <p>II</p>                                                                                                                                              |
| <ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> </ul>                                                                                                                                      | <p>Not applicable.</p>                                                                                                                                 |
| <ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b></li> </ul>                                                                                    | <p>Not applicable.</p>                                                                                                                                 |
| <ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> <li>· <b>DOT</b></li> <li>· <b>Quantity limitations</b></li> </ul>                                                              | <p>On passenger aircraft/rail: 1 L</p> <p>On cargo aircraft only: 60 L</p>                                                                             |
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>                                                                   | <p>1L</p> <p>Code: E2</p> <p>Maximum net quantity per inner packaging: 30 ml</p> <p>Maximum net quantity per outer packaging: 500 ml</p>               |
| <ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> </ul> | <p>Warning: Flammable liquids</p> <p>336</p> <p>F-E,S-D</p> <p>B</p>                                                                                   |

(Contd. on page 9)



# Safety Data Sheet

acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 8)

|                                 |                                                                 |
|---------------------------------|-----------------------------------------------------------------|
| · <b>Stowage Code</b>           | SW2 Clear of living quarters.                                   |
| · <b>UN "Model Regulation":</b> | UN 1992 FLAMMABLE LIQUID, TOXIC, N.O.S. (METHANOL), 3 (6.1), II |

## \*15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
No further relevant information available.
- **Sara**

|                                                        |
|--------------------------------------------------------|
| · <b>Section 355 (extremely hazardous substances):</b> |
| None of the ingredients is listed.                     |

|                                                          |
|----------------------------------------------------------|
| · <b>Section 313 (Specific toxic chemical listings):</b> |
| 67-56-1   methanol                                       |

| · <i>TSCA (Toxic Substances Control Act):</i> |                      |        |
|-----------------------------------------------|----------------------|--------|
| 67-56-1                                       | methanol             | ACTIVE |
| 118-79-6                                      | 2,4,6-tribromophenol | ACTIVE |
| 367-12-4                                      | 2-fluorophenol       | ACTIVE |
| 321-60-8                                      | 2-fluorobiphenyl     | ACTIVE |

|                                   |
|-----------------------------------|
| · <b>Hazardous Air Pollutants</b> |
| 67-56-1   methanol                |

### · Proposition 65

|                                           |
|-------------------------------------------|
| · <b>Chemicals known to cause cancer:</b> |
| None of the ingredients is listed.        |

|                                                                      |
|----------------------------------------------------------------------|
| · <b>Chemicals known to cause reproductive toxicity for females:</b> |
| None of the ingredients is listed.                                   |

|                                                                    |
|--------------------------------------------------------------------|
| · <b>Chemicals known to cause reproductive toxicity for males:</b> |
| None of the ingredients is listed.                                 |

|                                                           |
|-----------------------------------------------------------|
| · <b>Chemicals known to cause developmental toxicity:</b> |
| 67-56-1   methanol                                        |

### · Carcinogenic categories

|                                                |
|------------------------------------------------|
| · <b>EPA (Environmental Protection Agency)</b> |
| None of the ingredients is listed.             |

|                                      |
|--------------------------------------|
| · <b>TLV (Threshold Limit Value)</b> |
| None of the ingredients is listed.   |

|                                                                           |
|---------------------------------------------------------------------------|
| · <b>NIOSH-Ca (National Institute for Occupational Safety and Health)</b> |
| None of the ingredients is listed.                                        |

- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02



GHS06



GHS08

(Contd. on page 10)

# Safety Data Sheet

## acc. to OSHA HCS

Date of issue: 06/30/2026

Reviewed on 06/30/2026

Trade name: WL-371

(Contd. of page 9)

- **Signal word** *Danger*
- **Hazard-determining components of labeling:**  
*methanol*
- **Hazard statements**  
*Highly flammable liquid and vapor.*  
*Toxic if inhaled.*  
*Causes damage to the central nervous system and the visual organs.*
- **Precautionary statements**  
*Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*  
*Ground / bond container and receiving equipment.*  
*Use explosion-proof [electrical/ventilating/lighting] equipment.*  
*Use non-sparking tools.*  
*Take action to prevent static discharge.*  
*Do not breathe dust/fume/gas/mist/vapors/spray.*  
*Wash thoroughly after handling.*  
*Do not eat, drink or smoke when using this product.*  
*Use only outdoors or in a well-ventilated area.*  
*Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.*  
*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].*  
*If inhaled: Remove person to fresh air and keep comfortable for breathing.*  
*If exposed or concerned: Call a poison center/doctor.*  
*Specific treatment (see on this label).*  
*In case of fire: Use CO2, powder or water spray to extinguish.*  
*Store in a well-ventilated place. Keep container tightly closed.*  
*Store in a well-ventilated place. Keep cool.*  
*Store locked up.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** *Environment protection department.*
- **Contact:** *- Department Technical Manager*
- **Date of previous version** *03/08/2024*
- **Date of preparation** *06/30/2026*
- **Abbreviations and acronyms:**  
*ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)*  
*IMDG: International Maritime Code for Dangerous Goods*  
*DOT: US Department of Transportation*  
*IATA: International Air Transport Association*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*NFPA: National Fire Protection Association (USA)*  
*HMIS: Hazardous Materials Identification System (USA)*  
*VOC: Volatile Organic Compounds (USA, EU)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*NIOSH: National Institute for Occupational Safety*  
*OSHA: Occupational Safety & Health*  
*TLV: Threshold Limit Value*  
*PEL: Permissible Exposure Limit*

(Contd. on page 11)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Date of issue: 06/30/2026

Reviewed on 06/30/2026

---

**Trade name: WL-371**

---

(Contd. of page 10)

*REL: Recommended Exposure Limit**BEL: Biological Exposure Limit**Flammable liquids 2: Flammable liquids – Category 2**Acute toxicity - inhalation 3: Acute toxicity – Category 3**Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) – Category 1**· \* Data compared to the previous version altered.*

---

— US —